J. C. THOMPSON

INDEPENDENT OIL OPERATOR 410 - 17TH STREET, SUITE 1305 DENVER, COLORADO 80202

August 2, 1985

RECEIVED

AUG 07 1985

DIVISION OF OIL

Division of Oil, Gas & Mining 3 Triad Center, Ste. 350 355 W. North Temple Salt Lake City, Utah 84180

> RE: Notice of Intention to Drill Federal 675 #5 Well Grand County, Utah

Gentlemen:

Enclosed are two copies of Notice of Intention to Drill the captioned well, along with the surveyor's plat. This well will be a directional hole and a survey will be run to prove the subsurface location.

The situation is that extreme topography consisting of a steep bluff dictates that this location be located east of our desired site. The surface location is on the same pad as our Federal 675 #4-well, but the subsurface location is allowed by Order of the Board in Cause No. 102-16B dated November 15, 1979.

We ask that the requested location be approved as soon as feasible. Thank you in advance for your cooperation in this matter.

Very truly yours,

I. C. Thompson

JCT/ck

@ Surveyor's plat being sent direct from surveyor.

Enclosures

Form 3160-3 (November 1983)


CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES

SUBMIT IN T JCATE* (Other instructions on reverse side)

Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

(formerly 9-331C)	DEDADTMEN	T OF THE IN	ITEDIAD			. 31, 1983
		F LAND MANAGI			5. LEASE DESIGNATION	AND SERIAL NO.
4 DD1 16 4 T101				N. I.C. D. A. C.	U-5675 6. IF INDIAN, ALLOTTE	B OR TRIBE NAME
	N FOR PERMIT	IO DRILL, D	EEPEN, OR I	LUG BACK		
la. TYPE OF WORK	ILL 🖬	7. UNIT AGREEMENT NAME				
b. TYPE OF WELL		DEEPEN [UG BACK [· -	
WELL K	AS OTHER		SINGLE ZONE	MULTIPLE ZONE	8. FARM OR LEASE NA	MB
. NAME OF OPERATOR J. C. THOMP	SON	•		EIVED	Federal 6	75
3. ADDRESS OF OPERATOR			REU	-1111-	9. WELL NO. 5	
410-17+h C+	., #1305, Denve	er, CO 80202	2	.005	10. FIELD AND POOL,	OP WILDCAT
LOCATION OF WELL (R	eport location clearly and	d in accordance with	any State rALG	<u>07.1983 </u>	√Greater Cis	
At surface 6931	FNL, 1184 FWL	Sec. 10	\ nw		11. SEC., T., R., M., OR	BLK.
At proposed prod. son	• 510'FNL, 66	O' EUT O	N MW DIVIS	ION OF OIL	AND SURVEY OR A	
	JIO PRES OU		MAS	& MINING	Sec. 10-T20S	
	and direction from NEA st of Grand Jun		OFFICE*		12. COUNTY OR PARISH	i .
5. DISTANCE FROM PROP			f-		Grand	Utah
LOCATION TO NEARES! PROPERTY OR LEASE I	T	510'	16. NO. OF ACRES IN		O THIS WELL	
(Also to nearest drig 8. DISTANCE FROM PROF	g. unit line, if any)		820 19. PROPOSED DEPTH	· · · · · · · · · · · · · · · · · · ·	OTARY OR CABLE TOOLS	
TO NEAREST WELL, D OR APPLIED FOR, ON TH	RILLING, COMPLETED,	669'	3499' _/	n ave 20. "	Rotary	
1. ELEVATIONS (Show wh		1		1/0.	22. APPROX. DATE WO	DRK WILL START*
5543	GR				August 25,	1985
3.	· · · · · · · · · · · · · · · · · · ·	PROPOSED CASING	AND CEMENTING	G PROGRAM		
SIZE OF ROLE	SIZE OF CASING	WEIGHT PER FOO	T SETTING	DEPTH	QUANTITY OF CEME	NT
12½"	8 5/8	24#	250)'	150 sks	
7 7/8"	5½"	14.0#	T.D.		220 sks	
Any If dri for	lling will ceas mation.	nows of oil of duction is ense, and compl	or gas will to accountered in etion will be accounted by the back of the back of the back, give	Cedar Mountee made in Cedar Mounte made in Cedar Mounte MPROVED OF UTAH OH, GAS ATE: 8	d. ntain formation,	
reventer program, if any			· · · · · · · · · · · · · · · · · · ·			···
RIGNED Q.C.	V leannesses	TITLI	Operator	•	DATE AUGUS	st 2, 1985
	ral or State office use)					
(Into space for Fede		a				
PERMIT NO	-019-3119°	1	APPROVAL DATE	C		
APPROVED BY		ጥነጥ፤.	.		The Arment	



NOTE: The Well Location is 692.99 feet South of the North Section Line and 1183.87 feet East of the West Section Line of the NW 1/4 of Section 10.

PLAT OF SURVEY FOR A WELL SITE LOCATION
LOCATED IN THE NW 1/4 OF SECTION 10, T20S, R21E, SLBM, GRAND COUNTY, UTAH
FOR J.C. THOMPSON

SURVEYOR'S CERTIFICATE

I, John C. Shepherd, a Registered Land Surveyor in the State of Utah, hereby certify that this survey was prepared from notes of an actual field survey done under my direction on July 31, 1985, and that this plat represents said survey.

John C. Shepherd P.E., L.S. No. 1607

J.C. THOMPSON FEDERAL 675-5

W. H. LIZER & ASSOCIATES ENGINEERING & SURVEYING 576 25 ROAD UNIT 8 241-1129 GRAND JUNCTION, COLORADO

7 W. 851308-7

· JC Thompson acreage

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Company	J. C.	THOMPSON					Well No	5
Location	Sec.	10	T	20S	R	21E	Lease No.	U-5675
Onsite In	spection	Date					•	
compliance Oil and G is fully	e is made as Order responsil	with app No. 1, and the state of the state o	olicable ind the applications	laws, proved s of 1	reg d pl his	ulations an of op subcontr	(43 CFR 31 erations. actors. A	nner that full 00), Onshore The operator copy of these compliance.
A. DRILL	A. DRILLING PROGRAM							
1.	Surface	Formation	and Est	imate	d Fo	rmation	Tops:	
	Mancos	Shale	· sur	face		• •		
	Dakota		. 284	0'		*		•
	Cedar	Mountain	299	0'				
	Morris	on	349	9'				
2.		ed Depth a					or Other Mi	neral Bearing
					F	ormation		Zone
		cted oil z				r Mtn.	2990	
		cted gas z cted water			Dako None		2840	
		cted water			None			
	BLM at depth a	onsite) en	countered ely prote	d duri	ing (drilling 11 oil a	minerals (, will be r nd gas show	
3.	Pressure	• Control	Equipment	<u>t</u> :				
	See at	tached dia	agram. B	OP eq	uipm	ent will	consist of	flange 10",
	Series	900, doul	ole ram w	ith b	lind	rams an	d 3½" pipe	rans
	hydrau	lically o	perated f	rom a	rem	ote loca	tion. Hand	wheels will
	be in	use.				•		

BOP systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office should be notifed, with sufficient lead time, in order to have a BIM representative on location during pressure testing.

4. Casing Program and Auxiliary Equipment:

Surface casing will be new 8 5/8", 24#, K55 from 0-250', cement circulated to surface. Production csg will be new 55", 14.0# K55 from 0-TD., cement top estimated 2,100'. Aux. equip, will include a float, kelly cock, and a full opening pipe valve on the floor. A mud pump and mud tank will be on location with sufficient volume of mud to control or kill the well should an emergency arise.

Anticipated cement tops will be reported as to depth, not the expected number of sacks of cement to be used. The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

5. Mud Program and Circulating Medium:

Air-airmist will be used as the drilling fluid from 0-3499'. Low solids KCl mud to be used if necessary

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

6. Coring, Logging and Testing Program:

No cores or DST's are anticipated. Open hole logs to be run from base of surface casing - T.D. Proposed logs: Dual-Induction-SFL w/gamma

250!-T.D.; Comp. density w/sidewall neutron-minimum (if fluid in hole, will substitute compensated neutron.)
Whether the well is completed as a dry hole or as a producer, "Well Completion and Pecompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description,

and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).

7.	Abnormal	Conditions,	Bottom	Hole	Pressures	and	Potential	Hazards:

Maximum pressure anticipated is 1,500 psig in the Dakota- Morrison
formation and should not require more than normal controls. No
abnormal temperatures or hydrogen sulfide are expected.

8. Anticipated Starting Dates and Notifications of Operations:

Locat	ion com	nstruction:	Aug	ust 2	3.	1985		
Spud (date:	August	25,	1985				

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Grand Area Office
The spud date will be reported orally to the AO within 48 hours
after spudding. If the spudding occurs on a weekend or holiday, the
report will be submitted on the following regular work day. The
oral report will be followed up with a Sundry Notice.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 20.329 "Monthly Report of Operations", starting with the month in which Operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed, in duplicate, to the Vernal BLM District Office, 170 South 500 East, Vernal, Utah 84078.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producting status. Such notification will be sent by telegram or other written communication, not later than 5 days following the date on which the well is placed on production.

Pursuant to MTL-2B, with the approval of the District Engineer, produced water may be temporarily disposed of into unlined pits for

a period of up to 90 days. During the period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the District Engineer.

Pursuant to NTI-4A, lessees or operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received, for any venting/flaring of gas beyond the initial 30 day or authorized test period.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

A first production conference will be scheduled within 15 days after receipt of the first production notice.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the SO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal or Indian lands.

B. THIRTEEN POINT SURFACE USE PLAN

1.	Exi	sting Poads:
	а.	Location of proposed well in relation to town or other reference point: 60 miles west of Grand Junction
	b.	Proposed route to location: West on I-70 59 miles to W. Cisco Exit, Utah Highway 128 easterly 2 mi. to Cummingham Ranch road for
	c.	location and description of roads in the area:
	d.	Roads are gravel and in good condition Plans for improvement and/or maintenance of existing roads:
	e.	Will contribute my share with other users to maintain BLM road to Other: Class III standard
2.	Plar	nned Access Roads:
3.	Loca	Width:
4.	All cons pain stand State 6 more	permanent (on site for six months or longer) structures tructed or installed (including oil well pumpjacks) will be ted a flat, non-reflective, earthtone color to match the dard environmental colors, as determined by the Pocky Mountain 5 e Interagency Committee. All facilities will be painted within of installation. Facilities required to comply with H.A. (Occupational Safety and Health Act) will be excluded.

If a tank battery is constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain 14 times the storage capacity of the battery.

Tank batteries will be placed on the: No new tanks. Within a 1-mile radius JCT has 2 tank batteries, no oil gathering lines, 1 gas gathering line, no injections or disposal lines. A flow line will be laid from new well to existing flow line from 675 #4 well. See attached plat of proposed oil flow line.

All loading lines will be placed inside the berm surrounding the tank battery.

All site security guidelines identified in 43 CFR 3162.7 regulations will be adhered to.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.

5. Location and Type of Water Supply:

All water needed for drilling purposes will be obtained from:

Hauled from Colorado River at Westwater (SW/4SW/4 Sec. 15-T21S-R24E)

A permit has been applied for. Existing roads will be used to haul,

no water well will be required.

6. Source of Construction Material:

Road	surfacing	and	pad	construction	${\tt material}$	will	be	obtained	from:
------	-----------	-----	-----	--------------	------------------	------	----	----------	-------

None required.	
•	

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

Construction material (will/will not) be located on lease.

. 14 miles, then right on BLM road for 1.0 miles to Federal 675 #4 well, new well on same pad as Federal 675 #4 well.

	The reserve pit (will/will not) be lined: Cuttings to reserve pit:
	drilling fluids same, produced fluids (see Plat 3: sewage contained
	in chemical toilets.
	Burning (will/will not) be allowed. All trash must be contained and disposed of by: Trash cage. No trash in reserve pit.
	Trash cage hauled away after completion.
	Produced waste water will be confined to a (lined/unlined) pit for a period not to exceed 90 days after initial production. During the 90 day period an application for approval of a permanent disposal method and location, along with required water analysis, will be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance, and will be grounds for issuing a shut-in order.
	Ancillary Facilities:
	Camp facilities (will/will not) be required. They will be located:
	Well Site Layout: The reserve pit will be located: See Plat 5
•	Well Site Layout: The reserve pit will be located: See Plat 5 The stockpiled topsoil will be stored: See Plat 5
٠	, .
•	, .
•	The stockpiled topsoil will be stored: See Plat 5 Access to the well pad will be from: North. Pad size 200' X 150'

Reserve pits will be fenced with a wire mesh fence and topped with at least one strand of barbed wire.

Earth from the cut required will be pushed to the east side of location and the location will be reduced after completion to the minimum required for well serviceing, or if abandoned, grade will be restored.

10. PLANS FOR RESTORATION OF THE SURFACE:

- A. The top 4-6 inches of soil material will be removed from the location and stockpiled northwest of the location.
- B. The top 2 inches of soil material will be saved and windrowed along the access route on the uphill side.
- C. An embankment will be constructed on the northwest corner of the pad around the flare pit to serve as a knock down for the blooie line.
- D. Should the well be a dry hole, the location and new access road will be policed, the reserve pit allowed to dry, then backfilled. The disturbed areas will be recontoured to blend with the local topography and the topsoil distributed. The area will be reseeded with a mixture and at a time specified by the Grand Resource Area in Moab, Utah.
- E. The mixture is to be broadcast after the stockpiled topsoil has been evenly respread over the disturbed areas. The pad will not be smoothed out but left rough. Reseeding may be done when recontouring and rehabilitating the site and drill road.
- F. After seeding is complete the stockpiled trees and vegetation will be scattered evenly over the disturbed areas and walked down with a dozer.
- G. The operator or his contractor will contact the Grand Resource Area Bureau of Land Management office in Moab, Utah, telephone (801)259-8193, 48 hours prior to starting rehabilitation work that involves earth moving equipment and upon completion of restoration measures.

11. OTHER INFORMATION:

- A. The surface and minerals are owned by the Federal government.
- B. The surface growth is sagebrush, rabbit brush, cheat grass, and rice grass. Wildlife consists of mule deer, coyotes, rabbits and rodents.
- C. The land is used for livestock grazing. This area is winter grazing range for deer. All drilling and completion work must be completed before November 1st and not resumed before March 31st, unless permission be obtained from the BLM.
- D. An archaeological survey has been made and a copy of the report is attached to this application. If subsurface cultural material is exposed during construction, work at that spot will stop immediately and the Grand Resource Area Office will be contacted. All employees working in the area will be informed by the operator that they will be subject to prosecution if they are caught disturing archaeological sites or picking up artifacts. Salvage or excavation of identified archaeological sites will only be done if damage occurs.
- E. The operator or his contractor will contact the Grand Resource Area in Moab, Utah, telephone (801)259-8193 48 hours prior to beginning any work on public land.

Th ne	ne reserve p eeded for pr	it and that portion of thecation ar oduction or production facilities will	d access road not be reclaimed.
S	urface and l	Mineral Ownership:	
_			
_			
9	Other Inform	ation:	
-			
•			
,	over program operating p producing, with 43 CFR	21.0-5	whether drilling fied in accordance
	approval for with 43 CFF		
	surface use	entractor will be provided with an appropriate plan.	
	construction	resource clearance (will/will not) be on begins. If any cultural resources a on, all work will stop and the AO will	be notified.
	approval. for approv	t will be valid for a period of one ye After permit termination, a new appli al for any future operations.	
	Lessee's o	r Operators Representative and Certifi	cation
	Pepresenta		
	tlame:	Walid Bou-Matar	01501
	Address:	2505½ Weslo Avenue, Grand Junction,	CO 81201

Phone No. 303/245-5671 or 245- 3660, Unit #5404

Certification	cation:
---------------	---------

	I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route, that I am familiar with the conditions which currently exist, that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by						
	and the terms and conditions	contractors in conformity with this plan sunder which it is approved. This provisions of 18 U.S.C. 1001 for the					
	<u>€ 7- 85</u> Date	Name/ and Title J. C. Thompson, Operator:					
CN-SITE							
DATE:							
PARTICIPA	ANTS:	TITLE:					

æ∙

1

4) 1/14/2017*0*54

MIRERALS HARAGEMENT SERVICE OIL&GAS OPERATIONS (Submit in triplicate to appropriate Regional Oil and Gas or Mining Supervisor)

AFR

SALT LAKE CITY. UTAH

DESIGNATION OF OPERATOR

The undersigned is, on the records of the Bureau of Land Management, holder of lease

DISTRICT LAND OFFICE:

State of Utah

SERIAL NO.:

U-5675

and hereby designates

NAME:

J.C. Thompson

ADDRESS:

1700 Broadway, Suite 1219, Denver, CO

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Operating Regulations with respect to (describe acreage to which this designation is applicable):

> 20 S. 21 E., SLM 9: E/2NE/4, SE/4; Seecion and anticomy 47 Section 14.

T. 20 S., R. 21 E., SLM

Section 9: W/2NE/4, below the base of the Morrison

Formation;

Section 10: N/2NE/4, below 3491 feet down from the surface; Section 11: NW, below 2925 down from the surface; NE/4, below

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.


The lessee agrees promptly to notify the supervisor of any change in the designated operator.


NICOR Exploration Company

W. P. Bremmer, Land Manager

February 23, 1983 (Date)

1667 Cole Blvd., Golden, CG 80401






J.C. Thompson Federal 675 Proposed Production Layout




100





PLAT 3


J.C. THOMPSON
FEDERAL 675 - 5
GRAND COUNTY, UTAH



PLAT 5







SCALE: HORIZONTAL & VERTICAL
1" = 40'

W.H. LIZER & ASSOCIATES

Engineering Consulting and Land Surveying

576 25 Road, Unit #8 Grand Junction, Colorado 81505

241·1129

RECEIVED

August 5, 1985

AUG 08 1985

DIVISION OF OIL GAS & MINING

Division of Oil, Gas, and Mines 3 - Triad Center Suite 350 355 W. Temple Salt Lake City, Utah 84180

Dear Sirs,

Enclosed are 3 copies of a well location for J. C. Thompson - Federal 675-5. Mr. Thompson will be mailing separate application forms from Denver, Colorado.

Sincerely yours,

Wayne H. Lizer, P.E., P.L.S.

WHL/s1

Enc.

xc: J. C. Thompson

OPERATOR J. C. Thomps WELL NAME Jul 675 #5 Surf. SECBHL-NW NW O T 205	on	DATE 8-8-85
WELL NAME Jed 675 #5		
SECBHL-NW NW T 205	R 2/E COUNTY	Grand
43-019-3/199 API NUMBER	J.	
CHECK OFF:		
PLAT	BOND	NEAREST WELL
LEASE	FIELD	POTASH OR OIL SHALE
PROCESSING COMMENTS: No other well within 400'		
need water permit		
		
APPROVAL LETTER:	18 (1997)	
SPACING: A-3 UNIT	c-3-a	102-16 B 11/15/79 CAUSE NO. & DATE
c-3-b	c-3-c	
STIPULATIONS:		•

J. C. THOMPSON

INDEPENDENT OIL OPERATOR 410 - 17th STREET, SUITE 1305 DENVER, COLORADO 80202

August 8, 1985

RECEIVED

AUG 1 2 1985

Division of Oil, Gas & Mining 3 Triad Center, Ste. 350 355 W. North Temple Salt Lake City, Utah 84180

DIVISION OF OIL GAS & MINING

Re: Application for Permit to Drill Well No. Federal 675-5 Sec. 10-T20S-R21E Grand County, Utah

Gentlemen:

The enclosed information is being sent pursuant to your telephone call today. Enclosures consist of a 13 Point APD and surveyor's plat which have been filed with the BLM.

Please advise if anything further is required.

Carole Kessler

Administrative Assistant

Enclosures



355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

August 21, 1985

J. C. Thompson 410-17th Street, #1305 Denver, Colorado 80202

Gentlemen:

Re: Well No. Federal 675 #5 - NW NW Sec. 10, T. 20S, R. 21E (Surface) 693' FNL, 1184' FWL, (BHL) 510' FNL, 660' FWL Grand County, Utah

Approval to drill the above-referenced oil well is hereby granted in accordance with the Order of Cause No. 102-16B dated November 15, 1979, subject to the following stipulations:

1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification to the Division within 24 hours after drilling operations commence.
- 2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
- 3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695, or R. J. Firth, Associate Director, (Home) 571-6068.
- 4. Compliance with the requirements and regulations of Rule C-27, Associated Gas Flaring, General Rules and Regulations, Oil and Gas Conservation.

Page 2 J. C. Thompson Well No. Federal 675 #5 August 21, 1985

5. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-019-31199.

Sincerely,

Associate Director, Oil & Gas

jbl Enclosures

cc: Branch of Fluid Minerals

J. C. THOMPSON

INDEPENDENT OIL OPERATOR
410 - 17TH STREET, SUITE 1305
DENVER, COLORADO 80202
August 21, 1985

RECEIVED

AUG 2 3 1985

DIVISION OF OIL GAS & MINING

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 W. North Temple
3 Triad Center, Ste. 350
Salt Lake City, Utah 84180-1203

Attn: Stephanie

Re: Confidential Status

Federal 675 #5 Well NWNW Sec. 10-T20S-R21E Grand County, Utah

Gentlemen:

J. C. Thompson as operator of the captioned well requests that the information submitted to the Division of Oil, Gas and Mining on this well be kept confidential for the maximum time allowed.

fours truly,

Carole Kessler

Form 3160-3 (Nevember 1983) (formerly 9-231C)

SUBMIT IN TR'

CATE* Form approved. 36

REC'D WUNITED STATES	(Other instruc. or reverse side)	Budget Bureau No. 100401 Expires August 31, 1985
DEPARTMENT OF THE INTERIOR		5. LEASE DESIGNATION AND SERIAL N

			· -		O. DEEDE DEGIGNALE	O. TUD BEETER NO.			
	BUREAU OF	LAND MANAG	EMENT		U-5675				
APPLICATION	APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK								
la. TYPE OF WORK	LL 🔯	DEEPEN [RECEIVED	ACK 🗆	7. UNIT AGREEMENT	NAME			
OIL GA	S OTHER		SEE 0 3 1985 NUL	TIPLE	8. FARM OR LEASE	NAME			
2. NAME OF OPERATOR			- 1505		Federal	675			
J. C. THOMPS	SON		M	1	9. WELL NO.	 			
3. ADDRESS OF OPERATOR			DIVISION OF OIL		5				
410-17th St.	., #1305, Denve		2 GAS & MINING	·	10. FIELD AND POOL	, OR WILDCAT			
	port location clearly and	in accordance with	any State requirements.*)	:	Greater C	isco			
At surface 693	FNL, 1184'FWL S	Sec. 10		* !	11. SEC., T., R., M., C AND SURVEY OR				
At proposed prod. zone	510'FNL, 660	' FWL			Sec. 10-T20	S-R21E			
4. DISTANCE IN MILES A			OFFICE*	+	12. COUNTY OR PARI	SH 13. STATE			
60 miles wes	st of Grand Jun	ction, CO		•	Grand	Utah			
15. DISTANCE FROM PROPULOCATION TO NEAREST PROPERTY OR LEASE L. (Also to nearest drig	INE, FT.	510'	16. NO. OF ACRES IN LEASE 820		F ACRES ASSIGNED HIS WELL 40				
18. DISTANCE FROM PROPO TO NEAREST WELL, DE OR APPLIED FOR, ON THE	ILLING, COMPLETED,	669'	19. PROPOSED DEPTH 3499	. i	RY OR CABLE TOOLS Rotary				
21. ELEVATIONS (Show whe 5543		<u> </u>		:	22. APPROX. DATE August 25	work will start*, 1985			
23.	1	PROPOSED CASIN	G AND CEMENTING PROG	RAM					
SIZE OF ROLE	BIZE OF CASING	WEIGHT PER FO	OT SETTING DEPTH	.	QUANTITY OF CE	MENT			
12½"	8 5/8	24#	250'		150 sks				
7 7/8"	512"	14.0#	T.D.		220 sks	··			
1		I	ı	, t					

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout


preventer program, if any.	•		
81GNED J.C. Vacupus	TITLE C	perator	DATE August 2, 1985
(This space for Federal or State office use)			
PERMIT NO.	АР	PROVAL DATE	
APPROVED BY Kenneth V. Rhea	AC	ting DISTRICT MANAGER	2 8 AUG 1985
CONDITIONS OF APPROVAL, IF ANY:			

CONDITIONS OF APPROVAL ATTACHED

*See Instructions: On Reverse Side:

FLARING OR VENTING OF GAS IS SUBJECT OF NTL 4-A **DATED 1/1/80**

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false. fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



NOTE: The Well Location is 692.99 feet South of the North Section Line and 1183.87 feet East of the West Section Line of the NW 1/4 of Section 10.

PLAT OF SURVEY FOR A WELL SITE LOCATION
LOCATED IN THE NW 1/4 OF SECTION 10, T20S, R21E, SLBM, GRAND COUNTY, UTAH
FOR J.C. THOMPSON

SURVEYOR'S CERTIFICATE

I, John C. Shepherd, a Registered Land Surveyor in the State of Utah, hereby certify that this survey was prepared from notes of an actual field survey done under my direction on July 31, 1985, and that this plat represents said survey.

John C. Sheenerd P.E., L.S. No. 1607

J.C. THOMPSON FEDERAL 675-5

W. H. LIZER & ASSOCIATES
ENGINEERING & SURVEYING
576 25 ROAD UNIT 8 241-1129
GRAND JUNCTION, COLORADO

Project No. 851308-7

J. C. Thompson
Well No. Federal 675-5
Sec. 10, T. 20 S., R. 21 E.
Grand County, Utah
Lease U-5675

CONDITIONS OF APPROVAL

A. DRILLING PROGRAM

- 1. Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR 3162.6. The marker will be constructed as follows: no less than 4 inches in diameter and extend approximately 4 feet above ground level. The top of the marker will be closed or capped.
- The following minimum information will be permanently placed on the marker plate, cap or beaded-on with a welding torch: "Fed" or "Ind", as applicable; "Well Number, Location by 1/41/4 Section, Township and Range"; "Lease Number".
- 3. Pipe rams and blind rams will be tested to 1500 psi prior to drilling out from 8-5/8" surface casing. Test to be recorded on driller's \log .
- 4. All B.O.P. drills will be recorded on driller's log.
- 5. All approvals and reports will be sent to the Bureau of Land Management, Moab District Office, P.O. Box 970, Moab, Utah 84532 not the Vernal District as mentioned in item #8 of the eight point drilling plan.
- 6. The Grand Resource Area Office will be notified at least 24 hours prior to spudding, not 48 hours after as mentioned in item #8 of the eight point drilling plan.
- 7. Your contact with the District Office is:

Greg Noble, Petroleum Engineer Office Phone: 801-259-6111
Ext 229

Address:

82 East Dogwood, P.O. Box 970 Moab, Utah 84532

B. SURFACE USE PLAN

- 1. The access road to J. C. Thompson 675 #4 will be used to access J. C. Thompson 675 #5. Road has been constructed and will be maintained to Bureau's Class III Road Standards.
- 2. Well pad for 675-5 will use part of west side of well pad 675-4. (Well will be directional drilled).
- 3. Surface disturbance and vehicular travel will be limited to the approved location and existing access road. Any additional area needed will be approved by the area manager in advance.
- 4. Two camp trailers will be on the location. One for the geologist, one for the engineer.
- 5. Burning of trash will not be allowed. No trash will be put in reserve pit. Trash will be confined to a trash cage and hauled to a sanitary landfill.
- 6. Top 4-6 inches of soil material will be removed from the location and stock piled southeast of the location.
- 7. The operator or his contractor will contact the Grand Resource Area, Bureau of Land Management office in Moab, Utah (801) 259-8193, 48 hours prior to beginning any work on public land.
- 8. This area is winter grazing range for deer. All drilling and completion work must be completed by November 1 and not resume prior to March 31, unless permission is obtained from the Grand Resource Area Manager.
- 9. Your contact with the Grand Resource Area office is:

Elmer Duncan, Chief Land and Mineral Staff Office Phone: 801-259-8193

Address:

Sand Flats Road, P.O. Box M Moab, Utah 84532 DIVISION OF OIL, GAS AND MINING

API NO. 43-019-31199

SPUDDING INFORMATION

NAME OF COMPANY: J.C. THOMPSON
WELL NAME: FEDERAL 675 # 5
SECTION 10 TOWNSHIP 20S RANGE 21E COUNTY GRAND
DRILLING CONTRACTOR BECO DRILLING
RIG #
SPUDDED: DATE 9-4-85
TIME 10:00 am
HOW_Rotary
DRILLING WILL COMMENCE 9-4-85
REPORTED BY Carol Kessler
TELEPHONE $\frac{\mu}{E}$ 303-573-6021
DATE9-3-85SIGNEDSB

J. C. THOMPSON

INDEPENDENT OIL OPERATOR 410 - 17TH STREET, SUITE 1305 DENVER, COLORADO 80202

October 16, 1985

RECEIVED

1 8 1985

Division of Oil, Gas & Mining 3 Triad Center, Ste. 350 355 W. North Temple Salt Lake City, Utah 84180

DIVISION OF OR GAS & MINING

Re: Federal 675 #5

NWNW Sec. 10-T20S-R21E

Grand County, Utah

Gentlemen:

Enclosed please find the following information pertaining to the captioned well:

- 1. Three copies of Well Completion or Recompletion Report and Log.
- 2. Three copies of direction survey printout

Carole Lisslin

Carole Kessler

Enclosures

BERIAL NO.
FRIBE NAME
DCAT
LND BURVEY
ah
NGHRAD
TOOLS
ECTIONAL MADE
•
PELLED
ET (MD)
ET (MD)
SED
ng or
(CORR.)
·

			,							5. LEAS	U-5	ATION AND BER	IAL N
WELL CO	OMPLETIO	N O	R RECO	MPLE	TION	REPORT	A٨	1D 1.C)G	6. IF I	NDIAN, ALI	LOTTER OR TRIB	E NAM
16. TYPE OF WE		Vere 2			DRY [Other				- 7. UNIT	AGREEME	NT NAME	
b. TYPE OF CO	MPLETION:			_				<u> </u>					
NEW WELL		EN [PLUG [ESVR.	Other	IE	CFI	VEE	S. FARM	on LEAS		
=	. C. Thomp	son					0 03	181		9. WEL			
3. ADDRESS OF OP			····				<u>UC</u>	181	985	-	5		
410 17th S	St., Ste.	1305,	Denver	, CO	8020	2)Herr			ı	eater	Cicco	
4. LOCATION OF W	593' FNL,	1184 [†]	FWL Se	accordan ec. 10	,	1	mwo Gas	MIN &	r 01.	1		OF BLOCK AND	RI'RVE
	nterval reported				Nh	INU	10	a MiN	ING	OR	AREA	720S-R21E	
	647' FNL,		FWL		A.P.I							ness mera	
	30' FNL,				XXXXX No		DATE	ISSUED		12. COU	NTT	13. STATE	
_	•			i	019-3		8,	/2/85		Gran	d .	Utah	
15. DATE SPEDDED	ì					oe i -				RT, GB, ETC	:.) 19.	ELEV. CASINGH	RAD
9/4/85	9/12/		9/19	•	(Plug d	-		553 K.	B.		TOOLS	CABLE TO	
3094 MD						TIPLE COMPI			ILLED BY	0-309		_	·LH
3009 TVD				, BOTTOM	I, NAME (MD AND TVD)				307		25. WAS DIRECT BUBYET MAD	
	MD- Ceda	r Mtn	•										-
(2849-5	•	B BUN				27						Yes	
	L, FD-CNL					'				X(Submit ana) V(See reverse			
29.			CASI	NG REC	ORD (Rej	port all string				A			
CASING SIZE	WEIGHT, L	./77.	DEPTH SE	T (MD)	_	LE SIZE	-	C.E.	MENTING	RECORD		AMOUNT PE	LED
8-5/8"	24.0		265		-	2 1/11				''A'' 2%			
5-1/2"	15.5		3060		-	-7/8''	190) sx R	FC, 1	0#/sk	<u>KO lit</u>	<u></u>	
							-					 	
29.			R RECORD					30.		TUBING F	ECORD		
9122	TOP (MD)	BOTT	OM (MD)	SACES (ENENT	SCREEN ()	(D)	8126		DEPTH BET	(MD)	PACKER BET	(MD)
		-		·				2-7/	8	2975			
31. PREFORATION RE	cord (Interval,	size and	number)			32.	AC	ір. ѕнот	FRACT	URE, CEM	ENT SQU	JEEZE, ETC.	
0004 0040	n /:-					DEPTH IN	TERVAL	L (MD)	≜ M	OUNT AND	KIND OF	MATERIAL USED	
29 26-32/2	3gr./13								N-	one			
												T	
													
93. Date first product	ION PRO	DUCTION	METHOD (F	lovoina a		OUCTION mping—size	and to	une of au					
9/30/85]	umpi	ng $(1\frac{1}{2})$	" x 1	6')		una i	уре ој рш	m.p.)		shut-in)	* (Producing o	r
ATE OF TEST	HOURS TESTER	C	HOEE BIZE		N. FOR PERIOD	OIL - BOL.		GAS M	CF.	WATER-	Produ	Cing GAS-OIL RATIO	
9/30/85	264			<u> </u>	>		ar es	-		0		-156	0
0	CABING PRESS		LCULATED		ви 50		мс т . 78	1	WATER	BHI,	OIL 6	38	18.)
4. DISPOSITION OF G	An (Sold, used fo	or fuel, r	ented, etc.)							TEST WIT	NESOED B		
	Sold to No	rthw	est Pip	eline						W. 1	Bou-Ma	tar	
5. LIST OF ATTACH	MENTS												
6. I bereby certify	that the foreso	ng and	attached in	ormatics	ia comel	ete and cor-	001 ::	data					
\mathcal{O}	161				compi	· · · · · · · · · · · · · · · · · · ·	83	urcermin	eu 170 0				
BIGNED .	V. Yllony	jaci		Ti	TLE	<u>Operato</u>	r			D	TE 10/	16/85	
					1.1	.	······	c					

	VERT. DEPT H	2677 2846 2895	
	MEAS. DEPTH	2745 2923 2974	
	Z A Z M	Dakota Cedar Mtn. Morrison	
-1	DESCRIPTION, CONTENTS, ETC.	water oil	
	3 0110 3	2888 2954	
	406	2875 2923	
	MANA	Dakota Cedar Mtn.	•••

AVAILABLE	
CUSTOMER : J. C. THOMPSON	
WELL # : FEDERAL 675-5	
LOCATION : GRAND COUNTY, UTAH	DECENTER
DATE :9-12-85	RECEIVED
JOB TYPE : DIRECTIONAL	OCT 1 8 1985
JO + :D-2231	DIVISION OF OIL
SURVEYOR : BOB BURK	GAS & MINING
DEPTHS :315' - 3094'	في من المنظم الم
DECL. :13 DEGREES EAST	
ELEV. :5553'	
FILE # :RM-E5S	
METHOD : RADIUS OF CURVATURE :	
SECTION_:N73.22W	# THIS SURVEY IS CORRECT TO THE # BEST OF MY KNOWLEDGE AND IS #
	# SUPPORTED BY ACTUAL FIELD DATA.
FINAL STATION DATA! .	数
### ##################################	B VERTICAL ERECTANGULAFE DISTANCE DIRECTION # SEVER FEET DEGS. # DG/1
3094.00 # 18.50 \$ N 71.00 W \$ 227.00 # 3008.69 # 2544.31	######################################

, C. THOMPSON HDERAL 675+5 M⊹E5S

PAGE 1 15:38:33 85/09/16


					PPCBCPP 00	*****	PP###P##P##		70768 Tib 1188 118818888888888888888 8888	//16
LASURED S DEPTH S FEET S	INCL. : ANGLE : DEGS. :	# HOLE # DIRECTION # DEGS. #	COURSE # VAR* LENGTH # DEF	RUE & SUE TICAL & SUE PTH & DEP EET & FE	BSEA B V PTH B S EET B	ERTICAL E ECTION E FEET #	RECTAN COORDI N/S	ANGULAR BINATES AS	C L O S U R E 2 DO DISTANCE DIRECTION 2 SE	DG-LI EVER: G/101
0.00 3 315.00 3 315.00 3 46. 70 3 491.00 5	0.00 1 : .50 5 :1.50 1 : 2.25	E * * * * * * \$ L S 13.00 E	0.00 E 315.00 E 31 84.00 E 33 62.00 E 46	0.00 \$ 555 15.00 \$ 523 78.98 \$ 515 60.95 \$ 509		0.00 \$ 68 \$ 41 \$ 1.46 \$ 2.76 \$	0.00 N 1.34 S 2.52 S 2.68 S	0.00 E	0.00' N 00.00 E # 1.37' S 13.00 E # 2.54' S 07.48 W # 3.55' S 41.04 W #	0.00 .10 1.81 1.91 2.11
524.00 E 552.00 S 582.00 S 610.00 S 644.00 S	3.75 4.25 4.75 5.00	E N 67.00 W E N 74.00 W E N 90.00 W E N 83.00 W E N 80.00 W E	28.00 £ 55 30.00 £ 58 28.00 £ 66 34.00 £ 64	51.82 % 500 81.75 % 497 09.66 % 494 43.54 % 490	29.13 £ 01.18 £ 71.25 £ 43.34 £ 09.46 £	4.48 6.19 8.28 10.45 13.31 8	1.12 S .65 S .33 S	5.19 N 8 6.81 W 8 8.84 W 8 11.02 N 8 13.87 W 8	6.90' S 80.63 W # 8.87' S 85.78 W # 11.02' S 88.30 W #	1.59 2.35 2.17 1.97 1.05
685.00 \$750.00 \$841.00 \$933.00 \$996.00 \$	6.25 6.75 7.00 7.00	S N 75.00 W S N 76.00 W S N 81.00 W S N 87.00 W S S 87.00 W S	65.00 \$ 74 91.00 \$ 83 92.00 \$ 93 63.00 \$ 93	49.00 \$ 480 39.42 \$ 471 30.76 \$ 462 93.29 \$ 455	59.71	17.14 # 23.93 # 34.18 # 45.00 # 52.34 #	2.63 N 4.69 N 5.84 N 5.84 N	17.62 W E 24.20 W E 34.29 W E 45.24 W E 52.91 W E	24.34' N 83.79 W # 34.61' N 82.22 W # 45.61' N 82.65 W # 53.23' N 83.71 W #	2.16 .75 .80 .80
1027 00 8 106 0 8 1091.00 8 1123.00 8 1154.00 8	9.25 10.75 12.25	8 S 84.00 W E S 88.00 W E N 70.00 W E S N 87.00 W E S N 85.00 W E	30.00 \$ 108	57.64 8 449 87.18 8 446 18.54 8 443	27.00 \$ 95.36 \$ 65.82 \$ 34.46 \$ 04.24 \$	56.36 \$ 60.84 \$ 65.80 \$ 71.96 \$ 78.69 \$	5.16 N 5.07 N 5.24 N	57.21 W B 61.99 W B 67.20 W B 73.58 W B 80:47 W B	62.21' N 85.24 W 8 67.39' N 85.68 W 8 73.76' N 85.93 W 8	3.25 4.37 5.17 5.04 4.28
1185.00 2 1217.00 2 1312.00 2 1376.00 2 1468.00 8	14.75 15.75 16.50	# N 79.00 W # # N 75.00 W # # N 72.00 W # # N 72.00 W # # N 73.00 W # #	31.00 # 117 32.00 # 120 95.00 # 130 64.00 # 136 92.00 # 145	09.94 \$ 434 01.49 \$ 425 62.97 \$ 419	74.14 £ 43.16 8 51.51 8 90.03 8 01.99 8	86.84	8.56 N 15.65 N 21.15 N	97.83 W # 95.63 W # 119.59 W # 136.49 W # 161.96 W #	96.01' N 84.89 W \$ 120.61' N 82.54 W # 138.12' N 81.19 W #	5.2: 3.5(1.34 1.1;

RM-ESS

PAGE 2 15:39: 85/09/

********	1222222222	######################################	17 to 18	SETETETE	r!	erenterent	2.5	TERRETERS	REEKE	TIREE	72	*******	ti	SVEPERRER	F	222222222	4 P 1		PRE	<u>.</u> ****	,	4. 10
1 1	1	3	3		3		3	1	ľ		1				* * * * * * *	**************************************		****		> 14 fe €		. 5- ,6 4
MEASURED S	INCL.	S HOLE	5	COURSE	3	VERTICAL	-	SUBSEA I	L UER	TICAL	t :	RFCTA	N	GULA	R E	C L O	S	IJ	R	Ε	E D	nr.
DEPTH 1		3 DIRECTION	3	LENGTH :			1							NATE			_	IREC		_	-	
		PEGS.	2		£		Ē.		F FE		 E	N/S		eet E/W							# 9	-
			_		- 1:		_	REFERENCE	11133		_			eet Erw Etereret		FEET		リモリ	S.		E D	6/
•													-		4 4 8 4			****		122	E 8 3	\$ 81
1530.00	17.25	2 N 74.00 W	2	62.00	I	1510.22	2	4042.78	l 1	81.87	-	34.40	N	179.59		182.85	N	70 1	7 u			
1592.00		2 N 75.00 W	2	62.00		1569.23		3983.77		00.90		39.48		197.93							=	2
167° 00 \$		3 N 75.00 W	*			1605.26		3947.74		12.75		42.60		209.57							-	
14 .00		8 N 76.00 W	2	32.00				3917.28		22.76		45.06		219.08							Ţ	0.4
1694.00	- · · - -	■ N 75.00 W	ž	32.00				3886.60	_	31.84		47.34		227.88							=	4
			_			.000110		0000.00	-	51.67	•	77.57	14	227,00	W 2	232.75	14	1032	. O W	,	•	4
1717.00 B	15.00	8 N 75.00 W	2	23.00	1	1688.58	2	3864.42	2	37.94	 E	48.92	Ñ.	233.77	i.i s	238.83	A.	70 1	ō ii	1	<u>.</u>	3
1779.00		8 N 75.00 W	2	62.00 1		1748.50		3804.50		53.85		53.04		249.15							•	3
1843.00		8 N 75.00 W	左	64.00		1810.39		3742.61		70.14		57.25		264.88							-	_ , 1
1936.00		E N 74.00 W	2	93.00		1900.27		3652.73	-	94.00		63.63		287.89							<u>.</u>	0.
2029.00		3 N 75.00 W	2	93.00				3562.75		18.26		70.12		311.27							3	•
		• / • . · · ·		70100	-	1770.03	•	0002.75		10.20	•	70.12	14	311.2/	w #	319.07'	Ιŧ	//.3	T M		8	
2123.00 2	15.50	3 N 74.00 W	2	94.00 1	2	2080.69		3472.31	1 3	43.18		76.78	N	335.29	1.1° =	343.97	ŊÎ.	77 4				
2217.00 z		8 N 74.80 W	Ð	94.00 1		2171.21				68.49		83.76		359.63							¥	٠
2311.00		2 N 74.00 W	E	94.00		2261.63				94.20 1		90.84		384.34							-	•
2405.00	with the last term of the last terms.	8 N 74.00 W	<u>.</u>	94.00				3201.07	_	20.31		98.04		409.44							# • · ·	
2499.00 \$		■ N 74.00 W	2	94.00		2442.12				46.81		105.35		434.91							.	•
				71100	_		•	0110,00	, 1	70.01	-	103.33	14	734.71	W #	447.49'	ĸ	/0.3	W 65		•	•
2610 00	17.50	8 N 72.00 W	E	120.00	1	2556.87	<u>.</u>	2996.13	Δ	81.89	3	115.60	N.	468.46		482.52	<u> </u>	72.1	7 11			
· 2		N 71.00 W	Ē	158.00		2707.46		2845.54		29.71 l		130.78		513.83							= •	*
2867.00		■ N 71.00 W	2	90.00		2793.11		2759.89		57.31 I		139.78									∓ ●	•
3094.00 E	www.wise.com	* N 71.00 W	-	227.00				2544.31						539.95							.	
	10.50	- 14 / I 1 0 0 M	46.	CC/.UV 8	•	3000.07	#	CJ44.31	• 0	28.35		162.92 1	14	607.16	W B	628.64	N	74.9	8 W		E	J

CLOSURE DISTANCE = 628.64 FEET. CLOSURE DIRECTION = N 74.98 W



J. C. THOMPSON

INDEPENDENT OIL OPERATOR 410 - 17TH STREET. SUITE 1305 DENVER. COLORADO 80202 December 31, 1985



JAN 0 3 1986

GAS & MINNO

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 W. North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Re: Approval to perforate additional pay - Federal 675-5 well Sec. 10-T20S-R21E

Sec. 10-T20S-R21E Grand County, Utah

Gentlemen:

Enclosed are two copies of Sundry Notice and Report on Well for the captioned well. If anything further is required please advise.

Yours truly

Carole Kessler

Enclosures

UNITE STA DEPARTMENT OF T GEOLOGICAL S

Form 9–331	Budget Bureau No. 42–R1424
UNITE STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	บ-5675
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
GEOLOGICAE SONVE	
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or place pack to a drive reservoir. Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME
1. oil	Federal 675
1. oil gas other JAN 0 3 1986	9. WELL NO.
2. NAME OF OPERATOR	5
J. C. Thompson DIVISION OF	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR GAS & MININ	Greater Cisco
410 17th St., #1305, Denver, CO 80202 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
below.)	Sec. 10-T20S-R21E
AT SURFACE: 693' FNL; 1184' FWL	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: 547' FNL: 627' FWL	Grand Utah
AT TOTAL DEPTH: 530' FNL; 577' FWL	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	43-019-31199
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) 5553 K.B.
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	
FRACTURE TREAT	
SHOOT OR ACIDIZE	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING	change on Form 9-330.)
MULTIPLE COMPLETE	
CHANGE ZONES	
(other) Perforate additional pay X	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stat including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent	irectionally drilled, give subsurface locations and
12-30-85: Perforate 2932-50 (MD) with 4 jets.	/foot (.43" DML, 23 gr.)
2855-73 (TVD)	, ,
(Additional Codar Mt nav)	Acre .
~	A STATE OF THE PARTY OF THE PAR
	· · ·
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
	DATE 12/31/85
SIGNED ? (Villeuger TITLE Operator	UATE

Subsurface Safety Valve: Manu. and Type	Set @	. / (
18. I hereby certify that the foregoing is true and correct		
SIGNED ? (Villeugen TITLE Operator	DATE 12/31/85	
(This space for Federal or State office t	ise)	

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

Federal approval of this action is required before commencing operations.

TITLE ___

*See Instructions on Reverse Side

ACCEPTED BY THE STATE OF UTAH DIVISION OF

ОЊ, GAS, AND MINING

DATE



OIL AND GAS CO. BOX 1874, GRAND JUNCTION, COLORADO 81502-1874, (303) 245-5917 FAX: (303) 243-8840

December 21, 1993

Utah Division of Oil, Gas & Mining 355 W. North Temple Salt Lake City, UT 84180

Re: Calf Canyon Secondary Recovery Unit Approval

Gentlemen:

Enclosed for your information is a copy of the Bureau of Land Management approval for the Calf Canyon Secondary Recovery Unit, Grand County, Utah.

If you have any questions, I can be reached at either (303) 292-1226 or (303) 245-5917.

Sincerely,

WILLARD PEASE OIL & GAS COMPANY

Robin Benko, CPL

Landman

RB:gb

Enclosure

MEGRIVE

DEC 2 7 1993

DIVISION OF QIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office 324 South State, Suite 301 Salt Lake City, Utah 84111-2303



November 17, 1993

Willard Pease Oil & Gas Company P.O. Box 1874 Grand Junction, Colorado 81502-1874 DEC 2 7 1993

RECEIVED

NOV 2 2 1993

DIVISION OF OIL, GAS & MINING

Gentlemen:

The Calf Canyon Secondary Recovery Unit Agreement, Grand County, Utah, was approved November 17, 1993. This agreement has been designated No. UTU70813A, and is effective December 1, 1993. The unit area embraces 640.00 acres, more or less.

Pursuant to regulations issued and effective June 17, 1988, all operations within the Calf Canyon Secondary Recovery Unit will be covered by your statewide (Utah) oil and gas bond No. 0073.

The following leases embrace lands included within the unit area:

*U-5675

*U-11620

*U-14970

* Indicates lease to be considered for segregation by the Bureau of Land Management pursuant to Section 18 (g) of the unit agreement and Public Law 86-705.

All lands and interests by State of Utah, Cause No. 102-75 are fully committed except Tracts 2, 3 and 5 totalling 320.00 acres (50.00 percent) which are partially committed. Also, certain overriding royalty interest owners have not signed the unit agreement. All parties owning interests within this unit area were invited to join the unit agreement.

Approval of this agreement does not warrant or certify that the operator thereof and other holders of operating rights hold legal or equitable title to those rights in the subject leases which are committed hereto.

We are of the opinion that the agreement is necessary and advisable in the public interest and for the purpose of more properly conserving natural resources. Enclosed is one copy of the approved unit agreement for your records. We request that you furnish the State of Utah and all other interested principals with appropriate evidence of this approval.

Sincerely,

Robert A. Henricks

Chief, Branch of Fluid Minerals

Enclosure

CERTIFICATION-DETERMINATION

Pursuant to the authority vested in the Secretary of the Interior, under the Act approved February 25, 1920, 41 Stat. 437, as amended, 30 U.S.C. sec 181, et seq., and delegated to the Authorized Officer of the Bureau of Land Management, under the authority of 43 CFR 3180, I do hereby:

- Approve the attached agreement effective December 1, 1993, for the development and operation of the Calf Canyon Secondary Unit Area, Grand County, Utah.
- Certify and determine that the unit plan of development and operation contemplated in the attached agreement is necessary and advisable in the public interest for the purpose of more properly conserving the natural resources.
- Certify and determine that the drilling, producing, rental, minimum royalty and royalty requirements of all Federal leases committed to said Agreement are hereby established, altered, changed or revoked to conform with the terms and conditions of this agreement.


Dated: November 17, 1993

Robert A. Henricks

Chief, Branch of Fluid Minerals Bureau of Land Management

Contract No: UTU70813A


CALF CANYON UNIT GRAND COUNTY, UTAH



21E

CALF CANYON UNIT Grand County, Utah

EFFECTIVE: DECEMBER 1, 1993



21E

- UNIT OUTLINE (UTU70813A)
640.00 ACRES

SECONDARY ALLOCATION FEDERAL 100.00%

STATE OF UTAH

FORM 9	STATE OF UTAH	MG 2 6			
DI	VISION OF OIL, GAS AND MINI	Editoria and a second			
		BIV. OF OIL, GAS & MINING	5. Lease Designation and Serial Number: U-5675		
SUNDRY N	6, If Indian, Allottee or Tribe Name:				
Do not use this form for proposals Use APPLICA	s to drill new wells, deepen existing wells, or to reent TION FOR PERMIT TO DRILL OR DEEPEN form for s	ier plugged and abandoned wells. uch proposals.	7. Unit Agreement Name:		
1. Type of Well: OIL X GAS	OTHER:		8. Well Name and Number: Federal 675-5		
Name of Operator: J . C . THOMPSON			9. API Well Number: 4301931199		
3. Address and Telephone Number: 5000 S. Quebec; #640	0; Denver, CO 80237; (3	03) 220–7772	10. Field and Pool, or Wildcat: Greater Cisco		
4. Location of Well		·			
Footages: 693' NFL, 1,18	34' FWL		County: Grand		
oo,s∞.t.r.m. Sec. 10	State: Utah				
11. CHECK APPROP	RIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	IT, OR OTHER DATA		
NOTICE	OF INTENT n Duplicate)	SUBSEQU	JENT REPORT (ginal Form Only)		
☐ Abandonment	☐ New Construction	☐ Abandonment •	☐ New Construction		
Casing Repair	☐ Pull or Alter Casing	Casing Repair	Pull or Alter Casing		
☐ Change of Plans	☐ Recompletion	☐ Change of Plans	Shoot or Acidize		
Conversion to Injection	☐ Shoot or Acidize	☐ Conversion to Injection	☐ Vent or Flare		
☐ Fracture Treat	☐ Vent or Flare	☐ Fracture Treat	☐ Water Shut-Off		
☐ Multiple Completion	☐ Water Shut-Off	MOther Change of Oper	cator		
Other					
Approximate date work will start		Date of work completion			
Approximate date work will start	-	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.			
		* Must be accompanied by a cement verificati	ion report.		
venucial deputs for all markers and zones pertir	ERATIONS (Clearly state all pertinent details, and ghent to this work.) Pase 011 & Gas Company —				
	erator of the captioned		Junetion, Co		
	•				
		•	•		

13. Date: ___8/24/94 THOMPSON / Operator

ureau of Land Management Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

3100 U-08112 et al (UT-920)

AUG 3 0 1994

DECISION

Pease Oil & Gas Company

:

P. O. Box 1874

Oil and Gas

Grand Junction, Colorado 81502

U-08112 et al

Corporate Name Change Recognized

Acceptable evidence has been filed in this office concerning the change of name of Willard Pease Oil and Gas Company to Pease Oil and Gas Company on Federal oil and gas leases.

The following oil and gas leases have been noted to reflect the name change.

U-08112	U-0128115	U-0145834
U-0146802	U-0147904	U-0149773
U-0149777	U-1506	U-5675
U-6791	U-11620	U-13666
U-14970	U-16923	U-24185
U-30291A	U-64882	UTU-67867
UTU-72600	UTU-72601	

Due to the name change, the name of the principal on the bond is required to be changed from Willard Pease Oil and Gas Company to Pease Oil and Gas Company on Bond No, 400 DX 0202 (BIM Bond No. UT0073). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name should be furnished to this office.

/s/ ROBERT LOPEZ

Chief, Minerals Adjudication Section

cc: St. Paul Fire & Marine Insurance Co.

385 Washington Street

St. Paul, Minnesota 55102

bc: Vernal District Office

Moab District Office

MMS-Royalty Management Program (Attn: Richard Richards)

UT-920 (Attn: Dianne Wright) UT-922 (Attn: Teresa Thompson)

Dogn

4.

Braid Grillshack, 11062

Division OPERATO	of Oil, Gas and Mining R CHANGE HORKSHEET	Rout og:
Attach al Initial e	l documentation received by the division regarding this change. ach listed item when completed. Write N/A if item is not applicable.	2-LWP 8-SJV 3-D78759-FILE 4-VLC
xxx Chang □ Desig	e of Operator (well sold) nation of Operator Designation of Agent XXX Operator Name Change Only	5-RJF 6-LWP
	rator of the well(s) listed below has changed (EFFECTIVE DATE: <u>12-1-93</u>)
TO (new	operator) PEASE, WILLARD O&G CO. FROM (former operator) (address) (address	80237 LAND) 220-7772
Wall(s)	account no. N 1080 account no. (attach additional page if needed): *CALF CANYON UNIT	N
Name: F Name: F **Name: F Name: Mame: Name: Name: Name: Mame: Mame	Rederal 675-1/Dkta API : 43-019-30376 Entity : 00365 Sec 10 Twp20s Rng 21E	Lease Type 105675 Lease Type 105675 Lease Type 105675 Lease Type: Lease Type:
Lec. 1.	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from the received form operator (Attach to this form). (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from the	
,,	(Attach to this form). (ked 12-27-93) The Department of Commerce has been contacted if the new operator above operating any wells in Utah. Is company registered with the state? (yes, show company file number: # 20052893. (Nn. ckg. 7-8-94)	
<u>kiê</u> 4.	(For Indian and Federal Hells ONLY) The BLM has been contacted regard (attach Telephone Documentation Form to this report). Make note of comments section of this form. Management review of Federal and India changes should take place prior to completion of steps 5 through 9 below.	ing this change BLM status in n well operator
Lec 5.	Changes have been entered in the Oil and Gas Information System (Wang/IB listed above. $(8-31-94)(9-9-94)$	M) for each well
Jup 6.	Cardex file has been updated for each well listed above. 9-28-59	
₩Q 7.	Well file labels have been updated for each well listed above. $9.28.74$	
fec 8.	Changes have been included on the monthly "Operator, Address, and Accourant for distribution to State Lands and the Tax Commission. $(8-31-94)(9-9-94)$	
<u>Lec</u> 9.	A folder has been set up for the Operator Change file, and a copy of the placed there for reference during routing and processing of the original	is page has beer documents.

OPERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY	REVIEH
<u>fee</u> 1.	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form). (Per When octo-Horhange at this fine)
<u>N/A</u> 2.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VE	ERIFICATION (Fee wells only)
N/A/1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE I	INTEREST OHNER NOTIFICATION RESPONSIBILITY
ors,	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated
~/ A 2.	Copies of documents have been sent to State Lands for changes involving State leases.
FILMING	
1.	All attachments to this form have been microfilmed. Date: October 3 1994.
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENT	TS
94083	1 8 km/s.4. apr. eff. 12-1-93.
940909	1 8 km/s.4. Aprv. operator name chg. 8-30-94.




DENVER REGIONAL OFFICE: 633 17th Street, Suite 1500 Denver, CO 80202 (303) 292-1226 Fax: (303) 292-1502

October 31, 1994

Utah Division of Oil, Gas and Mining 355 West North Temple Salt Lake City, Utah 84180

Re: Change of Operator



Please find enclosed change of operator Sundry Notices to Pease Oil and Gas Company for the following wells:

Federal	675-1	API	no.	4301930376
Federal	675-4	API	no.	4301931187
Federal	675-5	API	no.	4301931199
Federal	675-6	API	no.	4301931208

Should you have any questions please don't hesitate to call.

Respectfully,

Thomas C. Poulson Contract Landman

TE OF UTAH. DIVISION OF OIL, GAS AND MINING

Di	VISION OF OIL, GAS AND MINI	- 2 1994	5 Lease Designation and Serial Number:		
SUNDRY N	IOTICES AND REPORTS	ON WELLS GAS & MINI	6. I indian, Allottee or Tribe Name:		
	s to drill new wells, deepen existing wells, or to reent TION FOR PERMIT TO DRILL OR DEEPEN form for at		7. Unit Agreement Name:		
1. Type of Well: OIL X GAS	OTHER:		8. Well Name and Number:		
			Federal 675-5		
2. Name of Operator:			9. API Well Number:		
Pease Oil and Ga	s Company		4301931199 10. Field and Pool, or Wildcat:		
3. Address and Telephone Number: P. O. Box 1874,	Grand Junction, CO 81502		Greater Cisco		
4. Location of Well Footages: 693 FNL, 1,1	84' FWL T2OS - R21E		county: Grand State: Utah		
11. CHECK APPROP	RIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	IT, OR OTHER DATA		
	OF INTENT In Duplicate)	1	JENT REPORT iginal Form Only)		
Abandonment	☐ New Construction	☐ Abandonment *			
Casing Repair	Pull or Alter Casing	Casing Repair	☐ Pull or Alter Casing		
☐ Change of Plans	☐ Recompletion	☐ Change of Plans	☐ Shoot or Acidize		
☐ Conversion to Injection	Shoot or Acidize	☐ Conversion to Injection	☐ Vent or Flare		
☐ Fracture Treat	☐ Vent or Flare	☐ Fracture Treat	☐ Water Shut-Off		
Multiple Completion	☐ Water Shut-Off	Change of Or	perator		
Other		Data of words a smaleting			
Approximate date work will start		Date of work completion			
		* Must be accompanied by a cement verificat	ion report.		
ertical depths for all markers and zones per Effective 12/1/9	PERATIONS (Clearly state all portinent details, and gittinent to this work.) 3 Pease Oil and Gas Company operator of the captions	any, P. O. Box 1874, Gr			
		•			
	-				

(This space for State use only)

Willard H. Pease, Jr.

President

FORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reenter a different reservoir.

Use "APPLICATION FOR PERMIT -" for such proposals

6. If Indian, Allottee or Tribe Name

5 Lease Designation and Serial No.

	7. If Unit or CA, Agreement Designation
SUBMIT IN TRIPLICATION	EIVEN U-70813A
1. Type of Well	8. Well Name and No.
	See Exhibit "A" Attached
	9. API Well No.
2. Name of Operator DIV. OF OIL,	GAS & MINING See Exhibit "A" Attached
Burkhalter Engineering, Inc.	10. Field and Pool, or Exploratory Area
3. Address and Telephone No.	Calf Canyon
P.O. Box 60095 Grand Junction, CO 81506 (970) 245-59	17 11. County or Parish, State
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	
See Exhibit "A" Attached	Grand County, Utah
OUTON APPROPRIATE DOV(a) TO INDICAT	ENATURE OF NOTICE REPORT OR OTHER DATA

12.	CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA						
7	YPE OF SUBMISSION	TYPE OI	FACTION				
	Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Change of Operator	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water United Report results of multiple completion on Water Completion or Recompletion Report and Log form				

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Effective April 1, 1998, Burkhalter Engineering became the operator of the wells listed on Exhibit "A" attached. Burkhalter Engineering is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond coverage for this well will be provided by BLM Bond No. UT1097

Willard Pease Jr.

Pease Oil and Gas Company

14. I hereby certify that the foregoing is true and correct Signed	Title PAS	Date May 4, 1998
(This space for Federal or State office use) Approved by	Title	Date
Conditions of approval, if any:		

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

EXHIBIT "A" TO SUNDRY NOTICE U-70813A

Calf Canyon #1 43-019-30298 SWSE 3 20S 21E Calf Canyon #7 43-019-31168 SESW 3 20S 21E (ωΙω) Calf Canyon #10 43-019-31203 SESE 3 20S 21E Calf Canyon #11 43-019-31209 SWSW 3 20S 21E Federal 675-1 43-019-30376 NENW 10 20S 21E Federal 675-4 43-019-31187 NENW 10 20S 21E Federal 675-5 43-019-31199 NWNW 10 20S 21E Federal 675-6 43-019-31208 NENE 9 20S 21E	WELL NAME & NO.	API NO.	1/4 1/4	SEC.	TWP.	RNG.
Federal 675-6 43-019-31208 NENE 9 20S 21E	Calf Canyon #1 Calf Canyon #7 Calf Canyon #10 Calf Canyon #11 Federal 675-1 Federal 675-4	43-019-30298 43-019-31168 43-019-31203 43-019-31209 43-019-30376 43-019-31187	SWSE SESW SESE SWSW NENW	3 3 3 10 10	20S 20S 20S 20S 20S	21E (WIW) 21E 21E (WIW) 21E 21E
	Federal 675-6	43-019-31208	NENE	9	20S	21E

-END-

STATE OF UTAH

L_VISION OF OIL, GAS AND MINING

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR	MAME	ΔMD	ADDDESS

PEASE OIL & GAS COMPANY PO BOX 60219 GRAND JUNCTION, CO 81506

HATU	ACCOUNT	NUMBER:	N1080	
				-

REPORT PERIOD (MONTH/YEAR): 7 / 1999

AMENDED REPORT [(Highlight Changes)

GRAD SONGION, CO					_			
WELL NAME	Producing	Well	Well	Days		Production Vo	lumes	
API Number Entity Location	Zone	Status	Туре	Oper	OIL(BBL)	GAS (MCF)	WATER (
FEDERAL 15-1 4301930585 11391 20S 21E 15	DKTA		GW		U-2140A	apprv 12.16.99	(4) 4./	.98
FEDERAL 25-2 4301930587 11392 20S 21E 25	ENRD		OW		U-2139A	apprv 12.16.99	eff	1.98
FEDERAL 23-1 4301930355 11393 20S 21E 23	DK-MR		GW		U-2139A	12:16:99	Itto 4.	1.98
FEDERAL 25-1 4301930359 11394 20S 21E 25	MRSN		GW		U-213 9 A	12.16.99	4604	1.98
FEDERAL 24-3 4301930432 11395 20S 21E 24	DKTA		GW		U-2139A	12.16.99	Ito A.	1.98
ERAL 31-3 401930428 11603 20S 22E 31	DKTA		GW					
CALF CANYON #1 4301930298 11666 20S 21E 03	DKTA		OW		U-11620	Call Canyon unit	apprv	8.9.99
FEDERAL 675-1 4301930376 11666 20S 21E 10	DKTA		OW		U-5675	call caryon unit	ħ	t i
FEDERAL 675 #4 4301931187 11666 20S 21E 10	CDMTN		OW		11	call canyon unit	Ji	11
FEDERAL 675 #5 4301931199 11666 20S 21E 10	CDMTN		OW		11	call Canyon unit	/1	//
CALF CANYON FEDERAL #10 4301931203 11666 20S 21E 03	DKTA		OW		4-11420	l'alf canyon unit	//	<i>]</i>
FEDERAL 675-6 4301931208 11666 20S 21E 09	CDMTN		OW		4-5675	call, carujon unit	[1	1)
				TOTALS				
COMMENTS :								
				 				

a mereby certify that this report is true and complete to the best of my knowledge.	Date:
Name and Signature:	Telephone Number:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-931

August 5, 1999

Burkhalter Engineering, Inc. P.O. Box 60095 Grand Junction, Colorado 81506

Re: Successor of Operator

Calf Canyon

Grand County, Utah

Gentlemen:

On July 26, 1999, we received an indenture dated July 12, 1999, whereby Pease Oil and Gas Company resigned as Unit Operator and Burkhalter Engineering, Inc. was designated as Successor Unit Operator for the Calf Canyon Unit, Grand County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 5, 1999. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Calf Canyon Unit Agreement.

Your statewide (Utah) oil and gas bond No. 1097 will be used to cover all operations within the Calf Canyon Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals


Enclosure

bcc: District Manager - Moab (w/enclosure)

Minerals Adjudication Group U-932
File - Calf Canyon Unit (w/enclosure)
MMS - Data Management Division

Agr. Sec. Chron Fluid Chron

UT931:TAThompson:tt:8/5/99



Page No. 1 08/05/99

Well Status Report Utah State Office Bureau of Land Management

Lease Api Number Well Name QTR Section Township Range Well Status Operator

** Inspection	Item: UTU70813A				
UTU5675	4301930376 1 FEDERAL-675	NENW	10 T20S	R21E POW	PEASE OIL & GAS COMPANY
UTU11620	4301930298 1 FEDERAL-ANSCHUTZ-C	SWSE	3 T20S	R21E OSI	PEASE OIL & GAS COMPANY
UTU11620	4301931203 10 CALF CANYON-FEDER	SESE	3 T20S	R21E POW	PEASE OIL & GAS COMPANY
UTU11620	4301931209 11 CALF CANYON	SWSW	3 T20S	R21E WIW	PEASE OIL & GAS COMPANY
UTU56 7 5	4301931187 4 FEDERAL 675	NENW	10 T20S	R21E POW	PEASE OIL & GAS COMPANY
UTU56 7 5	4301931199 5 FEDERAL 675	NUNU	10 T20S	R21E POW	PEASE OIL & GAS COMPANY
UTU56 7 5	4301931208 6 FEDERAL 675	NENE	9 T20S	R21E POW	PEASE OIL & GAS COMPANY
UTU11620	4301931168 7 FEDERAL CALF CANYO	SESW	3 T20S	R21E WIW	PEASE OIL & GAS COMPANY

Divin of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.

Routing:	
IKDRY	
2-GLH	7-KASV
3 FRB JRB	8-SJ
4-COW LT	9-FILE
5-KDR V	

				15- KDR V	
■ Designation of Operation		Designation of Agent Operator Name Change	Only		
The operator of the v	well(s) listed below has chang	ged, effective: 4-1-98	3		
TO: (new operator) (address)		` -	(address)	PEASE OIL & GAS C PO BOX 60219 GRAND JUNCTION CO	
	Phone: <u>(970)245–5917</u> Account no. <u>N6820</u>			Phone: (970) 245–59 Account no. N1080	17
WELL(S) attach addit	ional page if needed:	* CALF CANYON	UNIT		
Name:	API: API: API: API: API:	Entity: Entity: Entity: Entity:	S T S T	R Lease:	
•	NGE DOCUMENTATION				
Lec 1. (r649-8-10) form). (ke	Sundry or other legal docume	entation has been receive	d from the F	ORMER operator (a	ttach to this
Le 2. (r649-8-10) form). (7) Sundry or other legal docu	mentation has been rece	ived from th	e NEW operator (At	tach to this
N/A 3. The Depar wells in Uta	tment of Commerce has be ah. Is the company registered	en contacted if the new order with the state? (yes/r	operator about	ve is not currently op yes, show company f	erating any ile number
Hote of DL	AN AND FEDERAL WELL M status in comments section ould ordinarily take place probelow. (let')	on of this form. BLM an	proval of Fe roval, and b	ederal and Indian we efore the completion	ell oneratoi
5. Changes ha	ve been entered in the Oil an	d Gas Information Syst	tem (3270) f	or each well listed ab	ove.
	has been updated for each w	rell listed above.	199)		
	bels have been updated for ea	ach well listed above.			
8. Changes have to Trust Lan	ve been included on the month ads, Sovereign Lands, UGS,	nly "Operator, Address, a Γax Commission, etc. (nd Account (Changes" memo for c	listribution
9. A folder ha	s been set up for the Opera	tor Change file and a	conv of this	page has been place	d there for

OPERATO	OR CHANGE WORKSHEET (conti. d) - Initial each item when completed. Write N/. item is not applicable.
ENTITY	REVIEW
DP 1.	(r649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes no) If entity assignments were changed, attach copies of Form 6, Entity Action Form.
<u>VD</u> C ₂ .	Trust Lands, Sovereign Lands, Tax Commission, etc., have been notified through normal procedures of entity changes.
BOND V	VERIFICATION - (FEE WELLS ONLY)
N/4/4c 1.	(r649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond.
MA/4ec 2.	A copy of this form has been placed in the new and former operator's bond files.
<u>N/a/4</u> c3.	The FORMER operator has requested a release of liability from their bond (yes/no), as of today's date If yes, division response was made to this request by letter dated
LEASE	INTEREST OWNER NOTIFICATION OF RESPONSIBILITY
N/A/fec1.	Copies of documents have been sent on to at Trust Lands for changes involving State leases, in order to remind that agency of their responsibility to review for proper bonding.
MAYIC2.	(r649-2-10) The former operator of any fee lease wells listed above has been contacted and informed by letter dated19, of their responsibility to notify all interest owners of this change.
FILMIN	G
1.	All attachments to this form have been microfilmed. Today's date: 4,24,01.
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
2.	The original of this form, and the original attachments are now being filed in the Operator Change file.
COMM	ENTS
19062 Filed 99080 990902 990902 but 1 Will - 991119 told n	Der Teresa Thompson we Blm. There hasn't been any papernox- on Paff Panyty unit. No approval as it jet. 9 lec'd Calf Canyon Wit approval. 1 left message for marie megann (Blm) for fed. Wells Marie (Blm) Payed me back. Paff Panym unit wells have been approved. Not the federal ones jet. There is a problem, per marie those approved. All another week. She will send me a long as soon as it is approved. Lalled marie minann (Blm; 435.259.2135) to find out if fed. wells approved. Lalled marie minann (Blm; 435.259.2135) to find out if fed. wells approved.

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Scrial No.

SUNDRY NOTICES AND REPORTS ON WELLS	SUNDRY	NOTICES	AND	REPORTS	ON	WELLS
-------------------------------------	--------	---------	-----	---------	----	-------

_Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT-" for such proposals

6. If Indian, Allonee or Tribe Name

		
	TRIPLICATE	7. If Unit or CA, Agreement Designation Calf Canyon Secondary Unit UTU70813A
Type of Well Well Well Other Name of Operator Twin Arrow, Inc. Address and Telephone No. P.O. Box 948, Rangely, Location of Well (Footage, Sec., T., R., M., or Survey Descrip See Exhibit "A" attached		8. Well Name and No. See Exhibit "A" attache 9. API Well No. See Exhibit "A" attached 10. Field and Pool, or Exploratory Area 11. County or Parish, State Grand County, Utah DRT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTIO	
Notice of Intent Subsequent Report	Abandonment Recompletion Plugging Back Casing Repair	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off
Final Abandonment Notice 13. Describe Proposed or Completed Operations (Clearly state all pegive subsurface locations and measured and true venical to	Altering Casing X Other CHANGE OF OPERTOR criment details, and give pertinent dates, including estimated date of sta	(Noie: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Effective July 1, 2000, Twin Arrow, Inc. became the operator of the wells listed on Exhibit "A" attached. Twin Arrow, Inc. is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond Coverage for this lease (wells) will be provided by BLM Bond No. 471185

Burkhalter Engineering Inc.

. I hereby certify that the foregoing is true and correct		
Signed Tinele Good	Tide Office Manager	Date 8/18/2000
(This space for Federal or State office use)		
Approved by	Tide	Date
Conditions of approval, if any.	•	

Tide 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any mance within its jurisdiction.

EXHIBIT "A" UNIT # UTU70813A

WELL NAME	<u>API NUMBER</u>
CALE CANDON #1	430193029800
CALF CANYON #1	
FEDERAL 675-1	430193037600
CALF CANYON #7	430193116800
FEDERAL 675-4	430193118700
FEDERAL 675-5	430193119900
CALF CANYON #10	430193120300
FEDERAL 675-6	430193120800
CALF CANYON #11	430193120900

Results of query for MMS Account Number UTU70813A

API Number	Operator	Well Name	Well Status	Lease or CA Number	Inspection Item	Township	Rang
4301930298	BURKHALTER ENGINEERING INC	l FEDERAL-ANSCHUTZ-C	OSI	UTU11620	UTU70813A	20S	21E
4301930376	BURKHALTER ENGINEERING INC	1 FEDERAL-675	POW	UTU5675	UTU70813A	20S	21E
4301931168	BURKHALTER ENGINEERING INC	7 FEDERAL CALF CANYO	WIW	UTU11620	UTU70813A	20S	21E
4301931187	BURKHALTER ENGINEERING INC	4 FEDERAL 675	POW	UTU5675	UTU70813A	20S	21E
4301931199	BURKHALTER ENGINEERING INC	5 FEDERAL 675	POW	UTU5675	UTU70813A	208	21E
4301931203	BURKHALTER ENGINEERING INC	10 CALF CANYON-FEDER	POW	UTU11620	UTU70813A	20S	21E
4301931208	BURKHALTER ENGINEERING INC	6 FEDERAL 675	POW	UTU5675	UTU70813A	20S	21E
4301931209	BURKHALTER ENGINEERING INC	11 CALF CANYON	wiw	UTU11620	UTU70813A	20S	21E

DISCLAIMER for online data: No warranty is made by the BLM for use of the data for purposes not intended by the BLM.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

October 16, 2000

Twin Arrow, Inc. P.O. Box 948 Rangely, Colorado 81648

Re:

Calf Canyon Unit Grand County, Utah

Gentlemen:

On October 5, 2000, we received an indenture dated September 1, 2000, whereby Burkhalter Engineering, Inc. resigned as Unit Operator and Twin Arrow, Inc. was designated as Successor Unit Operator for the Calf Canyon Unit, Grand County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective October 16, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Calf Canyon Unit Agreement.

Your statewide (Utah) oil and gas bond No. 1185 will be used to cover all operations within the Calf Canyon Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Assad M. Raffoul

for Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc:

Field Manager - Moab (w/enclosure)

Division of Oil, Gas & Mining

Minerals Adjudication Group U-932 File - Calf Canyon Unit (w/enclosure)

Agr. Sec. Chron Fluid Chron

UT931:TAThompson:tt:10/16/00

OPERATOR CHANGE WORKSHEET

ROUTING

KOUTING	
1. GLH	4-KAS
2. CDW	5-S#70 V
3. JLT	6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has chan	ged, effective:	7-1-2000	0			
FROM: (Old Operator):	\neg	TO : (Ne	ew Operator):		·. · · · · · · ·	
BURKHALTER ENGINEERING		TWIN AF	ROW INC.			
Address: 2285 LUCKY JOHN DR.			P. O. BOX 94	18		
P. O. BOX 60095	7					
GRAND JUNCTION, CO 81506		RANGEL	Y, CO 81648			
Phone: 1-(970)-243-6060		Phone:	1-(970)-675-8	3226		
Account No. N6820	\dashv	Account	No. N1415			· · · · · · ·
Account No. N6820 CA N		Unit:	CALF CAN	VON		
WELL(S)	·	Cint.	CABI CAIV	1011	·····	
WEEE(S)	API	ENTITY	SEC. TWN	LEASE	WELL	WELL
NAME	NO.	NO.	RNG	TYPE	TYPE	STATUS
CALF CANYON # 1	43-019-30298	11666	03-20S-21E	FEDERAL	ow	S
CALF CANYON FEDERAL # 10	43-019-31203	11666	03-20S-21E	FEDERAL	ow	S
FEDERAL 675-6	43-019-31208	11666	09-20S-21E	FEDERAL		P
FEDERAL 675-1	43-019-30376	11666	10-20S-21E	FEDERAL		P
FEDERAL 675-4	43-019-31187	11666	10-20S-21E	FEDERAL	ow	P
FEDERAL 675-5	43-019-31199	11666	10-20S-21E	FEDERAL	OW	S
OPERATOR CHANGES DOCUMENTATION	1					
1. (R649-8-10) Sundry or legal documentation was receive	ed from the FORM	ER operato	or on:	07/27/2000	ı	
1. (101) o 10) buildly of legal documentation was receive		zzi operano				
2. (R649-8-10) Sundry or legal documentation was received	ed from the NEW o	perator on:		04/24/2000	ı	
3. The new company has been checked through the Depar	tment of Commer	ce, Division	ı of Corporati	ons Databas	e on:	11/01/2000
4. Is the new operator registered in the State of Utah:	YES	_Business :	Number:	873902-014	2	
5. If NO , the operator was contacted contacted on:		_				
6. Federal and Indian Lease Wells: The BLM are or operator change for all wells listed on Federal or Indian		s approve	d the (merge 04/01/2000	r, name cha -	ange,	
7. Federal and Indian Units: The BLM or BIA ha for wells listed on:	as approved the	successor	of unit oper	ator		

8.	Federal and Indian Communization Agreements ("CA"): The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9.	Underground Injection Control ("UIC") Prog: The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A
$\overline{\mathbf{D}}$	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on: 11/01/2000
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 11/01/2000
3.	Bond information entered in RBDMS on: N/A
4.	Fee wells attached to bond in RBDMS on: N/A
\overline{S}	TATE BOND VERIFICATION:
1.	State well(s) covered by Bond No.: N/A
F	EE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:
	(R649-3-1) The NEW operator of any fee well(s) listed has furnished a bond: N/A
2.	The FORMER operator has requested a release of liability from their bond on: N/A The Division sent response by letter on: N/A
3.	(R649-2-10) The FORMER operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:
F	LMING:
	All attachments to this form have been MICROFILMED on: $2 - 26.01$
	LING: ORIGINALS/COPIES of all attachments pertaining to each individual well have been filled in each well file on:
C	DMMENTS:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

N REPLY REFER TO UT-922

May 24, 2001

Jelco Energy Inc. P.O. Box 948 Rangely, Colorado 81648

Re:

Calf Canyon Unit Grand County, Utah

Gentlemen:

On May 24, 2001, we received an indenture dated May 23, 2001, whereby Twin Arrow, Inc. resigned as Unit Operator and Jelco Energy Inc. was designated as Successor Unit Operator for the Calf Canyon Unit, Grand County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective May 24, 2001. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Calf Canyon Unit Agreement.

Your statewide (Utah) oil and gas bond No. 1185 will be used to cover all operations within the Calf Canyon Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

bcc:

Field Manager - Moab (w/enclosure)

Division of Oil, Gas & Mining

Minerals Adjudication Group U-924 File - Calf Canyon Unit (w/enclosure)

Agr. Sec. Chron

Fluid Chron

UT922:TAThompson:tt:5/24/01

RECEIVED

MAY 29 2001

DIVISION OF OIL, GAS AND MINING

Results of query for MMS Account Number UTU70813A

Production	API Number	Operator	Well Name	Well Status	Lease or CA Number	Inspection Item	Township	Range	Secti
<u>Production</u>	4301930298	TWIN ARROW INCORPORATED	1 FEDERAL-ANSCHUTZ-C	osı	UTU11620	UTU70813A	208	21E	3
Production	4301930376	TWIN ARROW INCORPORATED	1 FEDERAL-675	POW	UTU5675	UTU70813A	208	21E	10
Production	4301931168	TWIN ARROW INCORPORATED	7 FEDERAL CALF CANYO	WIW	UTU11620	UTU70813A	208	21E	3
	4201031187	TWIN ARROW INCORPORATED	4 FEDERAL 675	POW	UTU5675	UTU70813A	208	21E	10
Production	4301931199	TWIN ARROW INCORPORATED	5 FEDERAL 675	POW	UTU5675	UTU70813A	208	21E	10
<u>Production</u>	4301931203		10 CALF CANYON-FEDER	POW	UTU11620	UTU70813A	208	21E	3
<u>Production</u>	4301931208	INCURPURATED	6 FEDERAL 675	POW	UTU 5 675	UTU70813A	208	21E	9
<u>Production</u>	4301931209	TWIN ARROW INCORPORATED	11 CALF CANYON	wiw	UTU11620	UTU70813A	208	21E	3

DISCLAIMER for online data: No warranty is made by the BLM for use of the data for purposes not intended by the BLM.

ST. - OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL OIL GAS WELL OTHER	8. WELL NAME and NUMBER:
	see attached list
2. NAME OF OPERATOR:	9. API NUMBER:
Jelco Energy, Inc. 3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
P.O. Box 948 GITY Rangely STATE CO ZIP 81648 9706758226	
4. LOCATION OF WELL FOOTAGES AT SURFACE:	county: Grand
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REP	ORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	NC
see attached list Until May 1, 2001 Twin Arrow, Inc. and Jelco Erwere the same company. We split Twin Arrow, Inc Jelco Energy apart so Jelco Energy could operate Utah wells and Twin Arrow will operate all the o	nergy Inc. . and e all the
NAME (PLEASE PRINT) Linda C. Gordon TITLE Office	Manager
SO- 1 CO 1.	
SIGNATURE DATE 6/1/20	OT

(This space for State use only)

RECEIVED

(5/2000)

(See Instructions on Reverse Side)

JUN 1 5 2001

DIVISION OF OIL, GAS AND MINING

FED. LEASE #	API#	WELL NAME	SEC	ميق	TWP	RNG
					222	0.45
UTU5675		CALF CANYON #4	11	NWNW	20S	21E
UTU72600		CALF CANYON #5	11	SENE	208	21E
UTU72600) FEDERAL #675-3	10	SWNW	208	21E
UTU11620		CALF CANYON #8	3	SESW	208	21E
UTU70813A) CALF CANYON #1	3	SWSE	208	21E
UTU70813A) FEDERAL 675-1	10	NENW	208	21E
UTU70813A) CALF CANYON #7	2	SESW	208	21E
UTU70813A		FEDERAL 675-4	10	NENW	208	21E
UTU70813A) FEDERAL 675-5	10	NWNW	208	21E
UTU70813A		CALF CANYON #10	3	SESE	208	21E
UTU70813A) FEDERAL 675-6	9	NENE	208	21E
UTU70813A		CALF CANYON #11	3	SWSW	208	21E
UTU02139A) FEDERAL 23-1	23	SWNE	208	21E
UTU02139A) FEDERAL 25-1	25	SWNE	208	21E
UTU02139A) FEDERAL 24-3	24	SWSE	208	21E
UTU02139A) FEDERAL 14-3	14	NESE	208	21E
UTU02139A) FEDERAL 24-2	24	NWNW	20 S	21E
UTU02139A) FEDERAL 25-3	25	SESE	208	21E
UTU02139A	430193058600) FEDERAL 23-2	23	NWNW	20 S	21E
UTU02139A	430193058700) FEDERAL 25-2	25	SWSW	208	21E
UTU02139A		FEDERAL 23-3	23	NESW	20S	21E
UTU02139A	430193074300	FEDERAL 25-4	25	NENW	20S	21E
UTU02139A	430193076000	FEDERAL 23-4	23	NWSE	208	21E
UTU02139A	430193087800) FEDERAL 14-4	14	SWSW	20 S	21E
UTU02139A	430193090000) FEDERAL 24-4	24	NWNE	20S	21E
UTU02140A	430193034800	FEDERAL 13-1	13	SWSW	20 S	21E
UTU02140A	430193043000) FEDERAL 14-1	14	NWNW	208	21E
UTU02140A	430193043600	FEDERAL 14-1A	14	NWNW	20 S	21E
UTU02140A	430193048400	FEDERAL 10-1	10	NWSW	208	21E
UTU02140A	43019304850	FEDERAL 11-1	11	NWSW	20S	21E
UTU02140A	43019304870	FEDERAL 14-2	14	NENE	20S	21E
UTU02140A	430193058500	FEDERAL 15-1	15	NESE	208	21E
UTU02140A	430193062500	FEDERAL 22-1	22	SENE	208	21E
UTU02140A	43019306360	FEDERAL 15-2	15	NWNW	208	21E
UTU02140A	43019306370	FEDERAL 15-3	15	NENE	208	21E
UTU02140A	43019306730	FEDERAL 13-2	13	SENW	208	21E
UTU02140A	43019308810	FEDERAL 12-1	12	SWSW	20 S	21E
UTU02140A	43019308820	FEDERAL 11-2	11	SESE	208	21E
UTU02140A	43019308830	D FEDERAL 13-3	13	NWNE	208	21E
UTU02140A	43019308840	0 FEDERAL 11-3	11	SWSW	208	21E
UTU02140A	43019308850	0 FEDERAL 13-4	13	NWSE	20 S	21E
UTU02140A	43019308870	0 FEDERAL 15-4	15	SWSW	208	21E
UTU02140A	43019312100	0 FEDERAL 10-2	10	NESW	208	21E
UTU12702	43019304290	0 FEDERAL 30-1	30	SWNW	208	22E
UTU12702A	43019303020	0 FEDERAL 19-3	19	SWSW	208	22E
UTU12702A	43019303080	0 FEDERAL 31-1A	31	NENW	20S	22E
UTU12702A	43019303080	0 FEDERAL 31-1A	31	NENW	208	22E
UTU12702A	43019308960	0 FEDERAL 19-1A	19	SWNW	20S	22E
UTU37730		0 FEDERAL 18-1	18	NESW	20\$	22E
STATE WELL						
ML-24295	43019303470	0 STATE 32-1	32	W 1/2	208	22E
						-

OPERATOR CHANGE WORKSHEET

ROUTING	
. GLH	4-KAS
2. CDW 🛌	5-LR/6
3. JLT	6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change (Only)

The operator of the well(s) listed below has changed, effective:

Merger

05-01-2001

FROM: (Old Operator):		TO: (Ne	w Operator):			
TWIN ARROW INC		`	NERGY INC			
Address: P. O BOX 948		Address: P. O . BOX 948				
Addicss. 1. O BOX 540		Tradition.	1.0.2011			
RANGELY, CO 81648		RANGEL	Y, CO 81648			
Phone: 1-(970)-675-8226		Phone:	1-(970)-675-8	3226		
Account N1415		Account	N1825			
CA No.		Unit:	CALF CAN	YON		
WELL(S)				· · · · · · · · · · · · · · · · · · ·	T	T
	API	ı	SEC. TWN	LEASE	WELL	WELL
NAME	NO.	NO.	RNG	TYPE	TYPE	STATUS
CALF CANYON 1	43-019-30298	11666	03-20S-21E	FEDERAL	OW	P
CALF CANYON 7	43-019-31168	11666	03-20S-21E	FEDERAL	WI	A
CALF CANYON FEDERAL 10	43-019-31203	11666	03-20S-21E	FEDERAL	OW	S
CALF CANYON 11	43-019-31209	11666	03-20S-21E	FEDERAL	WI	A
FEDERAL 675-6	43-019-31208	11666	09-20S-21E	FEDERAL	OW	S
FEDERAL 675-1	43-019-30376	11666	10-20S-21E	FEDERAL	OW	P
FEDERAL 675-4	43-019-31187	11666	10-20S-21E	FEDERAL	OW	P
FEDERAL 675-5	43-019-31199	11666	10-20S-21E	FEDERAL	OW	S
OPERATOR CHANGES DOCUMENTATION 1. (R649-8-10) Sundry or legal documentation was received to	from the FORM	ER operato	r on:	06/15/2001		
2. (R649-8-10) Sundry or legal documentation was received to	from the NEW o	perator on:		06/15/2001	_	
3. The new company has been checked through the Departm	ent of Commerc	e, Division	of Corporati	ons Databas	e on:	06/18/2001
4. Is the new operator registered in the State of Utah:	YES	_Business 1	Number:	4 <u>825833-014</u>	13	_
5. If NO , the operator was contacted contacted on:	N/A					
6. Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or Indian		approved	o5/24/2001	r, name cha -	ange,	
7. Federal and Indian Units: The BLM or BIA has a for wells listed on:	approved the s 05/25/2001	successor	of unit oper	ator		
8. Federal and Indian Communization Agreeme change for all wells listed involved in a CA on:	ents ("CA"): N/A	The BLM	I or the BIA	has approv	ed the o	operator

9.	Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 06/20/2001
$\overline{\mathbf{D}}$	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on: 06/18/2001
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 06/18/2001
3.	Bond information entered in RBDMS on: N/A
4.	Fee wells attached to bond in RBDMS on: N/A
$\overline{\mathbf{S}}$	TATE BOND VERIFICATION:
1.	State well(s) covered by Bond No.: N/A
F	EE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:
1.	(R649-3-1) The NEW operator of any fee well(s) listed has furnished a bond: N/A
2.	The FORMER operator has requested a release of liability from their bond on: N/A The Division sent response by letter on: N/A
3.	(R649-2-10) The FORMER operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A
FI	ILMING:
	All attachments to this form have been MICROFILMED on: 7, 12,03
	ILING: ORIGINALS/COPIES of all attachments pertaining to each individual well have been filled in each well file on:
C	OMMENTS:
	SMMENTO.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Utah State Office

P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-922

June 9, 2003

ABS Energy LLC. P.O. Box 736 Rangely, Colorado 81648

Re:

Calf Canyon Unit Grand County, Utah

Gentlemen:

On June 6, 2003, we received an indenture dated January 1, 2003, whereby Jelco Energy Inc. resigned as Unit Operator and ABS Energy LLC. was designated as Successor Unit Operator for the Calf Canyon Unit, Grand County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Calf Canyon Unit Agreement.

Your statewide (Utah) oil and gas bond No. B000034 will be used to cover all operations within the Calf Canyon Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

bcc:

Field Manager - Moab (w/enclosure)

SITLA

Division of Oil, Gas & Mining Minerals Adjudication Group

File - Calf Canyon Unit (w/enclosure)

Agr. Sec. Chron Fluid Chron

UT922:TAThompson:tt:6/9/03

STAI'E OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

E	DIVISION OF OIL, GAS AND MI	NING	5. LEASE DESIGNATION AND SERIAL NUMBER:		
	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
SUNDRY	7. UNIT or CA AGREEMENT NAME:				
Do not use this form for proposals to drill ne drill horizontal late	w wells, significantly deepen existing wells below cur erals. Use APPLICATION FOR PERMIT TO DRILL f	rent bottom-hole depth, reenter plugged wells, or to orm for such proposals.	8. WELL NAME and NUMBER:		
1. TYPE OF WELL OIL WELL	X GAS WELL X OTHER_		see attached list		
2. NAME OF OPERATOR:			9. API NUMBER:		
	ergy (formerly Twin	1 PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:		
3. ADDRESS OF OPERATOR: P.O. BOX 948, F	Rangely, CO 81648	970-675-521	<u>· P</u>		
4. LOCATION OF WELL			county: Grand		
FOOTAGES AT SURFACE:	see attached list				
QTR/QTR, SECTION, TOWNSHIP, RANG	SE, MERIDIAN:		STATE: UTAH		
11. CHECK APPF	ROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION	REPERFORATE CURRENT FORMATION		
NOTICE OF INTENT	ACIDIZE	DEEPEN	SIDETRACK TO REPAIR WELL		
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT NEW CONSTRUCTION	TEMPORARILY ABANDON		
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TUBING REPAIR		
	CHANGE TO PREVIOUS PLANS	PLUG AND ABANDON	VENT OR FLARE		
CHROCONENT DEPORT	CHANGE TUBING CHANGE WELL NAME	PŁUG BACK	WATER DISPOSAL		
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF		
Date of work completion:	COMMINGLE PRODUCING FORMATIONS		OTHER:		
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATIO	N		
12 DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all	pertinent details including dates, depths, volu	ames, etc.		
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all perlinent details including dates, depths, volumes, etc. Effective June 1 , 2003, Jelco Energy sold all its interest and ownership in the wells listed of the attached list. The new owner and operator is ABS Energy LLC. P.O. Box 736, Rangely, CO 81648 Jelco Energy relinquishes ownership of all operating rights to ABS Energy LLC. New Operator/ABS Energy LLC. P.O. Box 736 Rangely, CO 81648 Fax 970-675-8558 Office 970-629-1116 ABS Energy LLC BLM Bond UTB000034					
NAME (PLEASE PRINT)	Linda C. Gordon	TITLE Office	-		
SIGNATURE	nder Glad	DATE	2/03 -		
(This space for State use only)					

RECEIVED
JUL 0 8 2003

WELL NAMES, EN TITY #'S AND WELL ID

WELL NAME	ENTITY#	API#	WELL TYPE	LEGAL DESCRIPTION	LEASE TYPE	STATUS
FEDERAL 14-1A	08150	4301930436	GAS	T20S,R21E, SEC 14	FEDERAL	TA
FEDERAL 1-10	08141	4301930484	GAS	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL 10-2	08207	4301931210	GAS	T20S,R21E, SEC 10	FEDERAL	TA
FEDERAL 11-1	08142	4301930485	GAS	T20S,R21E, SEC 11	FEDERAL	Р
FEDERAL 11-2	08143	4301930882	GAS	T20S,R21E, SEC 11	FEDERAL	S
FEDERAL 11-3	08144	4301930884	GAS	T20S,R21E, SEC 11	FEDERAL	Р
FEDERAL 12-1	08145	4301930881	GAS	T20S,R21E, SEC 12	FEDERAL	TA
FEDERAL 13-1	08146	4301930348	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 13-2	08147	4301930673	GAS	T20S,R21E, SEC 13	FEDERAL	Р
FEDERAL 13-3	08148	4301930883	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 13-4	08149	4301930885	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 14-1	08169	4301930430	GAS	T20S,R21E, SEC 14	FEDERAL	Р
FEDERAL 14-2	08151	4301930487	GAS	T20S,R21E, SEC 14	FEDERAL	Р
FEDERAL 14-3	08152	4301930488	GAS	T20S,R21E, SEC 14	FEDERAL	P
FEDERAL 14-4	08153	4301930878	GAS	T20S,R21E, SEC 14	FEDERAL	S
FEDERAL 15-1	11391	4301930585	GAS	T20S,R21E, SEC 15	FEDERAL	TA
FEDERAL 15-2	08154	4301930636	GAS	T20S,R21E, SEC 15	FEDERAL	S
FEDERAL 15-3	08155	4301930637	GAS	T20S,R21E, SEC 15	FEDERAL	Р
FEDERAL 15-4	10140	4301930887	GAS	T20S,R21E, SEC 15	FEDERAL	TA
FEDERAL 18-1	08200	4301930875	GAS	T20S,R22E, SEC 18	FEDERAL	S
FEDERAL 19-1A	08201	4301930896	GAS	T20S,R22E, SEC 19	FEDERAL	TA
FEDERAL 19-3	08201	4301930302	GAS	T20S,R22E, SEC 19	FEDERAL	TA
FEDERAL 22-1	08156	4301930625	GAS	T20S,R21E, SEC 22	FEDERAL	Р
FEDERAL 23-1	11393	4301930355	GAS	T20S,R21E, SEC 23	FEDERAL	Р
FEDERAL 23-2	08140	4301930586	GAS	T20S,R21E, SEC 23	FEDERAL	S
FEDERAL 23-3	08157	4301930588	GAS	T20S,R21E, SEC 23	FEDERAL	Р
FEDERAL 23-4	08158	4301930760	GAS	T20S,R21E, SEC 23	FEDERAL	P
FEDERAL 24-2	08159	4301930530	GAS	T20S,R21E, SEC 24	FEDERAL	P
FEDERAL 24-3	11395	4301930432	GAS	T20S,R21E, SEC 24	FEDERAL	Р
FEDERAL 24-4	08208	4301930900	GAS	T20S,R21E, SEC 24	FEDERAL	TA
FEDERAL 25-1	11394	4301930359	OIL	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-2	11392	4301930587	OIL	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-3	08171	4301930575	GAS	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-4	08181	4301930743	GAS	T20S,R21E, SEC 25	FEDERAL	Р
FEDERAL 30-1	08203	4301930429	GAS	T20S,R22E, SEC 30	FEDERAL	S
FEDERAL 31-1A	08204	4301930308	GAS	T20S,R22E, SEC 31	FEDERAL	Р
STATE 32-1	08206	4301930347 ¢		T20S,R22E, SEC 32	STATE	P
C6#1-*	11666	4301930298	OIL	T20S,R21E, SEC 3	FEDERAL	P
CC #4	02515	4301930392	OIL	T20S,R21E, SEC 11	FEDERAL	S
CC #5	02490	4301930393	OIL	T20S,R21E, SEC 11	FEDERAL	TA
CC #8	09820	4301931197	OIL	T20S,R21E, SEC 3	FEDERAL	S
CC #10	11666	4301931203	OIL	T20S,R21E, SEC 3	FEDERAL	S
FEDERAL-675-1	11666	4301930376	OIL	T20S,R21E, SEC 10	FEDERAL	Р
FEDERAL 675-3	00303	4301931094	OIL	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL 675-4	11666	4301931187	OIL	T20S,R21E, SEC 10	FEDERAL	P
FEDERAL 675-5	11666	4301931199	OIL	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL-675-6	11666	4301931208	OIL	T20S,R21E, SEC 9	FEDERAL	S

FROM: (Old Operator):

OPERATOR CHANGE WORKSHEET

ROUTING
1. GLH
2. CDW
3 FILE

Change of Operator (Well Sold)

The operator of the well(s) listed below has changed, effective:

Designation of Agent/Operator

1/1/2003

X Operator Name Change

Merger

TO: (New Operator):

N1825-Jelco Energy, Inc.	825-Jelco Energy, Inc.					N2475-ABS Energy, LLC			
PO Box 948				PO Box					
Rangely, CO 81648			ļ	Rangely, CO 81648					
Phone: (970) 629-1116				Phone:	(970) 629-	1116			
CA N	0.			Unit:	CALF CA				
WELL(S)									
NAME	SEC	TWN	RNG	API NO	ENTITY	LEASE	WELL	WELL	
					NO	TYPE	TYPE	STATUS	
CALF CANYON 1	03	200S	210E	4301930298	11666	FEDERAL		S	
CALF CYN 7	03			4301931168	11666	FEDERAL		Α	
CALF CANYON FED 10	03	I		4301931203	11666	FEDERAL		S	
CALF CANYON 11	03			4301931209	11666	FEDERAL		Α	
FEDERAL 675-6		1		4301931208	11666	FEDERAL		S	
FEDERAL 675-1				4301930376	11666	FEDERAL		Р	
FEDERAL 675 4				4301931187	11666	FEDERAL		Р	
FEDERAL 675 5	10	200S	210E	4301931199	11666	FEDERAL	low	S	
		<u></u>		<u> </u>	<u> </u>	 	1	 	
		<u></u>			 	 	-		
		├ ──		1			1	 	
		 	 		 		 	 	
		 	-	 	1		 		
		 	 	 		+	 	 	
		1	 		 	+	 		
		 	+	 	+				
		 	 			 	<u> </u>		
		 	 		†	 	1		
		†	 	1	 				
	_	 	†		 				
OPERATOR CHANGES DOCUMENTA Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was 2. (R649-8-10) Sundry or legal documentation was	received				on: 7/8/2003	7/8/2003	<u>-</u>		
3. The new company was checked on the Department				•		_		8/7/2003	
4. Is the new operator registered in the State of Utal	h:		YES	Business Num	ber:	5333071-016	51		
5. If NO, the operator was contacted contacted on:									

6. (R	649-9-2)Waste Management Plan has been received on:	IN PLACE	_	
7.	Federal and Indian Lease Wells: The BLM and or the BIA lor operator change for all wells listed on Federal or Indian leases on:	has approved 6/9/2003	the merge	r, name change,
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for well	s listed on:	6/9/2003	
9.	Federal and Indian Communization Agreements ("CA" The BLM or BIA has approved the operator for all wells listed within	'): a CA on:	n/a	
10.	Underground Injection Control ("UIC") The Division for the enhanced/secondary recovery unit/project for the water disposal	has approved U well(s) listed on	IC Form 5,	Transfer of Authority to Inject, 7/31/2003
DAT	TA ENTRY:			
	Changes entered in the Oil and Gas Database on:	8/7/2003	-	
2. C	Changes have been entered on the Monthly Operator Change Spread	Sheet on:	8/7/2003	
3. B	Sond information entered in RBDMS on:	n/a		
4. F	ee wells attached to bond in RBDMS on:	n/a		
STA	TE WELL(S) BOND VERIFICATION:	····		
1. S	tate well(s) covered by Bond Number:	n/a		
FED 1. Fe	ERAL WELL(S) BOND VERIFICATION: ederal well(s) covered by Bond Number:	B000034		
INDI	IAN WELL(S) BOND VERIFICATION:	<u> </u>		
	ndian well(s) covered by Bond Number:	n/a		
FEE	WELL(S) BOND VERIFICATION:			
1. (R	649-3-1) The NEW operator of any fee well(s) listed covered by Bond	Number	n/a	
2. The The	e FORMER operator has requested a release of liability from their bone Division sent response by letter on:	d on: n/a	n/a	
LEAS	SE INTEREST OWNER NOTIFICATION:			
3. (R6 of	49-2-10) The FORMER operator of the fee wells has been contacted a their responsibility to notify all interest owners of this change on:	and informed by n/a	a letter fron	n the Division
COM	MENTS:			

	IATE OF UTAH		1 ONW 9
DEPARTMEN DIVISION O	5. LEASE DESIGNATION AND SERIAL NUMBER:		
SUNDRY NOTICES	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill new wells, significant drill horizontal laterals. Use APPLIC	ly deepen existing wells below current botton CATION FOR PERMIT TO DRILL form for su	m-hole depth, reenter plugged wells, or to ach proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS	WELL OTHER		8. WELL NAME and NUMBER:
2. NAME OF OPERATOR: Elk Production, LLC	1121.57		9. API NUMBER:
3. ADDRESS OF OPERATOR:	N2650	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
770 S. Post Oak Lane #320 CITY Houston	STATE TX ZIP 77056	6 (713) 751-9500	
4. LOCATION OF WELL	nii fiir day an		COUNTY:
FOOTAGES AT SURFACE: See attached list			COUNTY: The appropriate of the september
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:			STATE: UTAH
11. CHECK APPROPRIATE	BOXES TO INDICATE NA	TURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT		DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate) ALTER CA	SING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING R	EPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE	TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
CHANGE	TUBING F	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE (Submit Original Form Only)	WELL NAME F	PLUG BACK	WATER DISPOSAL
	WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
	SLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
CONVERT	WELL TYPE F	RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPE Change of operator from ABS Energy	·		es, etc.
Old Operator: ABS Energy, LLC By: Andy Saied Managing Member PO Box 307 Farmington, NM 87499	N 2475		
New Operator: ELK PRODUCTION,	LLC		

(This space for State use only)

RECEIVED AUG 17 2004

Executive Vice President

ATTACHMENT TO SUNDRY NOTICE

Transfer from ABS Energy, LLC to Elk Production, LLC Effective July 22, 2004

Well Name	<u>API #</u>	Location
State 32-1	43-019-30347	SE ¹ / ₄ NW ¹ / ₄ , Sec. 32, T 20 S, R 22 E
Federal 31-1A	43-019-30308	NE¼NW¼, Sec. 31, T 20 S, R 22 E
Federal 30-1	43-019-30429	SW1/4NW1/4, Sec. 30, T 20 S, R 22 E
Federal 25-1	43-019-30359	SW ¹ / ₄ NE ¹ / ₄ , Sec. 25, T 20 S, R 21 E
Federal 25-2	43-019-30587	SW1/4SW1/4, Sec. 25, T 20 S, R 21 E
Federal 25-3	43-019-30575	SE1/4SE1/4, Sec. 25, T 20 S, R 21 E
Federal 25-4	43-019-30743	NE¼NW¼, Sec. 25, T 20 S, R 21 E
Federal 24-4	43-019-30900	NW ¹ / ₄ NE ¹ / ₄ , Sec. 24, T 20 S, R 21 E
Federal 24-2	43-019-30530	NW ¹ / ₄ NW ¹ / ₄ , Sec. 24, T 20 S, R 21 E
Federal 24-3	43-019-30432	SW1/4SE1/4, Sec. 24, T 20 S, R 21 E
Federal 23-1	43-019-30355	SW1/4NE1/4, Sec. 23, T 20 S, R 21 E
Federal 23-3	43-019-30588	NE ¹ / ₄ SW ¹ / ₄ , Sec. 23, T 20 S, R 21 E
Federal 23-4	43-019-30760	NW ¹ / ₄ SE ¹ / ₄ , Sec. 23, T 20 S, R 21 E
Federal 23-2	43-019-30586	NW¼NW¼, Sec. 23, T 20 S, R 21 E
Federal 22-1	43-019-30625	SE1/4NE1/4, Sec. 22, T 20 S, R 21 E
Federal 19-3	43-019-30302	SW ¹ / ₄ SW ¹ / ₄ , Sec. 19, T 20 S, R 22 E
Federal 19-1A	43-019-30896	SW ¹ / ₄ NW ¹ / ₄ , Sec. 19, T 20 S, R 22 E
Federal 18-1	43-019-30875	NE ¹ / ₄ SW ¹ / ₄ , Sec. 18, T 20 S, R 22 E


Well Name	API#	Location
Federal 15-2	43-019-30636	NW ¹ / ₄ NW ¹ / ₄ , Sec. 15, T 20 S, R 21 E
Federal 15-1	43-019-30585	NE ¹ / ₄ SE ¹ / ₄ , Sec. 15, T 20 S, R 21 E
rederal 13-1	43-019-30383	
Federal 15-3	43-019-30637	NE ¹ / ₄ NE ¹ / ₄ , Sec. 15, T 20 S, R 21 E
Federal 15-4	43-019-30887	SW ¹ / ₄ SW ¹ / ₄ , Sec. 15, T 20 S, R 21 E
Federal 14-3	43-019-30488	NE ¹ / ₄ SE ¹ / ₄ , Sec. 14, T 20 S, R 21 E
Federal 14-1A	43-019-30436	NW1/4NW1/4, Sec. 14, T 20 S, R 12 E
Federal 14-2	43-019-30487	NE ¹ / ₄ NE ¹ / ₄ , Sec. 14, T 20 S, R 21 E
Federal 14-1	43-019-30430	NW ¹ / ₄ NW ¹ / ₄ , Sec. 14, T 20 S, R 21 E
Federal 14-4	43-019-30878	SW ¹ / ₄ SW ¹ / ₄ , Sec. 14, T 20 S, R 21 E
Federal 13-2	43-019-30673	SE1/4NW1/4, Sec. 13, T 20 S, R 21 E
Federal 13-4	43-019-30885	NW ¹ / ₄ SE ¹ / ₄ , Sec. 13, T 20 S, R 21 E
Federal 13-1	43-019-30348	SW ¹ / ₄ SW ¹ / ₄ , Sec. 13, T 20 S, R 21 E
Federal 13-3	43-019-30883	NW ¹ / ₄ NE ¹ / ₄ , Sec. 13, T 20 S, R 21 E
Federal 12-1	43-019-30881	SW ¹ / ₄ SW ¹ / ₄ , Sec. 12, T 20 S, R 21 E
Calf Canyon 4	43-019-30392	NW1/4NW1/4, Sec. 11, T 20 S, R 21 E
Federal 11-3	43-019-30884	SW1/4SW1/4, Sec. 11, T 20 S, R 21 E
Calf Canyon 5	43-019-30393	SE1/4NE1/4, Sec. 11, T 20 S, R 21 E
Federal 11-1	43-019-30485	NW ¹ / ₄ SW ¹ / ₄ , Sec. 11, T 20 S, R 21 E
Federal 11-2	43-019-30882	SE1/4SE1/4, Sec. 11, T 20 S, R 21 E
Federal 675 5	43-019-31199	NW ¹ / ₄ NW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Federal 1-10	43-019-30484	NW ¹ / ₄ SW ¹ / ₄ , Sec. 10, T 20 S, R 21 E

Well Name	<u>API #</u>	Location
Federal 675 4	43-019-31187	NE ¹ / ₄ NW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Fed 3-675	43-019-31094	SW1/4NW1/4, Sec. 10, T 20 S, R 21 E
Federal 675-1	43-019-30376	NE ¹ / ₄ NW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Federal 10-2	43-019-31210	NE ¹ / ₄ SW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Federal 675-6	43-019-31208	NE ¹ / ₄ NE ¹ / ₄ , Sec. 9, T 20 S, R 21 E
Calf Canyon 1	43-019-30298	SW ¹ / ₄ SE ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Canyon 8	43-019-31197	SE ¹ / ₄ SW ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Canyon Fed 10	43-019-31203	SE ¹ / ₄ SE ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Cyn 7	43-019-31168	SE ¹ / ₄ SW ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Canyon 11	43-019-31209	SW ¹ / ₄ SW ¹ / ₄ , Sec. 2, T 20 S, R 21 E



United States Department of the Interior

BUREAU OF LAND MANAGEMENT





IN REPLY REFER TO 3180 (UT-922)

August 30, 2004

Elk Production, LLC c/o Pruitt Gushee Attn: Bill Ward 1800 Beneficial Life Tower 36 South State Street Salt Lake City, Utah 84111-1495

Re:

Calf Canyon Secondary Recovery Unit

Grand County, Utah

Gentlemen:

On August 27, 2004, we received an indenture dated July 22, 2004, whereby ABS Energy, LLC resigned as Unit Operator and Elk Production, LLC was designated as Successor Unit Operator for the Calf Canyon Secondary Recovery Unit, Grand County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 30, 2004. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Calf Canyon Secondary Recovery Unit Agreement.

Your Utah statewide oil and gas bond No. UTB000135 will be used to cover all operations within the Calf Canyon Secondary Recovery Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Teresa Thompson

for Terry Catlin Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Moab (w/enclosure)

SITLA

Division of Oil, Gas & Mining

Dockets

File - Calf Canyon Secondary Recovery Unit (w/enclosure)

Agr. Sec. Chron Fluid Chron

Central Files

UT922:TAThompson:tt:8/30/04

RECEIVED

AUG 3 1 2004

DIV. OF OIL, GAS & MINING

OPERATOR CHANGE WORKSHEET

ROUTING	
1. GLH	
2. CDW	
3. FILE	7

X Change of Operator (Well Sold)

6b. Inspections of LA PA state/fee well sites requested on:

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:				7/22/2004					
FROM: (Old Operator):				TO: (New O	perator):				
N2475-ABS Energy, LLC				N2650-Elk Pro	oduction, LL	C			
PO Box 307	770 S I	Post Oak Lai	ne, Suite 32	20					
Farmington, NM 87499			Housto	n, TX 7705	6				
Phone: 1-(Phone: 1-(713)	751-9500				
C	CA No.			Unit:	Calf Cany	on Unit			
WELL(S)									
NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	
CALF CANYON 1	03	200S	210E	4301930298	11666		ow	P	
CALF CYN 7	03	200S	210E	4301931168	11666	Fed	WI	A	
CALF CANYON 8	03	200S	210E	4301931197	9820	Fed	GW	P	
CALF CANYON FED 10	03	200S	210E	4301931203	11666	Fed	OW	S	
CALF CANYON 11	03	200S	210E	4301931209	11666	Fed	WI	A	
FEDERAL 675-6	09	200S	210E	4301931208	11666	Fed	OW	P	
FEDERAL 675-1	10	200S	210E	4301930376	11666	Fed	OW	P	
FEDERAL 675 4	10	200S	210E	4301931187	11666	Fed	OW	P	
FEDERAL 675 5	10	200S	210E	4301931199	11666	Fed	OW	S	
CALF CANYON 4	11	200S	210E	4301930392	2515	Fed	OW	S	
OPERATOR CHANGES DOCUMENTER date after each listed item is composited item in the composite of the composite	leted tation was rec	eived i		_		8/17/200 8/17/200	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
3. The new company was checked on the	Department	of Co	mmerc	e, Division of C	corporations	s Database	e on:	7/27/200	
 Is the new operator registered in the St If NO, the operator was contacted cont 			YES	Business Num	ber: 5	693065-0	<u>161</u>	-	
6a. (R649-9-2)Waste Management Plan ha	s been receive	ed on:		to follow					

8/31/2004

7. Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM applied for BIA							
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for	r wells listed on:	*****	applied for				
9. Federal and Indian Communization Agreements (" The BLM or BIA has approved the operator for all wells listed w	•		n/a				
10. Underground Injection Control ("UIC") The Diagram, for the enhanced/secondary recovery unit/project for the way	• •		orm 5, Transfer of Authority to n: 8/30/2004				
DATA ENTRY:							
1. Changes entered in the Oil and Gas Database on:	8/31/2004						
2. Changes have been entered on the Monthly Operator Change Sp	read Sheet on:	,	8/31/2004				
3. Bond information entered in RBDMS on:	8/31/2004						
4. Fee/State wells attached to bond in RBDMS on:	8/31/2004						
5. Injection Projects to new operator in RBDMS on:	8/31/2004						
6. Receipt of Acceptance of Drilling Procedures for APD/New on:		n/a					
FEDERAL WELL(S) BOND VERIFICATION:							
1. Federal well(s) covered by Bond Number:	B000963						
INDIAN WELL(S) BOND VERIFICATION:							
1. Indian well(s) covered by Bond Number:	<u>n/a</u>						
FEE & STATE WELL(S) BOND VERIFICATION:							
1. (R649-3-1) The NEW operator of any fee well(s) listed covered by	Bond Number		B000969				
2. The FORMER operator has requested a release of liability from the The Division sent response by letter on:	eir bond on:	TLA held					
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been cont of their responsibility to notify all interest owners of this change on		ed by a lett 9/1/2004	ter from the Division				
COMMENTS:							

Form 3160-5 (August 2007)

1. Type of Well

3a. Address 1401 17th Street, Suite 700 Denver, CO 80202

2. Name of Operator Elk Production, LLC

NWNW Section 10-T20S-R21E

Oil Well

Gas Well

4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) 693' FNL, 1184' FWL

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

5. Lease Serial No.

UTU-5675

11. Country or Parish, State

Grand County, UT

Temporarily Abandon

SUNDRY NOTICES AND REPORTS ON WELLS

SUBMIT IN TRIPLICATE - Other instructions on page 2.

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

Other

Change Plans

6. If Indian, Allottee or Tribe Name 7. If Unit of CA/Agreement, Name and/or No. NA 8. Well Name and No. Federal 675-5 9. API Well No. 4301931199 10. Field and Pool or Exploratory Area Greater Cisco/Cedar Mountain

TYPE OF SUBMISSION TYPE OF ACTION Production (Start/Resume) Water Shut-Off Acidize Deepen ✓ Notice of Intent Well Integrity Alter Casing Fracture Treat Reclamation Casing Repair New Construction Recomplete Other Subsequent Report

Plug Back Water Disposal Final Abandonment Notice Convert to Injection 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Plug and Abandon

3b. Phone No. (include area code)

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

303-296-4505

Elk plans to resume production from the subject well which has been shut in since 1997. Rods and tubing will be pulled, replacing the pump and any bad tubing or rods found with visual inspection. A packer will be run to test casing competency. Dependent upon the quantity of wellbore fluid entry, reperforation of the existing perforated interval or "Gas-Gun" stimulation may be attempted to improve wellbore entry. Work is planned to start mid-February 2008 and is expected to require four days.

COPY SENT TO OPERATOR

14. I hereby certify that the foregoing is true and correct.

Name (Printed/Typed) Karin Kuhn

Title Sr. Engineering Technician

and Mining

Signature

Initials:

Date 01/11/2008

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Federal Approval Of This UtamuDivision of Action is Necessary

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person

any department or agency of the United States any false,

fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

JAN 1 4 2008

DIV. OF OIL. GAS & MINING

Form 3160-5 (August 2007)

UNITED STATES

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010	
No.		

	01.221.01100101
	Expires: July 31, 2
5. Lease Serial No. UTU-5675	


-	_				
6.	If	Indian,	Allottee c	or Tribe	Name

	NOTICES AND REPORTS ON form for proposals to drill of			6. If Indian, Allottee	or Trit	e Name
	Use Form 3160-3 (APD) for			NA		
SUBM	IT IN TRIPLICATE - Other instruction	s on page 2.		7. If Unit of CA/Agre	eement	, Name and/or No.
1. Type of Well				NA 8. Well Name and No		
✓ Oil Well ☐ Gas V	Well Other			Federal 675-5).	
2. Name of Operator Elk Production, LLC				9. API Well No. 4301931199		
3a. Address 1401 17th Street, Suite 700 Denver, CO 80202	3b. Phone 3 303-296-4	No. <i>(include area code</i> 505)	10. Field and Pool or Greater Cisco/Ceda	•	•
4. Location of Well (Footage, Sec., T., 693' FNL, 1184' FWL NWNW Section 10-T20S-R21E	R.,M., or Survey Description)			11. Country or Parish Grand County, UT	, State	
12. CHEC	CK THE APPROPRIATE BOX(ES) TO E	NDICATE NATURE (OF NOTIC	E, REPORT OR OTH	ER DA	ATA
TYPE OF SUBMISSION		TYPE	OF ACTI	ON		
Notice of Intent	Alter Casing Fr	eepen racture Treat ew Construction		ction (Start/Resume) mation		Water Shut-Off Well Integrity Other
✓ Subsequent Report		ug and Abandon	_	orarily Abandon		
Final Abandonment Notice	Convert to Injection Pl	ug Back	Water	Disposal		
testing has been completed. Final determined that the site is ready for Work began on March 31, 2008 to p	red operations. If the operation results in a Abandonment Notices must be filed only a r final inspection.) oull rods and tubing, and replaced the party the well is making 2.5 BOPD, 0 BW	after all requirements, i	including r	eclamation, have been was reran and the s	compl	leted and the operator has
14. I hereby certify that the foregoing is tro Name (Printed/Typed) Karin Kuhn	ue and correct.	Title Sr. Enginee	ring Tech	nician		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Signature Aun	Kupy	Date 04/16/2008			***	
/\ '	THIS SPACE FOR FED	ERAL OR STAT	E OFFI	CE USE		The second secon
Approved by		Title		D	oto.	
	Approval of this notice does not warrant or the to those rights in the subject lease which warrenon.			יםן	ate	
	J.S.C. Section 1212, make it a crime for any pentations as to any matter within its jurisdiction		illfully to n	nake to any department	or agen	cy of the United States any false,
(Instructions on page 2)				HEULIAL		

APR 2 1 2008

ELK PRODUCTION LLC WELLBORE DIAGRAM

4/16/08 OPERATOR: Elk Production LLC DATE: 3094' WELL NAME: Federal 675-5 TD: 5543' GL KB: 5553' FIELD / PROSPECT: Greater Cisco AREA: Cisco ELEV: SURFACE LOCATION: NWNW Section 10-T20S-R21E Vertical wellbore BHL: 9/4/1985 4301931199 API: SPUD DATE: PRODUCTIVE ZONE(S Cedar Mountain



Form 3160-5 (April 2004)

1. Type of Well

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OM B No. 1004-0137 Expires: March 31, 2007

7. If Unit or CA/Agreement, Name and/or No.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160 - 3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

6. If Indian, Allottee or Tribe Name

CALF CANYON UNIT

5. Lease Serial No.

UTU-5675

Oil Well	Gas Well Other		ŕ	0 117.11.17	132
2. Name of Operator SEP CISCO	DOME II, LLC				RAL 675 5
3a. Address 1245 Brickyard Road, Suite 2		3b. Phone No. (include 4359409001	e area code)	9. API We 43-019-	31199
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Description)	1		10. Field and GREAT	d Pool, or Exploratory Area FER CISCO FIELD
NENW Section 10, 7	Bottom Hole: 538 FNL 605 F Township 20 South, Range 21 F	East		GRANI	or Parish, State O COUNTY, UTAH
12. CHECK A	PPROPRIATE BOX(ES) TO	INDICATE NATUR	E OF NOTICE, RE	PORT, OR	OTHER DATA
TYPE OF SUBMISSION			PE OF ACTION		
Notice of Intent ✓ Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production (Start Reclamation Recomplete Temporarily Abat Water Disposal		Water Shut-Off Well Integrity Other RE-PERFORATE
12 Dosowika Daniera 1 C 1	10				

Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

The Federal 675 5 was re-perforated in a portion of the currently productive zone the Cedar Mountain. The interval that was reperforated was (2924' - 2963' 4 holes/ft), only 33 feet of which has not been previously perforated. This well has been returned to service and is in production as

> Accepted by the Utah Division of Oil, Gas and Mining For Record Only
> Cause 102-16 B

RECEIVED OCT 0 3 2011

DIV. OF OIL, GAS & MINING

			- A MINING
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)			
Stoffen Thio	Title Project Mang	ger	
	Date	09/23/2011	
THIS SPACE FOR FEDERAL	OR STATE OF	FEICE USE	
		TIOL OOL	
Approved by Conditions of approval, if any, are attached. Approval of this notice does not warrant	Title		Date
certify that the applicant holds legal or equitable title to those rights in the subject leas which would entitle the applicant to conduct operations thereon.	or Office		
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any postates any false, fictitious or fraudulent statements or representations or to any postate.	erson knowingly and	willfully to make to as	ny department or agency of the United

ints or representations as to any matter within its jurisdiction.

J. C. THOMPSON

INDEPENDENT OIL OPERATOR 410 - 17TH STREET, SUITE 1305 DENVER, COLORADO 80202

August 2, 1985

RECEIVED

AUG 07 1985

DIVISION OF OIL

Division of Oil, Gas & Mining 3 Triad Center, Ste. 350 355 W. North Temple Salt Lake City, Utah 84180

> RE: Notice of Intention to Drill Federal 675 #5 Well Grand County, Utah

Gentlemen:

Enclosed are two copies of Notice of Intention to Drill the captioned well, along with the surveyor's plat. This well will be a directional hole and a survey will be run to prove the subsurface location.

The situation is that extreme topography consisting of a steep bluff dictates that this location be located east of our desired site. The surface location is on the same pad as our Federal 675 #4-well, but the subsurface location is allowed by Order of the Board in Cause No. 102-16B dated November 15, 1979.

We ask that the requested location be approved as soon as feasible. Thank you in advance for your cooperation in this matter.

Very truly yours,

T. C. Thompson

JCT/ck

@ Surveyor's plat being sent direct from surveyor.

Enclosures

Form 3160-3 (November 1983)


CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES

SUBMIT IN T JCATE* (Other instructions on reverse side)

Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

(formerly 9-331C)	DEDADTMEN	T OF THE IN	ITEDIAD			. 31, 1983
		F LAND MANAGI			5. LEASE DESIGNATION	AND SERIAL NO.
4 DD1 16 4 T101				N. I.C. D. A. C.	U-5675 6. IF INDIAN, ALLOTTE	B OR TRIBE NAME
	N FOR PERMIT	TO DRILL, D	EEPEN, OR I	LUG BACK		
la. TYPE OF WORK	ILL 🖬	DEEPEN [7 PL	UG BACK	7. UNIT AGREEMENT I	EMA
b. TYPE OF WELL		002,011			· -	
WELL K	AS OTHER		SINGLE ZONE	MULTIPLE ZONE	8. FARM OR LEASE NA	MB
. NAME OF OPERATOR J. C. THOMP	SON	•		EIVED	Federal 6	75
3. ADDRESS OF OPERATOR			REU	-1111-	9. WELL NO. 5	
410-17+h C+	., #1305, Denve	er, CO 80202	2	.005	10. FIELD AND POOL,	OP WILDCAT
LOCATION OF WELL (R	eport location clearly and	d in accordance with	any State rALG	<u>07.1983 </u>	√Greater Cis	
At surface 6931	FNL, 1184 FWL	Sec. 10	\ nw		11. SEC., T., R., M., OR	BLK.
At proposed prod. son	• 510'FNL, 66	O' EUT O	N MW DIVIS	ION OF OIL	AND SURVEY OR A	
	JIO PRES OU		MAS	& MINING	Sec. 10-T20S	
	and disscrion From NEA st of Grand Jun		OFFICE*		12. COUNTY OR PARISH	i .
5. DISTANCE FROM PROP			f-		Grand	Utah
LOCATION TO NEARES! PROPERTY OR LEASE I	7	510'	16. NO. OF ACRES IN		O THIS WELL	
(Also to nearest drig 8. DISTANCE FROM PROF	g. unit line, if any)		820 19. PROPOSED DEPTH	· · · · · · · · · · · · · · · · · · ·	OTARY OR CABLE TOOLS	
TO NEAREST WELL, D OR APPLIED FOR, ON TH	RILLING, COMPLETED,	669'	3499' _/	n ave 20. "	Rotary	
1. ELEVATIONS (Show wh		1		1/0.	22. APPROX. DATE WO	DRK WILL START*
5543	GR				August 25,	1985
3.	· · · · · · · · · · · · · · · · · · ·	PROPOSED CASING	AND CEMENTING	G PROGRAM		
SIZE OF ROLE	SIZE OF CASING	WEIGHT PER FOO	T SETTING	DEPTH	QUANTITY OF CEME	NT
12½"	8 5/8	24#	250)'	150 sks	
7 7/8"	5½"	14.0#	T.D.		220 sks	
Any If dri for	lling will ceas mation.	nows of oil of duction is ense, and compl	or gas will to accountered in etion will be accounted by the back of the back of the back, give	Cedar Mountee made in Cedar Mounte made in Cedar Mounte MPROVED OF UTAH OH, GAS ATE: 8	d. ntain formation,	
reventer program, if any			· · · · · · · · · · · · · · · · · · ·			···
RIGNED Q.C.	V leannesses	TITLI	Operator	•	DATE AUGUS	st 2, 1985
	ral or State office use)					
(Into space for Fede		a				
PERMIT NO	-019-3119°	1	APPROVAL DATE	C		
APPROVED BY		ጥነጥ፤.			The Arment	



NOTE: The Well Location is 692.99 feet South of the North Section Line and 1183.87 feet East of the West Section Line of the NW 1/4 of Section 10.

PLAT OF SURVEY FOR A WELL SITE LOCATION
LOCATED IN THE NW 1/4 OF SECTION 10, T20S, R21E, SLBM, GRAND COUNTY, UTAH
FOR J.C. THOMPSON

SURVEYOR'S CERTIFICATE

I, John C. Shepherd, a Registered Land Surveyor in the State of Utah, hereby certify that this survey was prepared from notes of an actual field survey done under my direction on July 31, 1985, and that this plat represents said survey.

John C. Sheenerd P.E., L.S. No. 1607

J.C. THOMPSON FEDERAL 675-5

W. H. LIZER & ASSOCIATES ENGINEERING & SURVEYING 576 25 ROAD UNIT 8 241-1129 GRAND JUNCTION, COLORADO

**repect No. 851308-7

ge Thompson acreage

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Company	J. C.	THOMPSON					Well No	5
Location	Sec.	10	T	20S	R	21E	Lease No.	บ-5675
Onsite In	spection	Date					•	
compliance Oil and G is fully	e is made as Order responsil	with app No. 1, and the state of the state o	olicable ind the applications	laws, proved s of 1	reg d pl his	ulations an of op subcontr	(43 CFR 31 erations. actors. A	nner that full 00), Onshore The operator copy of these compliance.
A. DRILL	ING PROG	RAM						
1.	Surface	Formation	and Est	imate	d Fo	rmation	Tops:	
	Mancos	Shale	· sur	face		• •		
	Dakota		. 284	0'		*		•
	Cedar	Mountain	299	0'				
	Morris	on	349	9'				
2.		ed Depth a					or Other Mi	neral Bearing
					F	ormation		Zone
		cted oil z				r Mtn.	2990	
		cted gas z cted water			Dako None		2840	
		cted water			None			
	BLM at depth a	onsite) en	countered ely prote	d duri	ing (drilling ll oil a	minerals (, will be r nd gas show	
3.	Pressure	• Control	Equipment	<u>t</u> :				
	See at	tached dia	agram. B	OP eq	uipm	ent will	consist of	flange 10",
	Series	900, doul	ole ram w	ith b	lind	rams an	d 3½" pipe	rans
	hydrau	lically o	perated f	rom a	rem	ote loca	tion. Hand	wheels will
	be in	use.				•		

BOP systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office should be notifed, with sufficient lead time, in order to have a BIM representative on location during pressure testing.

4. Casing Program and Auxiliary Equipment:

Surface casing will be new 8 5/8", 24#, K55 from 0-250', cement circulated to surface. Production csg will be new 55", 14.0# K55 from 0-TD., cement top estimated 2,100'. Aux. equip, will include a float, kelly cock, and a full opening pipe valve on the floor. A mud pump and mud tank will be on location with sufficient volume of mud to control or kill the well should an emergency arise.

Anticipated cement tops will be reported as to depth, not the expected number of sacks of cement to be used. The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

5. Mud Program and Circulating Medium:

Air-airmist will be used as the drilling fluid from 0-3499'. Low solids KCl mud to be used if necessary

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

6. Coring, Logging and Testing Program:

No cores or DST's are anticipated. Open hole logs to be run from base of surface casing - T.D. Proposed logs: Dual-Induction-SFL w/gamma

250!-T.D.; Comp. density w/sidewall neutron-minimum (if fluid in hole, will substitute compensated neutron.)
Whether the well is completed as a dry hole or as a producer, "Well Completion and Pecompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description,

and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).

7.	Abnormal	Conditions,	Bottom	Hole	Pressures	and	Potential	Hazards:

Maximum pressure anticipated is 1,500 psig in the Dakota- Morrison
formation and should not require more than normal controls. No
abnormal temperatures or hydrogen sulfide are expected.

8. Anticipated Starting Dates and Notifications of Operations:

Locat	ion com	nstruction:	Aug	ust 2	3.	1985		
Spud (date:	August	25,	1985				

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Grand Area Office
The spud date will be reported orally to the AO within 48 hours
after spudding. If the spudding occurs on a weekend or holiday, the
report will be submitted on the following regular work day. The
oral report will be followed up with a Sundry Notice.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 20.329 "Monthly Report of Operations", starting with the month in which Operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed, in duplicate, to the Vernal BLM District Office, 170 South 500 East, Vernal, Utah 84078.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producting status. Such notification will be sent by telegram or other written communication, not later than 5 days following the date on which the well is placed on production.

Pursuant to MTL-2B, with the approval of the District Engineer, produced water may be temporarily disposed of into unlined pits for

a period of up to 90 days. During the period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the District Engineer.

Pursuant to NTI-4A, lessees or operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received, for any venting/flaring of gas beyond the initial 30 day or authorized test period.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

A first production conference will be scheduled within 15 days after receipt of the first production notice.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the SO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal or Indian lands.

B. THIRTEEN POINT SURFACE USE PLAN

reference point: 60 miles west of Grand Junction 7. Proposed route to location: West on I-70 59 miles to W. Cisc Exit, Utah Highway 128 easterly 2 mi. to Cummingham Ranch road 7. Location and description of roads in the area: 8. Roads are gravel and in good condition 9. Plans for improvement and/or maintenance of existing roads: Will contribute my share with other users to maintain RIM road. Other: Class III standar 1. Width: Travel surface 16', max. disturbed 30'. 1. Maximum grades: 8% 1. Turnouts: None 1. Location (centerline): North 100' from Fed 675-#4 Well 1. Drainage: 1. Culverts, no new 2. Surface materials (source): None required 3. Other: No gates or cattleguards required. Existing roads will be used. 3. Litravel will be confined to existing access road rights-of-way. 3. Ocation of Existing Wells: Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; 4. Producing - 18; Shut-In-0; Injection -0. 4. Ocation of Tank Batteries and Production Facilities: 1. Promanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be cainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within the content of the production of the productio	a.	Location of proposed well in relation to town or other
Exit, Utah Highway 128 easterly 2 mi. to Cummingham Ranch road location and description of roads in the area: Roads are gravel and in good Condition Plans for improvement and/or maintenance of existing roads: Will contribute my share with other users to maintain RIM road. Other: Class III standar Planned Access Roads: Width: Travel surface 16', max. disturbed 30'. Maximum grades: 8% Turnouts: None Location (centerline): Drainage: Culverts, no new Surface materials (source): None required Other: No gates or cattleguards required. Existing roads with be used. Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Cocation of Tank Batteries and Production Facilities: 11 permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be parted within the content of th		reference point: 60 miles west of Grand Junction
Exit, Utah Highway 128 easterly 2 mi. to Cummingham Ranch road location and description of roads in the area: Roads are gravel and in good Condition Plans for improvement and/or maintenance of existing roads: Will contribute my share with other users to maintain RIM road. Other: Class III standar Planned Access Roads: Width: Travel surface 16', max. disturbed 30'. Maximum grades: 8% Turnouts: None Location (centerline): Drainage: Culverts, no new Surface materials (source): None required Other: No gates or cattleguards required. Existing roads with be used. Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Cocation of Tank Batteries and Production Facilities: 11 permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be parted within the content of th	b.	Proposed route to location. West on 1.70 50
Roads are gravel and in good condition Plans for improvement and/or maintenance of existing roads: Will contribute my share with other users to maintain RLM road. Cher: Class III standar Planned Access Roads: Width: Travel surface 16', max. disturbed 30', Maximum grades: 8% Turnouts: None Location (centerline): Drainage: Culverts, no new Surface materials (source): None required Other: No gates or cattleguards required. Existing roads winched used. Litravel will be confined to existing access road rights-of-way. Cocation of Existing Wells: Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Cocation of Tank Batteries and Production Facilities: Il permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within the content of the c		Exit, Utah Highway 128 easterly 2 mi, to Cummingham Panch road
Plans for improvement and/or maintenance of existing roads: Will contribute my share with other users to maintain BLM road. Other: Class III standar Planned Access Roads: Note: Travel surface 16', max. disturbed 30'. Maximum grades: 8% Turnouts: None Location (centerline): North 100' from Fed 675-#4 Well Drainage: Culverts, no new Surface materials (source): None required Other: No gates or cattleguards required. Existing roads wince used. Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Occation of Tank Batteries and Production Facilities: Il permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be at andard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	c.	rocation and description of roads in the area:
Will contribute my share with other users to maintain RLM road. Other: Class III standar Planned Access Roads: Width: Travel surface 16', max. disturbed 30'. Maximum grades: 8% Turnouts: None Location (centerline): North 100' from Fed 675-#4 Well Drainage: Culverts, no new Surface materials (source): None required Other: No gates or cattleguards required. Existing roads wide used. Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Ocation of Tank Batteries and Production Facilities: 11 permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be aninted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	d.	Roads are gravel and in good condition Plans for improvement and/or maintenance of existing reads.
Planned Access Roads: a. Width: Travel surface 16', max. disturbed 30'. Maximum grades: 8% Turnouts: None i. Location (centerline): North 100' from Fed 675-#4 Well Drainage: Culverts, no new Surface materials (source): None required Other: No gates or cattleguards required. Existing roads wing be used. All travel will be confined to existing access road rights-of-way. Ocation of Existing Wells: Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Occation of Tank Batteries and Production Facilities: 11 permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be aninted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	-,	
Planned Access Roads: 1. Width:	e.	Other:
Midth: Travel surface 16', max. disturbed 30'. Maximum grades: 8% Turnouts: None Location (centerline): North 100' from Fed 675-#4 Well Drainage: Culverts, no new Surface materials (source): None required Other: No gates or cattleguards required. Existing roads wing be used. Ull travel will be confined to existing access road rights-of-way. Mater - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Mocation of Tank Batteries and Production Facilities: 11 permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be cainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within		
Maximum grades: 8% Turnouts: None Location (centerline): North 100' from Fed 675-#4 Well Drainage: Culverts, no new Surface materials (source): None required Other: No gates or cattleguards required. Existing roads with be used. Cultured will be confined to existing access road rights-of-way. Cocation of Existing Wells: Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Cocation of Tank Batteries and Production Facilities: Il permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be cainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within the constructed or installed.	Pla	nned Access Roads:
Maximum grades: 8% Turnouts: None Location (centerline): North 100' from Fed 675-#4 Well Drainage: Culverts, no new Surface materials (source): None required Other: No gates or cattleguards required. Existing roads with be used. Cultured will be confined to existing access road rights-of-way. Cocation of Existing Wells: Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Cocation of Tank Batteries and Production Facilities: Il permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be cainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within the constructed or installed.		Tri deb
Turnouts: None Location (centerline): North 100' from Fed 675-#4 Well Drainage: Culverts, no new Surface materials (source): None required Other: No gates or cattleguards required. Existing roads wince used. Ultravel will be confined to existing access road rights-of-way. Ocation of Existing Wells: Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Ocation of Tank Batteries and Production Facilities: Ultravel will be confined to existing wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Ocation of Tank Batteries and Production Facilities: Ultravel will be producted or installed (including oil well pumpjacks) will be a cainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	-	Traver surface to . max. disturbed 30.
A. Location (centerline): North 100' from Fed 675-#4 Well Drainage: Culverts, no new Surface materials (source): None required Other: No gates or cattleguards required. Existing roads with travel will be confined to existing access road rights-of-way. Ocation of Existing Wells: Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Ocation of Tank Batteries and Production Facilities: 11 permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be cainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within		
Culverts, no new Surface materials (source): None required Other: No gates or cattleguards required. Existing roads wing be used. Ill travel will be confined to existing access road rights-of-way. Ocation of Existing Wells: Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Ocation of Tank Batteries and Production Facilities: Il permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be cainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	i.	
Culverts, no new Surface materials (source): None required Other: No gates or cattleguards required. Existing roads with the best of the used. It travel will be confined to existing access road rights-of-way. Ocation of Existing Wells: Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Ocation of Tank Batteries and Production Facilities: Il permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be cainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	· ·	Drainage: North 100' from Fed 6/5-#4 Well
Surface materials (source):None required John Cher:No gates or cattleguards required. Existing roads wibe used. It travel will be confined to existing access road rights-of-way. Ocation of Existing Wells: Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Ocation of Tank Batteries and Production Facilities: Il permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be cainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	- •	
be used. All travel will be confined to existing access road rights-of-way. Ocation of Existing Wells: Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Ocation of Tank Batteries and Production Facilities: Il permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	E.	Surface materials (source):
De used. All travel will be confined to existing access road rights-of-way. Ocation of Existing Wells: Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Ocation of Tank Batteries and Production Facilities: All permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	-	Other: No gates or actaloguests and a second
Disposal wells 0; Drilling-0; Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Occation of Tank Batteries and Production Facilities: 11 permanent (on site for six months or longer) structures onstructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	, -	be used.
Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Occation of Tank Batteries and Production Facilities: 11 permanent (on site for six months or longer) structures onstructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	A 1 1	
Water - 0; T.A. wells 1; Disposal wells 0; Drilling-0; Producing - 18; Shut-In-0; Injection -0. Ocation of Tank Batteries and Production Facilities: 11 permanent (on site for six months or longer) structures onstructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within		
Producing - 18; Shut-In-0; Injection -0. ocation of Tank Batteries and Production Facilities: 11 permanent (on site for six months or longer) structures onstructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	OC	ation of Existing Wells:
Producing - 18; Shut-In-0; Injection -0. ocation of Tank Batteries and Production Facilities: 11 permanent (on site for six months or longer) structures onstructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within		Water - 0: T.A. wells 1: Disposal wells 0: Drilling 0:
ocation of Tank Batteries and Production Facilities: 11 permanent (on site for six months or longer) structures onstructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within		-, com wells 1, Disposal wells 0, Diffiling-0;
Il permanent (on site for six months or longer) structures onstructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within		
onstructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within		Producing - 18; Shut-In-0; Injection -0.
onstructed or installed (including oil well pumpjacks) will be ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within		
ainted a flat, non-reflective, earthtone color to match the tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	oca	tion of Tank Batteries and Production Facilities:
tandard environmental colors, as determined by the Pocky Mountain 5 tate Interagency Committee. All facilities will be painted within	oca 11 ons	permanent (on site for six months or longer) structures structed or installed (including oil well pumpiacks) will be
tate Interagency Committee. All facilities will be painted within	oca 11 ons	permanent (on site for six months or longer) structures structed or installed (including oil well pumpjacks) will be sted a flat, non-reflective, earthtone color to match the
	oca 11 ons ain	permanent (on site for six months or longer) structures structed or installed (including oil well pumpjacks) will be sted a flat, non-reflective, earthtone color to match the color environmental colors, as determined by the Pocky Mountain 5
	oca 11 ons ain tan tat	permanent (on site for six months or longer) structures structed or installed (including oil well pumpjacks) will be sted a flat, non-reflective, earthtone color to match the

If a tank battery is constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain 14 times the storage capacity of the battery.

Tank batteries will be placed on the: No new tanks. Within a 1-mile radius JCT has 2 tank batteries, no oil gathering lines, 1 gas gathering line, no injections or disposal lines. A flow line will be laid from new well to existing flow line from 675 #4 well. See attached plat of proposed oil flow line.

All loading lines will be placed inside the berm surrounding the tank battery.

All site security guidelines identified in 43 CFR 3162.7 regulations will be adhered to.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.

5. Location and Type of Water Supply:

All water needed for drilling purposes will be obtained from:

Hauled from Colorado River at Westwater (SW/4SW/4 Sec. 15-T21S-R24E)

A permit has been applied for. Existing roads will be used to haul,

no water well will be required.

6. Source of Construction Material:

Road	surfacing	and	pad	construction	${\tt material}$	will	be	obtained	from:
------	-----------	-----	-----	--------------	------------------	------	----	----------	-------

None required.	
•	

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

Construction material (will/will not) be located on lease.

. 14 miles, then right on BLM road for 1.0 miles to Federal 675 #4 well, new well on same pad as Federal 675 #4 well.

	Methods of Handling Waste Disposal:
	The reserve pit (will/will not) be lined: Cuttings to reserve pit:
i:	drilling fluids same, produced fluids (see Plat 3: sewage contained
	in chemical toilets.
	Burning (will/will not) be allowed. All trash must be contained and disposed of by: Trash cage. No trash in reserve pit.
•	Trash cage hauled away after completion.
	Produced waste water will be confined to a (lined/unlined) pit for a period not to exceed 90 days after initial production. During the 90 day period an application for approval of a permanent disposal method and location, along with required water analysis, will be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of monocompliance, and will be grounds for issuing a shut-in order.
	Ancillary Facilities:
•	Camp facilities (will/will not) be required. They will be located:
•	
•	Well Site Layout: The reserve pit will be located: See Plat 5
•	Well Site Layout: The reserve pit will be located: See Plat 5 The stockpiled topsoil will be stored: See Plat 5
•	
•	The stockpiled topsoil will be stored: See Plat 5 Access to the well pad will be from: North. Pad size 200' X 150'
•	The stockpiled topsoil will be stored: See Plat 5

Reserve pits will be fenced with a wire mesh fence and topped with at least one strand of barbed wire.

Earth from the cut required will be pushed to the east side of location and the location will be reduced after completion to the minimum required for well serviceing, or if abandoned, grade will be restored.

10. PLANS FOR RESTORATION OF THE SURFACE:

- A. The top 4-6 inches of soil material will be removed from the location and stockpiled northwest of the location.
- B. The top 2 inches of soil material will be saved and windrowed along the access route on the uphill side.
- C. An embankment will be constructed on the northwest corner of the pad around the flare pit to serve as a knock down for the blooie line.
- D. Should the well be a dry hole, the location and new access road will be policed, the reserve pit allowed to dry, then backfilled. The disturbed areas will be recontoured to blend with the local topography and the topsoil distributed. The area will be reseeded with a mixture and at a time specified by the Grand Resource Area in Moab, Utah.
- E. The mixture is to be broadcast after the stockpiled topsoil has been evenly respread over the disturbed areas. The pad will not be smoothed out but left rough. Reseeding may be done when recontouring and rehabilitating the site and drill road.
- F. After seeding is complete the stockpiled trees and vegetation will be scattered evenly over the disturbed areas and walked down with a dozer.
- G. The operator or his contractor will contact the Grand Resource Area Bureau of Land Management office in Moab, Utah, telephone (801)259-8193, 48 hours prior to starting rehabilitation work that involves earth moving equipment and upon completion of restoration measures.

11. OTHER INFORMATION:

- A. The surface and minerals are owned by the Federal government.
- B. The surface growth is sagebrush, rabbit brush, cheat grass, and rice grass. Wildlife consists of mule deer, coyotes, rabbits and rodents.
- C. The land is used for livestock grazing. This area is winter grazing range for deer. All drilling and completion work must be completed before November 1st and not resumed before March 31st, unless permission be obtained from the BLM.
- D. An archaeological survey has been made and a copy of the report is attached to this application. If subsurface cultural material is exposed during construction, work at that spot will stop immediately and the Grand Resource Area Office will be contacted. All employees working in the area will be informed by the operator that they will be subject to prosecution if they are caught disturing archaeological sites or picking up artifacts. Salvage or excavation of identified archaeological sites will only be done if damage occurs.
- E. The operator or his contractor will contact the Grand Resource Area in Moab, Utah, telephone (801)259-8193 48 hours prior to beginning any work on public land.

Th ne	ne reserve p eeded for pr	it and that portion of thecation ar oduction or production facilities will	nd access road not be reclaimed.
S	urface and l	Mineral Ownership:	
_			
_			
9	ther Inform	ation:	
-			:
-		•	• • • • • • • • • • • • • • • • • • • •
	over program operating p producing, with 43 CFR	21.60-5	whether drilling fied in accordance
	approval for with 43 CFF		
	surface use	entractor will be provided with an appropriate plan.	
	construction	resource clearance (will/will not) be on begins. If any cultural resources on, all work will stop and the AO will	be notified.
	approval. for approv	t will be valid for a period of one ye After permit termination, a new appli al for any future operations.	
	Lessee's o	r Operators Representative and Certifi	cation
	Pepresenta		
	tlame:	Walid Bou-Matar	01701
	Address:	2505½ Weslo Avenue, Grand Junction,	

Phone No. 303/245-5671 or 245- 3660, Unit #5404

Certification

•	I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route, that I am familiar with the conditions which currently exist, that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.					
	<u>€ 7- 85</u> Date	Name/ and Title J. C. Thompson, Operator:				
CN-SITE						
DATE:						
PARTICIPA	ANTS:	TITLE:				

æ∙

1

4) 1/14/2017*0*54

MIRERALS HARAGEMENT SERVICE OIL&GAS OPERATIONS (Submit in triplicate to appropriate Regional Oil and Gas or Mining Supervisor)

AFR

SALT LAKE CITY. UTAH

DESIGNATION OF OPERATOR

The undersigned is, on the records of the Bureau of Land Management, holder of lease

DISTRICT LAND OFFICE:

State of Utah

SERIAL NO.:

U-5675

and hereby designates

NAME:

J.C. Thompson

ADDRESS:

1700 Broadway, Suite 1219, Denver, CO

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Operating Regulations with respect to (describe acreage to which this designation is applicable):

> 20 S. 21 E., SLM 9: E/2NE/4, SE/4; Seecion and anticomy 47 Section 14.

T. 20 S., R. 21 E., SLM

Section 9: W/2NE/4, below the base of the Morrison

Formation;

Section 10: N/2NE/4, below 3491 feet down from the surface; Section 11: NW, below 2925 down from the surface; NE/4, below

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.


The lessee agrees promptly to notify the supervisor of any change in the designated operator.


NICOR Exploration Company

W. P. Bremmer, Land Manager

February 23, 1983 (Date)

1667 Cole Blvd., Golden, CG 80401






J.C. Thompson Federal 675 Proposed Production Layout




100





PLAT 3


J.C. THOMPSON
FEDERAL 675 - 5
GRAND COUNTY, UTAH



PLAT 5







SCALE: HORIZONTAL & VERTICAL 1" = 40' W.H. LIZER & ASSOCIATES

Engineering Consulting and Land Surveying

576 25 Road, Unit #8 Grand Junction, Colorado 81505

241-1129

RECEIVED

AUG 08 1985

DIVISION OF OIL GAS & MINING

August 5, 1985

Division of Oil, Gas, and Mines 3 - Triad Center Suite 350 355 W. Temple Salt Lake City, Utah 84180

Dear Sirs,

Enclosed are 3 copies of a well location for J. C. Thompson - Federal 675-5. Mr. Thompson will be mailing separate application forms from Denver, Colorado.

Sincerely yours,

Wayne H. Lizer, P.E., P.L.S.

WHL/s1

Enc.

xc: J. C. Thompson

OPERATOR J. C. Thomps WELL NAME Jul 675 #5 Surf. SECBHL-NW NW O T 205	on	DATE 8-8-85
WELL NAME Jed 675 #5		
SECBHL-NW NW T 205	R 2/E COUNTY	Grand
43-019-3/199 API NUMBER	- La	
CHECK OFF:		
PLAT	BOND	NEAREST WELL
LEASE	FIELD	POTASH OR OIL SHALE
PROCESSING COMMENTS: No other well within 400'		
need water permit		
	· · · · · · · · · · · · · · · · · · ·	
APPROVAL LETTER:	**************************************	
SPACING: A-3 UNIT	c-3-a	102-16 B 11/15/79 CAUSE NO. & DATE
c-3-b	c-3-c	
STIPULATIONS:		•

J. C. THOMPSON

INDEPENDENT OIL OPERATOR 410 - 17th STREET, SUITE 1305 DENVER, COLORADO 80202

August 8, 1985

RECEIVED

AUG 1 2 1985

Division of Oil, Gas & Mining 3 Triad Center, Ste. 350 355 W. North Temple Salt Lake City, Utah 84180

DIVISION OF OIL GAS & MINING

Re: Application for Permit to Drill Well No. Federal 675-5 Sec. 10-T20S-R21E Grand County, Utah

Gentlemen:

The enclosed information is being sent pursuant to your telephone call today. Enclosures consist of a 13 Point APD and surveyor's plat which have been filed with the BLM.

Please advise if anything further is required.

Carole Kessler

Administrative Assistant

Enclosures



355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

August 21, 1985

J. C. Thompson 410-17th Street, #1305 Denver, Colorado 80202

Gentlemen:

Re: Well No. Federal 675 #5 - NW NW Sec. 10, T. 20S, R. 21E (Surface) 693' FNL, 1184' FWL, (BHL) 510' FNL, 660' FWL Grand County, Utah

Approval to drill the above-referenced oil well is hereby granted in accordance with the Order of Cause No. 102-16B dated November 15, 1979, subject to the following stipulations:

1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification to the Division within 24 hours after drilling operations commence.
- 2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
- 3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695, or R. J. Firth, Associate Director, (Home) 571-6068.
- 4. Compliance with the requirements and regulations of Rule C-27, Associated Gas Flaring, General Rules and Regulations, Oil and Gas Conservation.

Page 2 J. C. Thompson Well No. Federal 675 #5 August 21, 1985

5. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-019-31199.

Sincerely,

Associate Director, Oil & Gas

jbl Enclosures

cc: Branch of Fluid Minerals

J. C. THOMPSON

INDEPENDENT OIL OPERATOR
410 - 17TH STREET, SUITE 1305
DENVER, COLORADO 80202
August 21, 1985

RECEIVED

AUG 2 3 1985

DIVISION OF OIL GAS & MINING

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 W. North Temple
3 Triad Center, Ste. 350
Salt Lake City, Utah 84180-1203

Attn: Stephanie

Re: Confidential Status

Federal 675 #5 Well NWNW Sec. 10-T20S-R21E Grand County, Utah

Gentlemen:

J. C. Thompson as operator of the captioned well requests that the information submitted to the Division of Oil, Gas and Mining on this well be kept confidential for the maximum time allowed.

fours truly,

Carole Kessler

Form 3160-3 (Nevember 1983) (formerly 9-231C)

SUBMIT IN TR'

CATE* Form approved. 36

REC'D WUNITED STATES	(Other Instruc, on reverse side)	Expires August 31, 1985
DEPARTMENT OF THE INTERIOR		5. LEASE DESIGNATION AND SERIAL N

			· -	ļ	O. DEEDE PROJUNGEN	W TWO DESIGN RO.			
	บ-5675								
APPLICATION	BACK	6. IF INDIAN, ALLOTT	PEE OR TRIBE NAME						
la. TYPE OF WORK	ск 🗆	7. UNIT AGREEMENT	NAME						
OIL GA	LE _	8. FARM OR LEASE N	VAME						
2. NAME OF OPERATOR	ELL OTHER		SEF 0 3 1985 ZONE		Federal (675			
J. C. THOMPS	SON			:	9. WELL NO.				
3. ADDRESS OF OPERATOR	· · · · · · · · · · · · · · · · · · ·		DIVISION OF OIL	-	5				
410-17th St.	., #1305, Denve		GAS & MINING		10. FIELD AND POOL	OR WILDCAT			
	port location clearly and	in accordance with	any State requirements.*)		Greater C	isco			
At surface 693	FNL, 1184'FWL S	Sec. 10		1 1 1	11. SEC., T., R., M., O AND SURVEY OR				
At proposed prod. zone	• 510'FNL, 660	' FWL			Sec. 10-T20S-R21E				
4. DISTANCE IN MILES A			OFFICE*		12. COUNTY OR PARISH 13. STATE				
60 miles wes	st of Grand Jun	ction, CO			Grand	Utah			
15. DISTANCE FROM PROPU LOCATION TO NEAREST PROPERTY OR LEASE L (Also to nearest drig	INE, FT.	510'	16. NO. OF ACRES IN LEASE 820		F ACRES ASSIGNED HIS WELL 40				
18. DISTANCE FROM PROPO TO NEAREST WELL, DE OR APPLIED FOR, ON THE	RILLING, COMPLETED,	669'	19. PROPOSED DEPTH 3499 *	. i	otary				
21. ELEVATIONS (Show whe 5543		-			22. APPROX. DATE August 25	work WILL START*			
23.	1	PROPOSED CASIN	G AND CEMENTING PROGR	AM					
SIZE OF ROLE	SIZE OF CASING	WEIGHT PER FO	OT SETTING DEPTH		QUANTITY OF CEN	ENT			
12½"	8 5/8	24#	250'		150 sks				
7 7/8"	5½"	14.0#	T.D.	_	220 sks				
1		1	.	1					

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout


preventer program, if any.	•		
81GNED J.C. Vacupus	TITLE O	perator	DATE August 2, 1985
(This space for Federal or State office use)			
PERMIT NO.	АР	PROVAL DATE	
APPROVED BY Kenneth V. Rhea	AC	ting DISTRICT MANAGER	2 8 AUG 1985
CONDITIONS OF APPROVAL, IF ANY:			

CONDITIONS OF APPROVAL ATTACHED

*See Instructions: On Reverse Side:

FLARING OR VENTING OF GAS IS SUBJECT OF NTL 4-A **DATED 1/1/80**

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false. fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



NOTE: The Well Location is 692.99 feet South of the North Section Line and 1183.87 feet East of the West Section Line of the NW 1/4 of Section 10.

PLAT OF SURVEY FOR A WELL SITE LOCATION
LOCATED IN THE NW 1/4 OF SECTION 10, T20S, R21E, SLBM, GRAND COUNTY, UTAH
FOR J.C. THOMPSON

SURVEYOR'S CERTIFICATE

I, John C. Shepherd, a Registered Land Surveyor in the State of Utah, hereby certify that this survey was prepared from notes of an actual field survey done under my direction on July 31, 1985, and that this plat represents said survey.

John C. Sheenerd P.E., L.S. No. 1607

J.C. THOMPSON FEDERAL 675-5

W. H. LIZER & ASSOCIATES
ENGINEERING & SURVEYING
576 25 ROAD UNIT 8 241-1129
GRAND JUNCTION, COLORADO

Project No. 851308-7

J. C. Thompson
Well No. Federal 675-5
Sec. 10, T. 20 S., R. 21 E.
Grand County, Utah
Lease U-5675

CONDITIONS OF APPROVAL

A. DRILLING PROGRAM

- 1. Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR 3162.6. The marker will be constructed as follows: no less than 4 inches in diameter and extend approximately 4 feet above ground level. The top of the marker will be closed or capped.
- The following minimum information will be permanently placed on the marker plate, cap or beaded-on with a welding torch: "Fed" or "Ind", as applicable; "Well Number, Location by 1/41/4 Section, Township and Range"; "Lease Number".
- 3. Pipe rams and blind rams will be tested to 1500 psi prior to drilling out from 8-5/8" surface casing. Test to be recorded on driller's \log .
- 4. All B.O.P. drills will be recorded on driller's log.
- 5. All approvals and reports will be sent to the Bureau of Land Management, Moab District Office, P.O. Box 970, Moab, Utah 84532 not the Vernal District as mentioned in item #8 of the eight point drilling plan.
- 6. The Grand Resource Area Office will be notified at least 24 hours prior to spudding, not 48 hours after as mentioned in item #8 of the eight point drilling plan.
- 7. Your contact with the District Office is:

Greg Noble, Petroleum Engineer Office Phone: 801-259-6111
Ext 229

Address:

82 East Dogwood, P.O. Box 970 Moab, Utah 84532

B. SURFACE USE PLAN

- 1. The access road to J. C. Thompson 675 #4 will be used to access J. C. Thompson 675 #5. Road has been constructed and will be maintained to Bureau's Class III Road Standards.
- 2. Well pad for 675-5 will use part of west side of well pad 675-4. (Well will be directional drilled).
- 3. Surface disturbance and vehicular travel will be limited to the approved location and existing access road. Any additional area needed will be approved by the area manager in advance.
- 4. Two camp trailers will be on the location. One for the geologist, one for the engineer.
- 5. Burning of trash will not be allowed. No trash will be put in reserve pit. Trash will be confined to a trash cage and hauled to a sanitary landfill.
- 6. Top 4-6 inches of soil material will be removed from the location and stock piled southeast of the location.
- 7. The operator or his contractor will contact the Grand Resource Area, Bureau of Land Management office in Moab, Utah (801) 259-8193, 48 hours prior to beginning any work on public land.
- 8. This area is winter grazing range for deer. All drilling and completion work must be completed by November 1 and not resume prior to March 31, unless permission is obtained from the Grand Resource Area Manager.
- 9. Your contact with the Grand Resource Area office is:

Elmer Duncan, Chief Land and Mineral Staff Office Phone: 801-259-8193

Address:

Sand Flats Road, P.O. Box M Moab, Utah 84532 DIVISION OF OIL, GAS AND MINING

API NO. 43-019-31199

SPUDDING INFORMATION

NAME OF COMPANY: J.C. THOMPSON
WELL NAME: FEDERAL 675 # 5
SECTION 10 TOWNSHIP 20S RANGE 21E COUNTY GRAND
DRILLING CONTRACTOR BECO DRILLING
RIG #
SPUDDED: Date 9-4-85
TIME 10:00 am
HOW_Rotary
DRILLING WILL COMMENCE 9-4-85
REPORTED BY Carol Kessler
TELEPHONE $\frac{\mu}{E}$ 303-573-6021
DATE

J. C. THOMPSON

INDEPENDENT OIL OPERATOR 410 - 17th STREET, SUITE 1305 DENVER, COLORADO 80202

October 16, 1985

RECEIVED

1 8 1985

Division of Oil, Gas & Mining 3 Triad Center, Ste. 350 355 W. North Temple Salt Lake City, Utah 84180

DIVISION OF OR GAS & MINING

Re: Federal 675 #5

NWNW Sec. 10-T20S-R21E

Grand County, Utah

Gentlemen:

Enclosed please find the following information pertaining to the captioned well:

- 1. Three copies of Well Completion or Recompletion Report and Log.
- 2. Three copies of direction survey printout

Carole Lisslin

Carole Kessler

Enclosures

BERIAL NO.
FRIBE NAME
DCAT
LND BURVEY
an
NGHRAD
TOOLS ECTIONAL MADE
MADE
PULLED
ET (MD)
SED
ig or
110 (COLB.)
···
-

			,							5. LEAS	U-56	ATION AND BERTA	L N
WELL CO	OMPLETIO	N O	R RECO	MPLE	TION	REPORT	A٨	1D 1.C)G	6. IF I	NDIAN, ALI	LOTTEE OR TRIBE	MAK
16. TYPE OF WE		OIL [DRY [Other				- 7. UNIT	AGREEME	NT NAME	
b. TYPE OF CO	MPLETION:			_				<u> </u>					
NEW WELL		EN [PLUG [ESVR.	Other	IE	CFI	VEE	S. FARE	on LEAS		
=	. C. Thomp	son					0 03	181		9. WEL			
3. ADDRESS OF OP			····				UC.	181	985	-	5		
410 17th S	St., Ste.	1305,	Denver	, CO	8020	2)Herr				eater	Cicco	
4. LOCATION OF W	593' FNL,	ition cie 1184 ¹	FWL Se	accordan ec. 10	,	1	mwo Gas	MIN &	r 01.	1		OF BLOCK AND BE	'hve
	nterval reported				Nh	INU	10	a MiN	ING	OR	AREA	Г20S- R 21E	, - , -
	647' FNL,		FWL		A.P.I							TOO KEIL	
	30' FNL,				XXXXX No		DATE	ISSUED		12. cot	NTT	13. STATE	
_	•			i	019-3		8,	/2/85		Gran	d .	Utah	
15. DATE SPEDDED	ì					oe i -				RT, GR, ET	2.) 19.	ELEV. CASINGHE	AD
9/4/85	9/12/		9/19	•	(Plug d	-		553 K.	B.	B/AT A B T	TOOLS	CABLE TOOL	
3094 MD						TIPLE COMPI			ILLED BY	0-309		_	
3009 TVD				, BOTTOM	I, NAME (MD AND TVD)						25. WAS DIRECTION BUBYET MADE	NAL
	MD- Ceda	r Mtn	•										
(2849-5	•	a aun				27					<u> </u>	Yes	
	L, FD-CNL	• • • • • • • • • • • • • • • • • • • •				'				X (Submit and Y (See reverse			
29.			CASI	NG REC	ORD (Rej	port all string							
CASING SIZE	WEIGHT, L	./77.	DEPTH SE	T (MD)	_	LE SIZE	-	C.E.	MENTING	RECORD		AMOUNT PELL	B D
8-5/8"	24.0		265		-	2 1/11				''A'' 2%		ļ	
5-1/2"	15.5		3060		-	-7/8''	190) sx R	FC, 1	0#/sk	KO lit	<u></u>	
							-						
29.			R RECORD					30.		TUBING I	RECORD		
9122	TOP (MD)	BOTT	OM (MD)	SACES (ENENT	SCREEN ()	(D)	8126		DEPTH BET	(MD)	PACKER BET (4D)
		-		·				2-7/	8	2975			
31. PREFORATION RE	cord (Interval,	size and	number)			32.	AC	ір. ѕнот	FRACT	URE, CEM	IENT SQU	JEEZE, ETC.	
0004 0040	n /:-					DEPTH IN	TERVAL	L (MD)	≜ M	OUNT AND	KIND OF	MATERIAL USED	
29 26-32/2	3gr./13								N-	one			

93. Date first product	ION PRO	DUCTION	METHOD (F	lovoina a		OUCTION mping—size	and to	une of au					
9/30/85]	Pumpi	ng $(1\frac{1}{2})$	" x 1	6')		una i	уре ој рш	m.p.)	*	shut-in)	* (Producing or	
ATE OF TEST	HOURS TESTER	C	HOEE BIZE		N. FOR PERIOD	OIL - BOL.		GAS M	CF.	WATER-	Produ	Cing	
9/30/85	264	1		<u> </u>	>		ar es	-		0		-1560	ン
0	CARING PRESS		LCULATED I-MOUR BATE		ви 50		мс т . 78	1	WATER	BHI,	OIL 6	38	.) •
4. DISPOSITION OF G	An (Sold, used fo	or fuel, r	ented, etc.)							TEST WIT	NESOED B		
	Sold to No	orthw	est Pip	eline							Bou-Ma		
5. LIST OF ATTACH	MENTS												
6. I bereby certify	that the forego	ing and	attached inf	ormation	ia como	ete and co-	001	data		111			
\mathcal{O}	101				compi	· · · · · · · · · · · · · · · · · · ·	83	urcermin	eu 170 0 0 (
BIGNED .	V. Yllony	, ac		Ti	TLE	<u>Operato</u>	r			D.	ATE 10/	16/85	
					1.1	.	·····	c					

	VERT. DEPT H	2677 2846 2895	
	MEAS. DEPTH	2745 2923 2974	
	N A R M	Dakota Cedar Mtn. Morrison	
-1	DESCRIPTION, CONTENTS, ETC.	water oil	
	MOT TOM	2888 2954	State of the state
	106	2875 2923	
	MANAGE	Dakota Cedar Mtn.	•••

AVAILABLE	
CUSTOMER : J. C. THOMPSON	
WELL # : FEDERAL 675-5	
LOCATION : GRAND COUNTY, UTAH	DECENTER
DATE :9-12-85	RECEIVED
JOB TYPE : DIRECTIONAL	OCT 1 8 1985
JO + : D-2231	DIVISION OF OIL
SURVEYOR : BOB BURK	GAS & MINING
DEPTHS :315' - 3094'	في من المنظم الم
DECL. :13 DEGREES EAST	
ELEV. :5553'	
FILE # :RM-E5S	
METHOD : RADIUS OF CURVATURE	
SECTION_:N73.22W	# THIS SURVEY IS CORRECT TO THE # BEST OF MY KNOWLEDGE AND IS #
	# SUPPORTED BY ACTUAL FIELD DATA.
FINAL STATION DATA! .	数
### ### TRUE ####################################	B VERTICAL ERECTANGULAFE DISTANCE DIRECTION # SEVER FEET DEGS. # DG/1
3094.00 # 18.50 \$ N 71.00 W \$ 227.00 # 3008.69 # 2544.31	######################################

, C. THOMPSON HDERAL 675+5 M⊹E5S

PAGE 1 15:38:33 85/09/16


				******** ***	######################################	Controlectorentestations	85/09/16
LASURED 1 DEPTH : FEET I	INCL. ANGLE DEGS.	# HOLE # DIRECTION # DEGS. #	COURSE # VARTICAL LENGTH # DEPTH FFET # FEET	a SUBSEA I a Depth I b Feet I	B VERTICAL B B SECTION B B FEET B	RECTANGULAR ICOORDINATES IN/S feet E/W	TC L O S U R E Z DOG-LI
0.00 315.00 35 46 46. 00 491.00	0.00 .50 1.50 2.25	E * * * * * * \$ L S 13.00 E		0 F 5553.00 1 0 F 5238.00 1 8 F 5154.02 1 5 F 5092.05 1	\$ 0.00 \$68 \$41 \$ 1.46 \$	0.00 N 0.00 E 1.34 S .31 E 2.52 S .33 W 2.68 S 2.33 W	0.00' N 00.00 E
524.00 : 552.00 : 582.00 : 610.00 : 644.00 :	3.75 4.25 4.75 5.00	E N 67.00 W E N 74.00 W E N 80.00 W E N 83.00 W E N 80.00 W E	33.00 £ 523.87 28.00 £ 551.83 30.00 £ 581.73 28.00 £ 609.66 34.00 £ 643.56	2 1 5001.18 (5 8 4971.25 (6 8 4943.34 (6.19 8 8.28 8 10.45 8	1.12 S 6.81 W 1 .65 S 8.84 W 1 .33 S 11.02 W 1	6.90' S 80.63 W # 2.3; 8.87' S 85.78 W # 2.1; 11.02' S 88.30 W # 1.9;
685.00 \$750.00 \$841.00 \$933.00 \$996.00 \$	6.25 6.75 7.00 7.00	\$ N 75.00 W \$ N 76.00 W \$ N 81.00 W \$ N 87.00 W \$ S 87.00 W \$ S	41.00 \$ 684.36 65.00 \$ 749.00 91.00 \$ 839.46 92.00 \$ 930.76 63.00 \$ 993.29	0	23.93 3 34.18 3 45.00 3	2.63 N 24.20 W I 4.68 N 34.29 W I 5.84 N 45.24 W I	24.34' N 83.77 W # .75 34.61' N 82.22 W # .85 45.61' N 82.65 W # .85
102 00 1 104 0 2 1091.00 1 1123.00 1 1154.00 2	9.25 10.75 12.25	\$ S 84.00 W E S 88.00 W E N 70.00 W E N 87.00 W E N 87.00 W E	33.00 \$ 1026.00 32.00 \$ 1057.64 30.00 \$ 1087.10 32.00 \$ 1118.5 31.00 \$ 1148.70	4 \$ 4495.36 8 # 4465.82 4 # 4434.46	60.84 8 65.80 8 71.96 8	5.16 N 61.99 W 1 5.07 N 67.20 W 1 5.24 N 73.58 W 1	62.21' N 85.24 W # 4.37 67.39' N 85.68 W # 5.13 73.76' N 85.93 W # 5.04
1185.00 1217.00 1312.00 1376.00 1468.00	14.75 15.75 16.50	E N 79.00 W E N 75.00 W E N 72.00 W E N 72.00 W E N 73.00 W E	31.00 \$ 1178.89 32.00 \$ 1209.99 95.00 \$ 1301.49 64.00 \$ 1362.99 92.00 \$ 1451.0	4 # 4343.16 9 # 4251.51 7 # 4190.03	94.03 a 119.01 a 136.78 a	8.56 N 95.63 W I 15.65 N 119. 59 W I 21.15 N 1 36.49 W I	76.01' N 84.87 W \$ 3.50 120.61' N 82.54 W # 1.34 138.12' N 81.17 W # 1.17

RM-ESS

PAGE 2 15:39: 85/09/

********	1222222222	######################################	17 to 18	SETETETE	r!	erenterent	2.5	TERRETERS	REEKE	TIREE	72	*******	ti	SVEPERRER	F	222222222	4 P 1		PRE	<u>.</u> ****	,	4. 10
1 1	1	3	3		3		3	1	ľ		1				* * * * * * *	**************************************		****		> 14 fe €		. 5- ,6 4
MEASURED S	INCL.	S HOLE	5	COURSE	1	VERTICAL	-	SUBSEA I	L UER	TICAL	t :	RFCTA	N	GULA	R E	C L O	S	IJ	R	Ε	E D	nr.
DEPTH 1		3 DIRECTION	3	LENGTH :			1							NATE			_	IREC		_	-	_
		PEGS.	2		£		Ē.		F FE		 E	N/S		eet E/W							# 9	-
			_		- 1:		_	REFERENCE	11133		_			eet Erw Eteroree		FEET		リモリ	S.		E D	6/
•													-		4 4 8 4			****		122	E 8 3	\$ 81
1530.00	17.25	2 N 74.00 W	2	62.00	I	1510.22	2	4042.78	l 1	81.87	-	34.40	N	179.59		182.85	N	70 1	7 u			
1592.00		2 N 75.00 W	2	62.00		1569.23		3983.77		00.90		39.48		197.93							=	2
167° 00 \$		3 N 75.00 W	*			1605.26		3947.74		12.75		42.60		209.57							-	
14 .00		8 N 76.00 W	2	32.00				3917.28		22.76		45.06		219.08							Ţ	0.4
1694.00	- · · - -	■ N 75.00 W	ž	32.00				3886.60	_	31.84		47.34		227.88							=	4
			_			.000110		0000.00	-	51.67	•	77.57	14	227,00	W 2	232.75	14	1032	. O W	,	•	4
1717.00 B	15.00	8 N 75.00 W	2	23.00	1	1688.58	2	3864.42	2	37.94	 E	48.92	Ñ.	233.77	i.i s	238.83	N.	70 1	ō ii	1	<u>.</u>	3
1779.00		8 N 75.00 W	2	62.00 1		1748.50		3804.50		53.85		53.04		249.15							•	3
1843.00		8 N 75.00 W	左	64.00		1810.39		3742.61		70.14		57.25		264.88							-	_ , 1
1936.00		E N 74.00 W	2	93.00		1900.27		3652.73	-	94.00		63.63		287.89							<u>.</u>	0.
2029.00		3 N 75.00 W	2	93.00				3562.75		18.26		70.12		311.27							3	•
		• / • . · · ·		70100	-	1770.03	•	0002.75		10.20	•	70.12	14	311.2/	w #	319.07'	Ιŧ	//.3	T M		8	
2123.00 2	15.50	3 N 74.00 W	2	94.00 1	2	2080.69		3472.31	1 3	43.18		76.78	N	335.29	1.1° =	343.97	ŊÎ.	77 4				
2217.00 z		8 N 74.00 W	Ð	94.00 1		2171.21				68.49		83.76		359.63							¥	٠
2311.00		2 N 74.00 W	E	94.00		2261.63				94.20 1		90.84		384.34							-	•
2405.00	with the last term of the last terms.	8 N 74.00 W	<u>.</u>	94.00				3201.07	_	20.31		98.04		409.44							# • · ·	
2499.00 \$		■ N 74.00 W	2	94.00		2442.12				46.81		105.35		434.91							.	•
				71100	_		•	0110,00	, 1	70.01	-	103.33	14	734.71	W #	447.49'	ĸ	/0.3	W 65		•	•
2610 00	17.50	8 N 72.00 W	E	120.00	1	2556.87	<u>.</u>	2996.13	Δ	81.89	3	115.60	N.	468.46		482.52	<u> </u>	72.1	7 11			
· 2		N 71.00 W	Ē	158.00		2707.46		2845.54		29.71 l		130.78		513.83							= •	*
2867.00		■ N 71.00 W	2	90.00		2793.11		2759.89		57.31 I		139.78									∓ ●	•
3094.00 E	www.wise.com	* N 71.00 W	-	227.00				2544.31						539.95							.	
	10.50	- 14 / I 1 0 0 M	46.	CC/.UV 8	•	3000.07	#	CJ44.31	• 0	28.35		162.92 1	14	607.16	W B	628.64	N	74.9	8 W		E	J

CLOSURE DISTANCE = 628.64 FEET. CLOSURE DIRECTION = N 74.98 W



J. C. THOMPSON

INDEPENDENT OIL OPERATOR 410 - 17TH STREET. SUITE 1305 DENVER. COLORADO 80202 December 31, 1985



JAN 0 3 1986

GAS & MINNO

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 W. North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Re: Approval to perforate additional pay - Federal 675-5 well Sec. 10-T20S-R21E

Sec. 10-T20S-R21E Grand County, Utah

Gentlemen:

Enclosed are two copies of Sundry Notice and Report on Well for the captioned well. If anything further is required please advise.

Yours truly

Carole Kessler

Enclosures

UNITE STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form 9–331 Dec. 1973	Form Approved. Budget Bureau No. 42–R1424
UNITE STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	บ-5675
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or place to a difference reservoir. Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME
1. oil	Federal 675
1. oil gas well other JAN 0 3 1980	
2. NAME OF OPERATOR	5
J. C. Thompson DIVISION OF	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR GAS & MINI	Greater Cisco
410 17th St., #1305, Denver, CO 80202	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	Sec. 10-T20S-R21E
below.) AT SURFACE: 693' FNL; 1184' FWL	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: 547' FNL; 627' FWL	Grand Utah
AT TOTAL DEPTH: 530' FNL; 577' FWL	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	43-019-31199
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) 5553 K.B.
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	<u> </u>
TEST WATER SHUT-OFF	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stating including estimated date of starting any proposed work. If well is measured and true vertical depths for all markers and zones pertined.)	directionally drilled, give subsurface locations and
12-30-85: Perforate 2932-50 (MD) with 4 jets 2855-73 (TVD)	s/foot (.43" DML, 23 gr.)
(Additional Cedar Mt. pay)	
•	

1. oil gas well well	other JAN) 3 1986 9.	WELL NO.	
well X well 2. NAME OF OPERATOR J. C. Thompson 3. ADDRESS OF OPERATO 410 17th St., #130 4. LOCATION OF WELL (R below.) AT SURFACE: 693' AT TOP PROD. INTERV AT TOTAL DEPTH: 530 16. CHECK APPROPRIATE REPORT, OR OTHER DEPTH OFF FRACTURE TREAT SHOOT OR ACIDIZE	DIVISION CASSOS, Denver, CO 80202 EPORT LOCATION CLEARLY. See FNL; 1184' FWL 'AL: 547' FNL; 627' FWL O' FNL; 577' FWL BOX TO INDICATE NATURE OF	ON OF OHO. & MINING 11. space 17 12. 14. NOTICE, 15.	FIELD OR WILDCAT N Greater Ci SEC., T., R., M., OR I AREA Sec. 10-T20S- COUNTY OR PARISH Grand API NO. 43-019-31199 ELEVATIONS (SHOW 5553 K.B.	R21E 13. STATE Utah DF, KDB, AND WD)
REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) Perforate a 17. DESCRIBE PROPOSED	OR COMPLETED OPERATIONS (Cote of starting any proposed work.	learly state all	change on Form 9-	d give pertinent dates,
measured and true vert	rate 2932-50 (MD) with 2855-73 (TVD) tional Cedar Mt. pay)	4 jets/foo	this work.)*	23 gr.)
Subsurface Safety Valve: Ma	anu. and Type		Se	t @ Ft.
2/	foregoing is true and correct			_
SIGNED _ / // VILLE	TITLE Opera			<u> </u>
,	(This space for Federa			
APPROVED BY	F ANY: Federal approval of this act is required before commenc operations.	ion	OF UTAH	BY THE STATE DIVISION OF AND MINING

*See Instructions on Reverse Side



OIL AND GAS CO. BOX 1874, GRAND JUNCTION, COLORADO 81502-1874, (303) 245-5917 FAX: (303) 243-8840

December 21, 1993

Utah Division of Oil, Gas & Mining 355 W. North Temple Salt Lake City, UT 84180

Re: Calf Canyon Secondary Recovery Unit Approval

Gentlemen:

Enclosed for your information is a copy of the Bureau of Land Management approval for the Calf Canyon Secondary Recovery Unit, Grand County, Utah.

If you have any questions, I can be reached at either (303) 292-1226 or (303) 245-5917.

Sincerely,

WILLARD PEASE OIL & GAS COMPANY

Robin Benko, CPL

Landman

RB:gb

Enclosure

MEGRIVE

DEC 2 7 1993

DIVISION OF QIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office 324 South State, Suite 301 Salt Lake City, Utah 84111-2303



November 17, 1993

Willard Pease Oil & Gas Company P.O. Box 1874 Grand Junction, Colorado 81502-1874



DIVISION OF OIL, GAS & MINING

Gentlemen:

The Calf Canyon Secondary Recovery Unit Agreement, Grand County, Utah, was approved November 17, 1993. This agreement has been designated No. UTU70813A, and is effective December 1, 1993. The unit area embraces 640.00 acres, more or less.

Pursuant to regulations issued and effective June 17, 1988, all operations within the Calf Canyon Secondary Recovery Unit will be covered by your statewide (Utah) oil and gas bond No. 0073.

The following leases embrace lands included within the unit area:

*U-5675

*U-11620

*U-14970

* Indicates lease to be considered for segregation by the Bureau of Land Management pursuant to Section 18 (g) of the unit agreement and Public Law 86-705.

All lands and interests by State of Utah, Cause No. 102-75 are fully committed except Tracts 2, 3 and 5 totalling 320.00 acres (50.00 percent) which are partially committed. Also, certain overriding royalty interest owners have not signed the unit agreement. All parties owning interests within this unit area were invited to join the unit agreement.

Approval of this agreement does not warrant or certify that the operator thereof and other holders of operating rights hold legal or equitable title to those rights in the subject leases which are committed hereto.

We are of the opinion that the agreement is necessary and advisable in the public interest and for the purpose of more properly conserving natural resources. Enclosed is one copy of the approved unit agreement for your records. We request that you furnish the State of Utah and all other interested principals with appropriate evidence of this approval.

Sincerely,

Robert A. Henricks

Chief, Branch of Fluid Minerals

Enclosure

CERTIFICATION-DETERMINATION

Pursuant to the authority vested in the Secretary of the Interior, under the Act approved February 25, 1920, 41 Stat. 437, as amended, 30 U.S.C. sec 181, et seq., and delegated to the Authorized Officer of the Bureau of Land Management, under the authority of 43 CFR 3180, I do hereby:

- Approve the attached agreement effective December 1, 1993, for the development and operation of the Calf Canyon Secondary Unit Area, Grand County, Utah.
- Certify and determine that the unit plan of development and operation contemplated in the attached agreement is necessary and advisable in the public interest for the purpose of more properly conserving the natural resources.
- Certify and determine that the drilling, producing, rental, minimum royalty and royalty requirements of all Federal leases committed to said Agreement are hereby established, altered, changed or revoked to conform with the terms and conditions of this agreement.


Dated: November 17, 1993

Robert A. Henricks

Chief, Branch of Fluid Minerals Bureau of Land Management

Contract No: UTU70813A


CALF CANYON UNIT GRAND COUNTY, UTAH



21E

CALF CANYON UNIT Grand County, Utah

EFFECTIVE: DECEMBER 1, 1993



21E

- UNIT OUTLINE (UTU70813A)
640.00 ACRES

SECONDARY ALLOCATION FEDERAL 100.00%

STATE OF UTAH

		CEUVIN	
FORM 9	STATE OF UTAH VISION OF OIL, GAS AND MINI	MG 2 6	
	•	OW. OF OIL, GAS & MINING	5. Lease Designation and Serial Number: U-5675
SUNDRY N	OTICES AND REPORTS	ON WELLS	6. If Indian, Allottee or Tribe Name:
Do not use this form for proposals Use APPLICAT	to drill new wells, deepen existing wells, or to reent TON FOR PERMIT TO DRILL OR DEEPEN form for si	or plugged and abandoned wells. uch proposals.	7. Unit Agreement Name:
1. Type of Well: OIL X GAS	OTHER:		8. Well Name and Number: Federal 675-5
2. Name of Operator: J.C. THOMPSON			9. API Well Number: 4301931199
3. Address and Telephone Number: 5000 S. Quebec; #640); Denver, CO 80237; (3	03) 220–7772	10. Field and Pool, or Wildcat: Greater Cisco
4 Location of Well Footages: 693 'NFL, 1,18 CQ, Sec.,T.,R.M.: Sec. 10	34' FWL 3 - T20S - R21E		County: Grand State: Utah
11. CHECK APPROPE	RIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
	DF INTENT Duplicate)		JENT REPORT Iginal Form Only)
☐ Abandonment ☐ Casing Repair ☐ Change of Plans ☐ Conversion to Injection ☐ Fracture Treat ☐ Multiple Completion ☐ Other	 New Construction Pull or Alter Casing Recompletion Shoot or Acidize Vent or Flare Water Shut-Off 	☐ Abandonment * ☐ Casing Repair ☐ Change of Plans ☐ Conversion to Injection ☐ Fracture Treat ☒ Other <u>Change of Oper</u>	☐ New Construction ☐ Pull or Alter Casing ☐ Shoot or Acidize ☐ Vent or Flare ☐ Water Shut-Off
Approximate date work will start		Date of work completion Report results of Multiple Completions and COMPLETION OR RECOMPLETION AND LO Must be accompanied by a cement verification.	
2. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) Effective 12/1/93 Pease 0il & Gas Company - P.O. Box 1874 - Grand Junction, CO			
	erator of the captioned		

13. Date: ___8/24/94 THOMPSON / Operator

ureau of Land Management Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

3100 U-08112 et al (UT-920)

AUG 3 0 1994

DECISION

Pease Oil & Gas Company

:

P. O. Box 1874

Oil and Gas

Grand Junction, Colorado 81502

U-08112 et al

Corporate Name Change Recognized

Acceptable evidence has been filed in this office concerning the change of name of Willard Pease Oil and Gas Company to Pease Oil and Gas Company on Federal oil and gas leases.

The following oil and gas leases have been noted to reflect the name change.

U-08112	U-0128115	U-0145834
U-0146802	U-0147904	U-0149773
U-0149777	U-1506	U-5675
U-6791	U-11620	U-13666
U-14970	U-16923	U-24185
U-30291A	U-64882	UTU-67867
UTU-72600	UTU-72601	

Due to the name change, the name of the principal on the bond is required to be changed from Willard Pease Oil and Gas Company to Pease Oil and Gas Company on Bond No, 400 DX 0202 (BIM Bond No. UT0073). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name should be furnished to this office.

/s/ ROBERT LOPEZ

Chief, Minerals Adjudication Section

cc: St. Paul Fire & Marine Insurance Co.

385 Washington Street

St. Paul, Minnesota 55102

bc: Vernal District Office

Moab District Office

MMS-Royalty Management Program (Attn: Richard Richards)

UT-920 (Attn: Dianne Wright) UT-922 (Attn: Teresa Thompson)

Dogn

4.

Bruid Griesback, 11062

Division OPERATO	of Oil, Gas and Mining R CHANGE HORKSHEET	Rout og:
Attach al Initial e	l documentation received by the division regarding this change. ach listed item when completed. Write N/A if item is not applicable.	2-LWP 8-SJV 3-D78759-FILE 4-VLC
xxx Chang □ Desig	e of Operator (well sold) nation of Operator Designation of Agent XXX Operator Name Change Only	5-RJF 6-LWP
	rator of the well(s) listed below has changed (EFFECTIVE DATE: <u>12-1-93</u>)
TO (new	operator) PEASE, WILLARD O&G CO. FROM (former operator) (address) (address	80237 LAND) 220-7772
Wall(s)	account no. N 1080 account no. (attach additional page if needed): *CALF CANYON UNIT	N
Name: F Name: F **Name: F Name: Mame: Name: Name: Name: Mame: Mame	Rederal 675-1/Dkta API : 43-019-30376 Entity : 00365 Sec 10 Twp20s Rng 21E	Lease Type 105675 Lease Type 105675 Lease Type 105675 Lease Type: Lease Type:
Lec. 1.	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from the received form operator (Attach to this form). (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from the	
,,	(Attach to this form). (ked 12-27-93) The Department of Commerce has been contacted if the new operator above operating any wells in Utah. Is company registered with the state? (yes, show company file number: # 20052893. (Nn. ckg. 7-8-94)	
<u>kiê</u> 4.	(For Indian and Federal Hells ONLY) The BLM has been contacted regard (attach Telephone Documentation Form to this report). Make note of comments section of this form. Management review of Federal and India changes should take place prior to completion of steps 5 through 9 below.	ing this change BLM status in n well operator
Lec 5.	Changes have been entered in the Oil and Gas Information System (Wang/IB listed above. $(8-31-94)(9-9-94)$	M) for each well
Jup 6.	Cardex file has been updated for each well listed above. 9-28-59	
₩Q 7.	Well file labels have been updated for each well listed above. $9.28.74$	
fec 8.	Changes have been included on the monthly "Operator, Address, and Accourant for distribution to State Lands and the Tax Commission. $(8-31-94)(9-9-94)$	
<u>Lec</u> 9.	A folder has been set up for the Operator Change file, and a copy of the placed there for reference during routing and processing of the original	is page has beer documents.

OPERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY	REVIEH
<u>fee</u> 1.	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form). (Per When octo-Horhange at this fine)
<u>N/A</u> 2.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VE	ERIFICATION (Fee wells only)
N/A/1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE I	INTEREST OHNER NOTIFICATION RESPONSIBILITY
05,	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated
~/ A 2.	Copies of documents have been sent to State Lands for changes involving State leases.
FILMING	
1.	All attachments to this form have been microfilmed. Date: October 3 1994.
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENT	TS
94083	1 8 km/s.4. apr. eff. 12-1-93.
940909	1 8 km/s.4. Aprv. operator name chg. 8-30-94.




DENVER REGIONAL OFFICE: 633 17th Street, Suite 1500 Denver, CO 80202 (303) 292-1226 Fax: (303) 292-1502

October 31, 1994

Utah Division of Oil, Gas and Mining 355 West North Temple Salt Lake City, Utah 84180

Re: Change of Operator



Please find enclosed change of operator Sundry Notices to Pease Oil and Gas Company for the following wells:

Federal	675-1	API	no.	4301930376
Federal	675-4	API	no.	4301931187
Federal	675-5	API	no.	4301931199
Federal	675-6	API	no.	4301931208

Should you have any questions please don't hesitate to call.

Respectfully,

Thomas C. Poulson Contract Landman

TE OF UTAH. DIVISION OF OIL, GAS AND MINING

Di	VISION OF OIL, GAS AND MINI	- 2 1994	5 Lease Designation and Serial Number:
SUNDRY N	IOTICES AND REPORTS	ON WELLS GAS & MINI	6. I indian, Allottee or Tribe Name:
	s to drill new wells, deepen existing wells, or to reent TION FOR PERMIT TO DRILL OR DEEPEN form for at		7. Unit Agreement Name:
1. Type of Well: OIL X GAS	OTHER:		8. Well Name and Number:
			Federal 675-5
2. Name of Operator:			9. API Well Number:
Pease Oil and Ga	s Company		4301931199 10. Field and Pool, or Wildcat:
3. Address and Telephone Number: P. O. Box 1874,	Grand Junction, CO 81502		Greater Cisco
4. Location of Well Footages: 693 FNL, 1,1	84' FWL T2OS - R21E		county: Grand State: Utah
11. CHECK APPROP	RIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	IT, OR OTHER DATA
	OF INTENT in Duplicate)	1	JENT REPORT iginal Form Only)
Abandonment	☐ New Construction	☐ Abandonment *	
Casing Repair	Pull or Alter Casing	Casing Repair	☐ Pull or Alter Casing
☐ Change of Plans	☐ Recompletion	☐ Change of Plans	☐ Shoot or Acidize
☐ Conversion to Injection	Shoot or Acidize	☐ Conversion to Injection	☐ Vent or Flare
☐ Fracture Treat	☐ Vent or Flare	☐ Fracture Treat	☐ Water Shut-Off
Multiple Completion	☐ Water Shut-Off	Change of Or	perator
Other		Data of words a smaleting	
Approximate date work will start		Date of work completion Report results of Multiple Completions and COMPLETION OR RECOMPLETION AND LC	I Recompletions to different reservoirs on WELL
		* Must be accompanied by a cement verificat	ion report.
ertical depths for all markers and zones per Effective 12/1/9	PERATIONS (Clearly state all portinent details, and gittinent to this work.) 3 Pease Oil and Gas Company operator of the captions	any, P. O. Box 1874, Gr	
		_	
		•	
	-		

(This space for State use only)

Willard H. Pease, Jr.

President

FORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reenter a different reservoir.

Use "APPLICATION FOR PERMIT -" for such proposals

6. If Indian, Allottee or Tribe Name

5 Lease Designation and Serial No.

	7. If Unit or CA, Agreement Designation
SUBMIT IN TRIPLICATION	EIVEN U-70813A
1. Type of Well	8. Well Name and No.
	See Exhibit "A" Attached
	9. API Well No.
2. Name of Operator DIV. OF OIL,	GAS & MINING See Exhibit "A" Attached
Burkhalter Engineering, Inc.	10. Field and Pool, or Exploratory Area
3. Address and Telephone No.	Calf Canyon
P.O. Box 60095 Grand Junction, CO 81506 (970) 245-59	17 11. County or Parish, State
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	
See Exhibit "A" Attached	Grand County, Utah
OUTON APPROPRIATE DOV(a) TO INDICAT	ENATURE OF NOTICE REPORT OR OTHER DATA

12.	CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA				
7	YPE OF SUBMISSION	TYPE OF ACTION			
	Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Change of Operator	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water United Report results of multiple completion on Water Completion or Recompletion Report and Log form		

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Effective April 1, 1998, Burkhalter Engineering became the operator of the wells listed on Exhibit "A" attached. Burkhalter Engineering is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond coverage for this well will be provided by BLM Bond No. UT1097

Willard Pease Jr.

Pease Oil and Gas Company

14. I hereby certify that the foregoing is true and correct Signed	Title PAS	Date May 4, 1998
(This space for Federal or State office use) Approved by	Title	Date
Conditions of approval, if any:		

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

EXHIBIT "A" TO SUNDRY NOTICE U-70813A

Calf Canyon #1 43-019-30298 SWSE 3 20S 21E Calf Canyon #7 43-019-31168 SESW 3 20S 21E (ωΙω) Calf Canyon #10 43-019-31203 SESE 3 20S 21E Calf Canyon #11 43-019-31209 SWSW 3 20S 21E Federal 675-1 43-019-30376 NENW 10 20S 21E Federal 675-4 43-019-31187 NENW 10 20S 21E Federal 675-5 43-019-31199 NWNW 10 20S 21E Federal 675-6 43-019-31208 NENE 9 20S 21E	WELL NAME & NO.	API NO.	1/4 1/4	SEC.	TWP.	RNG.
Federal 675-6 43-019-31208 NENE 9 20S 21E	Calf Canyon #1 Calf Canyon #7 Calf Canyon #10 Calf Canyon #11 Federal 675-1 Federal 675-4	43-019-30298 43-019-31168 43-019-31203 43-019-31209 43-019-30376 43-019-31187	SWSE SESW SESE SWSW NENW	3 3 3 10 10	20S 20S 20S 20S 20S	21E (WIW) 21E 21E (WIW) 21E 21E
	Federal 675-6	43-019-31208	NENE	9	20S	21E

-END-

STATE OF UTAH

L_VISION OF OIL, GAS AND MINING

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR	MAME	ΔMD	ADDBESS

PEASE OIL & GAS COMPANY PO BOX 60219 GRAND JUNCTION, CO 81506

HATU	ACCOUNT	NUMBER:	N1080	
				-

REPORT PERIOD (MONTH/YEAR): 7 / 1999

AMENDED REPORT [(Highlight Changes)

GRAD SONGTON, CO			_		_			
WELL NAME	Producing	Well	Well	Days		Production Vo	lumes	
API Number Entity Location	Zone	Status	Туре	Oper	OIL(BBL)	GAS (MCF)	WATER (
FEDERAL 15-1 4301930585 11391 20S 21E 15	DKTA		GW		U-2140A	apprv 12.16.99	(4) 4./	.98
FEDERAL 25-2 4301930587 11392 20S 21E 25	ENRD		OW		U-2139A	apprv 12.16.99	eff	1.98
FEDERAL 23-1 4301930355 11393 20S 21E 23	DK-MR		GW		U-2139A	12:16:99	Itto 4.	1.98
FEDERAL 25-1 4301930359 11394 20S 21E 25	MRSN		GW		U-213 9 A	12.16.99	4604	1.98
FEDERAL 24-3 4301930432 11395 20S 21E 24	DKTA		GW		U-2139A	12.16.99	Ito A.	1.98
ERAL 31-3 4501930428 11603 20S 22E 31	DKTA		GW					
CALF CANYON #1 4301930298 11666 20S 21E 03	DKTA		OW		U-11620	Call Canyon unit	apprv	8.9.99
FEDERAL 675-1 4301930376 11666 20S 21E 10	DKTA		OW		U-5675	call caryon unit	ħ	t i
FEDERAL 675 #4 4301931187 11666 20S 21E 10	CDMTN		OW		11	call canyon unit	Ji	11
FEDERAL 675 #5 4301931199 11666 20S 21E 10	CDMTN		OW		11	call Canyon unit	/1	//
CALF CANYON FEDERAL #10 4301931203 11666 20S 21E 03	DKTA		OW		4-11420	l'alf canyon unit	//	<i>]</i>
FEDERAL 675-6 4301931208 11666 20S 21E 09	CDMTN		OW		4-5675	call, carujon unit	[1	1)
			•	TOTALS				
COMMENTS :								
				 				

a mereby certify that this report is true and complete to the best of my knowledge.	Date:
Name and Signature:	Telephone Number:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-931

August 5, 1999

Burkhalter Engineering, Inc. P.O. Box 60095 Grand Junction, Colorado 81506

Re: Successor of Operator

Calf Canyon

Grand County, Utah

Gentlemen:

On July 26, 1999, we received an indenture dated July 12, 1999, whereby Pease Oil and Gas Company resigned as Unit Operator and Burkhalter Engineering, Inc. was designated as Successor Unit Operator for the Calf Canyon Unit, Grand County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 5, 1999. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Calf Canyon Unit Agreement.

Your statewide (Utah) oil and gas bond No. 1097 will be used to cover all operations within the Calf Canyon Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals


Enclosure

bcc: District Manager - Moab (w/enclosure)

Minerals Adjudication Group U-932
File - Calf Canyon Unit (w/enclosure)
MMS - Data Management Division

Agr. Sec. Chron Fluid Chron

UT931:TAThompson:tt:8/5/99



Page No. 1 08/05/99

Well Status Report Utah State Office Bureau of Land Management

Lease Api Number Well Name QTR Section Township Range Well Status Operator

** Inspection	Item: UTU70813A				
UTU5675	4301930376 1 FEDERAL-675	NENW	10 T20S	R21E POW	PEASE OIL & GAS COMPANY
UTU11620	4301930298 1 FEDERAL-ANSCHUTZ-C	SWSE	3 T20S	R21E OSI	PEASE OIL & GAS COMPANY
UTU11620	4301931203 10 CALF CANYON-FEDER	SESE	3 T20S	R21E POW	PEASE OIL & GAS COMPANY
UTU11620	4301931209 11 CALF CANYON	SWSW	3 T20S	R21E WIW	PEASE OIL & GAS COMPANY
UTU56 7 5	4301931187 4 FEDERAL 675	NENW	10 T20S	R21E POW	PEASE OIL & GAS COMPANY
UTU56 7 5	4301931199 5 FEDERAL 675	NUNU	10 T20S	R21E POW	PEASE OIL & GAS COMPANY
UTU56 7 5	4301931208 6 FEDERAL 675	NENE	9 T20S	R21E POW	PEASE OIL & GAS COMPANY
UTU11620	4301931168 7 FEDERAL CALF CANYO	SESW	3 T20S	R21E WIW	PEASE OIL & GAS COMPANY

Divin of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.

Routing:	
IKDRY	4
2-GLH	7-KASV
3 FRB SRB	8-SJ
4-COW LT	9-FILE
5-KDRV	

			5-KDRV
xxx Change of Ope ☐ Designation of	· ·	ignation of Agent rator Name Change Only	
The operator of the	well(s) listed below has changed, e	ffective: <u>4-1-98</u>	
TO: (new operator) (address		FROM: (old operator) (address)	PEASE OIL & GAS COMPANY PO BOX 60219 GRAND JUNCTION CO 81506
	Phone: <u>(970)245–5917</u> Account no. <u>N6820</u>		Phone: (970) 245-5917 Account no. N1080
WELL(S) attach add	itional page if needed:	* CALF CANYON UNIT	
Name:Name:Name:Name:	ACHED** API: 43.019.3119 API:	Entity: S (O T) Entity: S _ T	R Lease: R Lease: R Lease: R Lease: R Lease:
•	NGE DOCUMENTATION		
Le 2. (r649-8-10	Sundry or other legal documentation (c'd 5-18-98) Sundry or other legal documentation (Lc'd 5-18-98)		
NA 3. The Depa	rtment of Commerce has been contah. Is the company registered wit	ntacted if the new operator a h the state? (yes/no)	bove is not currently operating any If yes, show company file number
note of D	IAN AND FEDERAL WELLS ON LM status in comments section of the hould ordinarily take place prior to below.	this form. BLM approval of	Federal and Indian well operator before the completion of steps 5
25. Changes h	ave been entered in the Oil and Cas	s Information System (207(
<u>D</u> -6. Cardex fil	(11.19.99) (11) e has been updated for each well lis	hymu. (12.30.99) ited above.	,
i IK	abels have been updated for each we		
8. Changes ha to Trust La	ive been included on the monthly "Onds, Sovereign Lands, UGS, Tax Co	perator, Address, and Accou	nt Changes" memo for distribution
ν 9. A folder h	as been set up for the Operator C uring routing and processing of the	hange file and a copy of the	his page has been placed there for
······································		•	

- OVER -

OPERATO	OR CHANGE WORKSHEET (conti. d) - Initial each item when completed. Write N/. item is not applicable.
ENTITY	REVIEW
DP 1.	(r649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes no) If entity assignments were changed, attach copies of Form 6, Entity Action Form.
<u>VD</u> C ₂ .	Trust Lands, Sovereign Lands, Tax Commission, etc., have been notified through normal procedures of entity changes.
BOND V	VERIFICATION - (FEE WELLS ONLY)
N/4/4c 1.	(r649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond.
MA/4ec 2.	A copy of this form has been placed in the new and former operator's bond files.
<u>N/a/4</u> c3.	The FORMER operator has requested a release of liability from their bond (yes/no), as of today's date If yes, division response was made to this request by letter dated
LEASE	INTEREST OWNER NOTIFICATION OF RESPONSIBILITY
N/A/fec1.	Copies of documents have been sent on to at Trust Lands for changes involving State leases, in order to remind that agency of their responsibility to review for proper bonding.
MAYIC2.	(r649-2-10) The former operator of any fee lease wells listed above has been contacted and informed by letter dated19, of their responsibility to notify all interest owners of this change.
FILMIN	G
1.	All attachments to this form have been microfilmed. Today's date: 4,24,01.
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
2.	The original of this form, and the original attachments are now being filed in the Operator Change file.
COMM	ENTS
19062 Filed 99080 990902 990902 but 1 Will - 991119 told n	Der Teresa Thompson we Blm. There hasn't been any papernox- on Paff Panyty unit. No approval as it jet. 9 lec'd Calf Canyon Wit approval. 1 left message for marie megann (Blm) for fed. Wells Marie (Blm) Payed me back. Paff Panym unit wells have been approved. Not the federal ones jet. There is a problem, per marie those approved. All another week. She will send me a long as soon as it is approved. Lalled marie minann (Blm; 435.259.2135) to find out if fed. wells approved. Lalled marie minann (Blm; 435.259.2135) to find out if fed. wells approved.

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS	SUNDRY	NOTICES	AND	REPORTS	ON	WELLS
-------------------------------------	--------	---------	-----	---------	----	-------

_Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT-" for such proposals

6. If Indian, Allonee or Tribe Name

		
SUBMIT IN	7. If Unit or CA, Agreement Designation Calf Canyon Secondary Unit UTU70813A	
Type of Well Well Well Other Name of Operator Twin Arrow, Inc. Address and Telephone No. P.O. Box 948, Rangely, Location of Well (Footage, Sec., T., R., M., or Survey Descrip See Exhibit "A" attached		8. Well Name and No. See Exhibit "A" attache 9. API Well No. See Exhibit "A" attached 10. Field and Pool, or Exploratory Area 11. County or Parish, State Grand County, Utah DRT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTIO	
Notice of Intent Subsequent Report	Abandonment Recompletion Plugging Back Casing Repair	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off
Final Abandonment Notice 13. Describe Proposed or Completed Operations (Clearly state all pegive subsurface locations and measured and true venical to	Altering Casing X Other CHANGE OF OPERTOR criment details, and give pertinent dates, including estimated date of sta	(Noie: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Effective July 1, 2000, Twin Arrow, Inc. became the operator of the wells listed on Exhibit "A" attached. Twin Arrow, Inc. is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond Coverage for this lease (wells) will be provided by BLM Bond No. 471185

Burkhalter Engineering Inc.

. I hereby certify that the foregoing is true and correct		
Signed Tinele Good	Tive Office Manager	Date 8/18/2000
(This space for Federal or State office use)		
Approved by	Tide	Date
Conditions of approval, if any.	•	

Tide 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any mance within its jurisdiction.

EXHIBIT "A" UNIT # UTU70813A

WELL NAME	<u>API NUMBER</u>
CALE CANDON #1	430193029800
CALF CANYON #1	
FEDERAL 675-1	430193037600
CALF CANYON #7	430193116800
FEDERAL 675-4	430193118700
FEDERAL 675-5	430193119900
CALF CANYON #10	430193120300
FEDERAL 675-6	430193120800
CALF CANYON #11	430193120900

Results of query for MMS Account Number UTU70813A

API Number	Operator	Well Name	Well Status	Lease or CA Number	Inspection Item	Township	Rang
4301930298	BURKHALTER ENGINEERING INC	l FEDERAL-ANSCHUTZ-C	OSI	UTU11620	UTU70813A	20S	21E
4301930376	BURKHALTER ENGINEERING INC	1 FEDERAL-675	POW	UTU5675	UTU70813A	20S	21E
4301931168	BURKHALTER ENGINEERING INC	7 FEDERAL CALF CANYO	WIW	UTU11620	UTU70813A	20S	21E
4301931187	BURKHALTER ENGINEERING INC	4 FEDERAL 675	POW	UTU5675	UTU70813A	20S	21E
4301931199	BURKHALTER ENGINEERING INC	5 FEDERAL 675	POW	UTU5675	UTU70813A	208	21E
4301931203	BURKHALTER ENGINEERING INC	10 CALF CANYON-FEDER	POW	UTU11620	UTU70813A	20S	21E
4301931208	BURKHALTER ENGINEERING INC	6 FEDERAL 675	POW	UTU5675	UTU70813A	20S	21E
4301931209	BURKHALTER ENGINEERING INC	11 CALF CANYON	wiw	UTU11620	UTU70813A	20S	21E

DISCLAIMER for online data: No warranty is made by the BLM for use of the data for purposes not intended by the BLM.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

October 16, 2000

Twin Arrow, Inc. P.O. Box 948 Rangely, Colorado 81648

Re:

Calf Canyon Unit Grand County, Utah

Gentlemen:

On October 5, 2000, we received an indenture dated September 1, 2000, whereby Burkhalter Engineering, Inc. resigned as Unit Operator and Twin Arrow, Inc. was designated as Successor Unit Operator for the Calf Canyon Unit, Grand County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective October 16, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Calf Canyon Unit Agreement.

Your statewide (Utah) oil and gas bond No. 1185 will be used to cover all operations within the Calf Canyon Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Assad M. Raffoul

for Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc:

Field Manager - Moab (w/enclosure)

Division of Oil, Gas & Mining

Minerals Adjudication Group U-932 File - Calf Canyon Unit (w/enclosure)

Agr. Sec. Chron Fluid Chron

UT931:TAThompson:tt:10/16/00

OPERATOR CHANGE WORKSHEET

ROUTING

ROUTING	
1. GLH	4-KAS
2. CDW-	5-S#70 V
3. JLT	6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below	v has changed, effective:	7-1-2000)			
FROM: (Old Operator):	·	TO: (Ne	w Operator):			
BURKHALTER ENGINEERING		`	ROW INC.			
Address: 2285 LUCKY JOHN DR.			P. O. BOX 94	18		
P. O. BOX 60095			1000			
GRAND JUNCTION, CO 81506		RANGEL	Y, CO 81648			
Phone: 1-(970)-243-6060		Phone:	1-(970)-675-8	3226		
Account No. N6820		Account	No. N1415			
	CA No.	Unit:	CALF CAN	YON		
WELL(S)						
NAME	API NO.	ENTITY NO.	SEC. TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
CALF CANYON # 1	43-019-30298	11666	03-20S-21E	FEDERAL	ow	S
CALF CANYON FEDERAL # 10	43-019-31203	11666	03-20S-21E	FEDERAL	+	S
FEDERAL 675-6	43-019-31208	11666	09-20S-21E	FEDERAL		P
FEDERAL 675-1	43-019-30376	11666	10-20S-21E	FEDERAL		P
FEDERAL 675-4	43-019-31187	11666	10-20S-21E	FEDERAL		P
FEDERAL 675-5	43-019-31199	11666	10-20S-21E	FEDERAL	ow	S
				1		
OPERATOR CHANGES DOCUMENT	TATION					
1. (R649-8-10) Sundry or legal documentation w	as received from the FORM	ER operato	r on:	07/27/2000		
2. (R649-8-10) Sundry or legal documentation w	vas received from the NEW of	perator on:		04/24/2000)	
3. The new company has been checked through to	the Department of Commer	ce, Divisior	of Corporati	ons Databas	e on:	11/01/2000
4. Is the new operator registered in the State of U	Jtah: YES	_Business 1	Number:	873902-014	2	
5. If NO , the operator was contacted contacted of	on:	_				
6. Federal and Indian Lease Wells: Th	o DIM and on the DIA has	annrove.	the (merce	r nome ch	nnae	
or operator change for all wells listed on Fede		s αμριονοί	04/01/2000	- -	u11g0,	
7. Federal and Indian Units: The BLM	or BIA has approved the	successor	of unit oper	ator		
for wells listed on:	N/A		-			

8.	Federal and Indian Communization Agreements ("CA"): The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9.	Underground Injection Control ("UIC") Prog: The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A
$\overline{\mathbf{D}}$	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on: 11/01/2000
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 11/01/2000
3.	Bond information entered in RBDMS on: N/A
4.	Fee wells attached to bond in RBDMS on: N/A
\overline{S}	TATE BOND VERIFICATION:
1.	State well(s) covered by Bond No.: N/A
F	EE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:
	(R649-3-1) The NEW operator of any fee well(s) listed has furnished a bond: N/A
2.	The FORMER operator has requested a release of liability from their bond on: N/A The Division sent response by letter on: N/A
3.	(R649-2-10) The FORMER operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:
F	LMING:
	All attachments to this form have been MICROFILMED on: $2 - 26.01$
	LING: ORIGINALS/COPIES of all attachments pertaining to each individual well have been filled in each well file on:
C	DMMENTS:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

N REPLY REFER TO UT-922

May 24, 2001

Jelco Energy Inc. P.O. Box 948 Rangely, Colorado 81648

Re:

Calf Canyon Unit Grand County, Utah

Gentlemen:

On May 24, 2001, we received an indenture dated May 23, 2001, whereby Twin Arrow, Inc. resigned as Unit Operator and Jelco Energy Inc. was designated as Successor Unit Operator for the Calf Canyon Unit, Grand County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective May 24, 2001. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Calf Canyon Unit Agreement.

Your statewide (Utah) oil and gas bond No. 1185 will be used to cover all operations within the Calf Canyon Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

bcc:

Field Manager - Moab (w/enclosure)

Division of Oil, Gas & Mining

Minerals Adjudication Group U-924 File - Calf Canyon Unit (w/enclosure)

Agr. Sec. Chron

Fluid Chron

UT922:TAThompson:tt:5/24/01

RECEIVED

MAY 29 2001

DIVISION OF OIL, GAS AND MINING

Results of query for MMS Account Number UTU70813A

Production	API Number	Operator	Well Name	Well Status	Lease or CA Number	Inspection Item	Township	Range	Secti
<u>Production</u>	4301930298	TWIN ARROW INCORPORATED	1 FEDERAL-ANSCHUTZ-C	osı	UTU11620	UTU70813A	208	21E	3
<u>Production</u>	4301930376	TWIN ARROW INCORPORATED	1 FEDERAL-675	POW	UTU5675	UTU70813A	208	21E	10
Production	4301931168	TWIN ARROW INCORPORATED	7 FEDERAL CALF CANYO	WIW	UTU11620	UTU70813A	208	21E	3
	4201031187	TWIN ARROW INCORPORATED	4 FEDERAL 675	POW	UTU5675	UTU70813A	208	21E	10
Production	4301931199	TWIN ARROW INCORPORATED	5 FEDERAL 675	POW	UTU5675	UTU70813A	208	21E	10
<u>Production</u>	4301931203		10 CALF CANYON-FEDER	POW	UTU11620	UTU70813A	208	21E	3
<u>Production</u>	4301931208	INCURPURATED	6 FEDERAL 675	POW	UTU 5 675	UTU70813A	208	21E	9
<u>Production</u>	4301931209	TWIN ARROW INCORPORATED	11 CALF CANYON	wiw	UTU11620	UTU70813A	208	21E	3

DISCLAIMER for online data: No warranty is made by the BLM for use of the data for purposes not intended by the BLM.

ST. - OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter pl drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER:
	see attached list
2. NAME OF OPERATOR:	9. API NUMBER:
Jelco Energy, Inc. 3. ADDRESS OF OPERATOR: PHONE NU.	JMBER: 10. FIELD AND POOL, OR WILDCAT:
P.O. Box 948 CITY Rangely STATE CO ZIP 81648 9706	758226
4. LOCATION OF WELL FOOTAGES AT SURFACE:	county: Grand
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NO	TICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF A	ACTION
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODUCTION (START.	/RESUME) WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WE	ELL SITE OTHER:
CONVERT WELL TYPE RECOMPLETE - DIFFE	RENT FORMATION
see attached list Until May 1, 2001 Twin Arrow, Inc. and Jowere the same company. We split Twin Arroy Jelco Energy apart so Jelco Energy could out the wells and Twin Arrow will operate also	elco Energy Inc. ow, Inc. and operate all the
NAME (PLEASE PRINT) Linda C. Gordon TITLE C	Office Manager
Da 1. Ca 1.	
SIGNATURE DATE	6/1/2001

(This space for State use only)

RECEIVED

(5/2000)

(See Instructions on Reverse Side)

JUN 1 5 2001

DIVISION OF OIL, GAS AND MINING

FED. LEASE #	API#	WELL NAME	SEC	ويت	TWP	RNG
					222	0.45
UTU5675		CALF CANYON #4	11	NWNW	20S	21E
UTU72600		CALF CANYON #5	11	SENE	208	21E
UTU72600) FEDERAL #675-3	10	SWNW	208	21E
UTU11620		CALF CANYON #8	3	SESW	20S	21E
UTU70813A		CALF CANYON #1	3	SWSE	208	21E
UTU70813A) FEDERAL 675-1	10	NENW	208	21E
UTU70813A		CALF CANYON #7	2	SESW	208	21E
UTU70813A		FEDERAL 675-4	10	NENW	208	21E
UTU70813A		FEDERAL 675-5	10	NWNW	208	21E
UTU70813A		CALF CANYON #10	3	SESE	208	21E
UTU70813A) FEDERAL 675-6	9	NENE	208	21E
UTU70813A		CALF CANYON #11	3	SWSW	208	21E
UTU02139A) FEDERAL 23-1	23	SWNE	208	21E
UTU02139A) FEDERAL 25-1	25	SWNE	208	21E
UTU02139A) FEDERAL 24-3	24	SWSE	208	21E
UTU02139A) FEDERAL 14-3	14	NESE	208	21E
UTU02139A) FEDERAL 24-2	24	NWNW	208	21E
UTU02139A) FEDERAL 25-3	25	SESE	208	21E
UTU02139A	430193058600) FEDERAL 23-2	23	NWNW	20 S	21E
UTU02139A	430193058700) FEDERAL 25-2	25	SWSW	208	21E
UTU02139A) FEDERAL 23-3	23	NESW	208	21E
UTU02139A	430193074300) FEDERAL 25-4	25	NENW	20S	21E
UTU02139A	430193076000	FEDERAL 23-4	23	NWSE	208	21E
UTU02139A	430193087800) FEDERAL 14-4	14	SWSW	208	21E
UTU02139A	430193090000) FEDERAL 24-4	24	NWNE	208	21E
UTU02140A	430193034800	FEDERAL 13-1	13	SWSW	20 S	21E
UTU02140A	430193043000) FEDERAL 14-1	14	NWNW	208	21E
UTU02140A	430193043600	FEDERAL 14-1A	14	NWNW	20 S	21E
UTU02140A	430193048400	FEDERAL 10-1	10	NWSW	208	21E
UTU02140A	43019304850	FEDERAL 11-1	11	NWSW	20 S	21E
UTU02140A	43019304870	FEDERAL 14-2	14	NENE	20S	21E
UTU02140A	430193058500	FEDERAL 15-1	15	NESE	208	21E
UTU02140A	430193062500	FEDERAL 22-1	22	SENE	208	21E
UTU02140A	43019306360	FEDERAL 15-2	15	NWNW	20 S	21E
UTU02140A	43019306370	FEDERAL 15-3	15	NENE	20 S	21E
UTU02140A	43019306730	FEDERAL 13-2	13	SENW	208	21E
UTU02140A	43019308810	FEDERAL 12-1	12	SWSW	208	21E
UTU02140A	43019308820	FEDERAL 11-2	11	SESE	20 S	21E
UTU02140A	43019308830	FEDERAL 13-3	13	NWNE	208	21E
UTU02140A	43019308840	FEDERAL 11-3	11	SWSW	20 S	21E
UTU02140A	43019308850	FEDERAL 13-4	13	NWSE	20 S	21E
UTU02140A	43019308870	FEDERAL 15-4	15	SWSW	208	21E
UTU02140A	43019312100	FEDERAL 10-2	10	NESW	20S	21E
UTU12702	43019304290	FEDERAL 30-1	30	SWNW	20S	22E
UTU12702A	43019303020	FEDERAL 19-3	19	SWSW	208	22E
UTU12702A	43019303080	FEDERAL 31-1A	31	NENW	208	22E
UTU12702A		FEDERAL 31-1A	31	NENW	208	22E
UTU12702A		FEDERAL 19-1A	19	SWNW	20 S	22E
UTU37730		FEDERAL 18-1	18	NESW	208	22E
STATE WELL						
ML-24295	43019303470	0 STATE 32-1	32	W 1/2	20 S	22E

OPERATOR CHANGE WORKSHEET

ROUTING					
. GLH	4-KAS				
2. CDW 🖵	5-LR/6				
3. JLT	6-FILE				

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change (Only)

The operator of the well(s) listed below has changed, effective:

Merger

05-01-2001

FROM: (Old Operator):		TO: (Ne	w Operator):			
TWIN ARROW INC		`	NERGY INC			
Address: P. O BOX 948			P. O . BOX 9	48		
Addicss. 1. O BOX 540		Tradition.	1.0.2011			
RANGELY, CO 81648		RANGEL	Y, CO 81648			
Phone: 1-(970)-675-8226		Phone:	1-(970)-675-8	3226		
Account N1415		Account	N1825			
CA No.		Unit:	CALF CAN	YON		
WELL(S)				· · · · · · · · · · · · · · · · · · ·	T	
	API	i .	SEC. TWN	LEASE	WELL	WELL
NAME	NO.	NO.	RNG	TYPE	TYPE	STATUS
CALF CANYON 1	43-019-30298	11666	03-20S-21E	FEDERAL	OW	P
CALF CANYON 7	43-019-31168	11666	03-20S-21E	FEDERAL	WI	A
CALF CANYON FEDERAL 10	43-019-31203	11666	03-20S-21E	FEDERAL	OW	S
CALF CANYON 11	43-019-31209	11666	03-20S-21E	FEDERAL	WI	A
FEDERAL 675-6	43-019-31208	11666	09-20S-21E	FEDERAL	OW	S
FEDERAL 675-1	43-019-30376	11666	10-20S-21E	FEDERAL	OW	P
FEDERAL 675-4	43-019-31187	11666	10-20S-21E	FEDERAL	OW	P
FEDERAL 675-5	43-019-31199	11666	10-20S-21E	FEDERAL	OW	S
OPERATOR CHANGES DOCUMENTATION 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 06/15/2001						
2. (R649-8-10) Sundry or legal documentation was received to	from the NEW o	perator on:		06/15/2001	_	
3. The new company has been checked through the Departm	ent of Commerc	e, Division	of Corporati	ons Databas	e on:	06/18/2001
4. Is the new operator registered in the State of Utah:	YES	_Business 1	Number:	4 <u>825833-014</u>	13	_
5. If NO , the operator was contacted contacted on:	N/A					
6. Federal and Indian Lease Wells: The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 05/24/2001						
7. Federal and Indian Units: The BLM or BIA has a for wells listed on:	approved the s 05/25/2001	successor	of unit oper	ator		
8. Federal and Indian Communization Agreements ("CA"): The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A						

9.	Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 06/20/2001
$\overline{\mathbf{D}}$	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on: 06/18/2001
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 06/18/2001
3.	Bond information entered in RBDMS on: N/A
4.	Fee wells attached to bond in RBDMS on: N/A
$\overline{\mathbf{S}}$	TATE BOND VERIFICATION:
1.	State well(s) covered by Bond No.: N/A
F	EE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:
1.	(R649-3-1) The NEW operator of any fee well(s) listed has furnished a bond: N/A
2.	The FORMER operator has requested a release of liability from their bond on: N/A The Division sent response by letter on: N/A
3.	(R649-2-10) The FORMER operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A
FI	ILMING:
	All attachments to this form have been MICROFILMED on: 7, 12,03
	ILING: ORIGINALS/COPIES of all attachments pertaining to each individual well have been filled in each well file on:
C	OMMENTS:
	OMMENTO.
_	



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-922

June 9, 2003

ABS Energy LLC. P.O. Box 736 Rangely, Colorado 81648

Re:

Calf Canyon Unit Grand County, Utah

Gentlemen:

On June 6, 2003, we received an indenture dated January 1, 2003, whereby Jelco Energy Inc. resigned as Unit Operator and ABS Energy LLC. was designated as Successor Unit Operator for the Calf Canyon Unit, Grand County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Calf Canyon Unit Agreement.

Your statewide (Utah) oil and gas bond No. B000034 will be used to cover all operations within the Calf Canyon Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

bcc:

Field Manager - Moab (w/enclosure)

SITLA

Division of Oil, Gas & Mining Minerals Adjudication Group

File - Calf Canyon Unit (w/enclosure)

Agr. Sec. Chron Fluid Chron

UT922:TAThompson:tt:6/9/03

STAI'E OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

E	DIVISION OF OIL, GAS AND MI	NING	5. LEASE DESIGNATION AND SERIAL NUMBER:			
	SUNDRY NOTICES AND REPORTS ON WELLS					
			7. UNIT or CA AGREEMENT NAME:			
Do not use this form for proposals to drill ne drill horizontal late	w wells, significantly deepen existing wells below cur erals. Use APPLICATION FOR PERMIT TO DRILL f	rent bottom-hole depth, reenter plugged wells, or to orm for such proposals.	8. WELL NAME and NUMBER:			
1. TYPE OF WELL OIL WELL	X GAS WELL X OTHER_		see attached list			
2. NAME OF OPERATOR:			9. API NUMBER:			
	ergy (formerly Twin	1 PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:			
3. ADDRESS OF OPERATOR: P.O. BOX 948, F	Rangely, CO 81648	970-675-521	<u>· P</u>			
4. LOCATION OF WELL			county: Grand			
FOOTAGES AT SURFACE:	see attached list					
QTR/QTR, SECTION, TOWNSHIP, RANG	SE, MERIDIAN:		STATE: UTAH			
11. CHECK APPF	ROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION	REPERFORATE CURRENT FORMATION			
NOTICE OF INTENT	ACIDIZE	DEEPEN	SIDETRACK TO REPAIR WELL			
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT NEW CONSTRUCTION	TEMPORARILY ABANDON			
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TUBING REPAIR			
	CHANGE TO PREVIOUS PLANS	PLUG AND ABANDON	VENT OR FLARE			
CHROCONENT DEPORT	CHANGE TUBING CHANGE WELL NAME	PŁUG BACK	WATER DISPOSAL			
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF			
Date of work completion:	COMMINGLE PRODUCING FORMATIONS		OTHER:			
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATIO	N			
12 DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all	pertinent details including dates, depths, volu	ames, etc.			
Effective June 1 , 2003, Jelco Energy sold all its interest and ownership in the wells listed of the attached list. The new owner and operator is ABS Energy LLC, P.O. Box 736, Rangely, CO 81648 Jelco Energy relinquishes ownership of all operating rights to ABS Energy LLC. New Operator/ABS Energy LLC. New Operator/ABS Energy LLC. P.O. Box 736 Rangely, CO 81648 Fax 970-675-8558 Office 970-629-1116 ABS Energy LLC BLM Bond UTB000034						
NAME (PLEASE PRINT)	Linda C. Gordon	TITLE Office	-			
SIGNATURE	nder Glad	DATE	2/03 -			
(This space for State use only)						

RECEIVED
JUL 0 8 2003

WELL NAMES, EN TITY #'S AND WELL ID

WELL NAME	ENTITY#	API#	WELL TYPE	LEGAL DESCRIPTION	LEASE TYPE	STATUS
FEDERAL 14-1A	08150	4301930436	GAS	T20S,R21E, SEC 14	FEDERAL	TA
FEDERAL 1-10	08141	4301930484	GAS	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL 10-2	08207	4301931210	GAS	T20S,R21E, SEC 10	FEDERAL	TA
FEDERAL 11-1	08142	4301930485	GAS	T20S,R21E, SEC 11	FEDERAL	Р
FEDERAL 11-2	08143	4301930882	GAS	T20S,R21E, SEC 11	FEDERAL	S
FEDERAL 11-3	08144	4301930884	GAS	T20S,R21E, SEC 11	FEDERAL	Р
FEDERAL 12-1	08145	4301930881	GAS	T20S,R21E, SEC 12	FEDERAL	TA
FEDERAL 13-1	08146	4301930348	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 13-2	08147	4301930673	GAS	T20S,R21E, SEC 13	FEDERAL	Р
FEDERAL 13-3	08148	4301930883	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 13-4	08149	4301930885	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 14-1	08169	4301930430	GAS	T20S,R21E, SEC 14	FEDERAL	Р
FEDERAL 14-2	08151	4301930487	GAS	T20S,R21E, SEC 14	FEDERAL	Р
FEDERAL 14-3	08152	4301930488	GAS	T20S,R21E, SEC 14	FEDERAL	P
FEDERAL 14-4	08153	4301930878	GAS	T20S,R21E, SEC 14	FEDERAL	S
FEDERAL 15-1	11391	4301930585	GAS	T20S,R21E, SEC 15	FEDERAL	TA
FEDERAL 15-2	08154	4301930636	GAS	T20S,R21E, SEC 15	FEDERAL	S
FEDERAL 15-3	08155	4301930637	GAS	T20S,R21E, SEC 15	FEDERAL	Р
FEDERAL 15-4	10140	4301930887	GAS	T20S,R21E, SEC 15	FEDERAL	TA
FEDERAL 18-1	08200	4301930875	GAS	T20S,R22E, SEC 18	FEDERAL	S
FEDERAL 19-1A	08201	4301930896	GAS	T20S,R22E, SEC 19	FEDERAL	TA
FEDERAL 19-3	08201	4301930302	GAS	T20S,R22E, SEC 19	FEDERAL	TA
FEDERAL 22-1	08156	4301930625	GAS	T20S,R21E, SEC 22	FEDERAL	Р
FEDERAL 23-1	11393	4301930355	GAS	T20S,R21E, SEC 23	FEDERAL	Р
FEDERAL 23-2	08140	4301930586	GAS	T20S,R21E, SEC 23	FEDERAL	S
FEDERAL 23-3	08157	4301930588	GAS	T20S,R21E, SEC 23	FEDERAL	Р
FEDERAL 23-4	08158	4301930760	GAS	T20S,R21E, SEC 23	FEDERAL	P
FEDERAL 24-2	08159	4301930530	GAS	T20S,R21E, SEC 24	FEDERAL	P
FEDERAL 24-3	11395	4301930432	GAS	T20S,R21E, SEC 24	FEDERAL	Р
FEDERAL 24-4	08208	4301930900	GAS	T20S,R21E, SEC 24	FEDERAL	TA
FEDERAL 25-1	11394	4301930359	OIL	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-2	11392	4301930587	OIL	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-3	08171	4301930575	GAS	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-4	08181	4301930743	GAS	T20S,R21E, SEC 25	FEDERAL	Р
FEDERAL 30-1	08203	4301930429	GAS	T20S,R22E, SEC 30	FEDERAL	S
FEDERAL 31-1A	08204	4301930308	GAS	T20S,R22E, SEC 31	FEDERAL	Р
STATE 32-1	08206	4301930347 ¢		T20S,R22E, SEC 32	STATE	P
C6#1-*	11666	4301930298	OIL	T20S,R21E, SEC 3	FEDERAL	P
CC #4	02515	4301930392	OIL	T20S,R21E, SEC 11	FEDERAL	S
CC #5	02490	4301930393	OIL	T20S,R21E, SEC 11	FEDERAL	TA
CC #8	09820	4301931197	OIL	T20S,R21E, SEC 3	FEDERAL	S
CC #10	11666	4301931203	OIL	T20S,R21E, SEC 3	FEDERAL	S
FEDERAL-675-1	11666	4301930376	OIL	T20S,R21E, SEC 10	FEDERAL	Р
FEDERAL 675-3	00303	4301931094	OIL	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL 675-4	11666	4301931187	OIL	T20S,R21E, SEC 10	FEDERAL	P
FEDERAL 675-5	11666	4301931199	OIL	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL-675-6	11666	4301931208	OIL	T20S,R21E, SEC 9	FEDERAL	S

FROM: (Old Operator):

OPERATOR CHANGE WORKSHEET

ROUTING
1. GLH
2. CDW
3 FILE

Change of Operator (Well Sold)

The operator of the well(s) listed below has changed, effective:

Designation of Agent/Operator

1/1/2003

X Operator Name Change

Merger

TO: (New Operator):

N1825-Jelco Energy, Inc.	825-Jelco Energy, Inc.			N2475-ABS Energy, LLC PO Box 736				
PO Box 948	PO Box 948							
Rangely, CO 81648				Rangely	y, CO 81648	8		
Phone: (970) 629-1116				Phone:	(970) 629-	1116		
CA N	0.			Unit:	CALF CA			
WELL(S)								
NAME	SEC	TWN	RNG	API NO	ENTITY	LEASE	WELL	WELL
					NO	TYPE	TYPE	STATUS
CALF CANYON 1	03	200S	210E	4301930298	11666	FEDERAL		S
CALF CYN 7	03			4301931168	11666	FEDERAL		Α
CALF CANYON FED 10	03	I		4301931203	11666	FEDERAL		S
CALF CANYON 11	03			4301931209	11666	FEDERAL		Α
FEDERAL 675-6		4		4301931208	11666	FEDERAL		S
FEDERAL 675-1				4301930376	11666	FEDERAL		Р
FEDERAL 675 4				4301931187	11666	FEDERAL		Р
FEDERAL 675 5	10	200S	210E	4301931199	11666	FEDERAL	low	S
		<u></u>		<u> </u>	<u> </u>	 	1	
		<u></u>	 		 	 	-	
		├ ──		1			1	
		 	 		 		 	
		 	-	 	1		 	
		 	 	 		+	 	
		1	 		 	+	 	
		 	+	 	+			
	_	 	 			 	<u> </u>	
		 	 		†	 	1	
		†	 	1	 			
		 	†		 			
OPERATOR CHANGES DOCUMENTA Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was 2. (R649-8-10) Sundry or legal documentation was	received				on: 7/8/2003	7/8/2003	<u>-</u>	
3. The new company was checked on the Department				•		_		8/7/2003
4. Is the new operator registered in the State of Utal	h:		YES	Business Num	ber:	5333071-016	51	
5. If NO, the operator was contacted contacted on:								

6. (R	649-9-2)Waste Management Plan has been received on:	IN PLACE	_	
7.	Federal and Indian Lease Wells: The BLM and or the BIA lor operator change for all wells listed on Federal or Indian leases on:	has approved 6/9/2003	the merge	r, name change,
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for well	s listed on:	6/9/2003	
9.	Federal and Indian Communization Agreements ("CA" The BLM or BIA has approved the operator for all wells listed within	'): a CA on:	n/a	
10.	Underground Injection Control ("UIC") The Division for the enhanced/secondary recovery unit/project for the water disposal	has approved U well(s) listed on	IC Form 5,	Transfer of Authority to Inject, 7/31/2003
DAT	TA ENTRY:			
	Changes entered in the Oil and Gas Database on:	8/7/2003	-	
2. C	Changes have been entered on the Monthly Operator Change Spread	Sheet on:	8/7/2003	
3. B	Sond information entered in RBDMS on:	n/a		
4. F	ee wells attached to bond in RBDMS on:	n/a		
STA	TE WELL(S) BOND VERIFICATION:	····		
1. S	tate well(s) covered by Bond Number:	n/a		
FED 1. Fe	ERAL WELL(S) BOND VERIFICATION: ederal well(s) covered by Bond Number:	B000034		
INDI	IAN WELL(S) BOND VERIFICATION:	<u> </u>		
	ndian well(s) covered by Bond Number:	n/a		
FEE	WELL(S) BOND VERIFICATION:			
1. (R	649-3-1) The NEW operator of any fee well(s) listed covered by Bond	Number	n/a	
2. The The	e FORMER operator has requested a release of liability from their bone Division sent response by letter on:	d on: n/a	n/a	
LEAS	SE INTEREST OWNER NOTIFICATION:			
3. (R6 of	49-2-10) The FORMER operator of the fee wells has been contacted a their responsibility to notify all interest owners of this change on:	and informed by n/a	a letter fron	n the Division
COM	MENTS:			

	IATE OF UTAH		1 ONW 9
DEPARTMEN DIVISION O	5. LEASE DESIGNATION AND SERIAL NUMBER:		
SUNDRY NOTICES	S AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significant drill horizontal laterals. Use APPLIC	ly deepen existing wells below current botton CATION FOR PERMIT TO DRILL form for su	m-hole depth, reenter plugged wells, or to ach proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS	WELL OTHER		8. WELL NAME and NUMBER:
2. NAME OF OPERATOR: Elk Production, LLC	1121.57		9. API NUMBER:
3. ADDRESS OF OPERATOR:	N2650	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
770 S. Post Oak Lane #320 CITY Houston	STATE TX ZIP 77056	6 (713) 751-9500	
4. LOCATION OF WELL	nie fawn yn dei o'n dei oet.		COUNTY:
FOOTAGES AT SURFACE: See attached list			COUNTY: The appropriate of the september
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:			STATE: UTAH
11. CHECK APPROPRIATE	BOXES TO INDICATE NA	TURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT		DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate) ALTER CA	SING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING R	EPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE	TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
CHANGE	TUBING F	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE (Submit Original Form Only)	WELL NAME F	PLUG BACK	WATER DISPOSAL
	WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
	SLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
CONVERT	WELL TYPE F	RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPE Change of operator from ABS Energy	·		es, etc.
Old Operator: ABS Energy, LLC By: Andy Saied Managing Member PO Box 307 Farmington, NM 87499	N 2475		
New Operator: ELK PRODUCTION,	LLC		

(This space for State use only)

RECEIVED AUG 17 2004

Executive Vice President

ATTACHMENT TO SUNDRY NOTICE

Transfer from ABS Energy, LLC to Elk Production, LLC Effective July 22, 2004

Well Name	<u>API #</u>	Location
State 32-1	43-019-30347	SE ¹ / ₄ NW ¹ / ₄ , Sec. 32, T 20 S, R 22 E
Federal 31-1A	43-019-30308	NE¼NW¼, Sec. 31, T 20 S, R 22 E
Federal 30-1	43-019-30429	SW1/4NW1/4, Sec. 30, T 20 S, R 22 E
Federal 25-1	43-019-30359	SW ¹ / ₄ NE ¹ / ₄ , Sec. 25, T 20 S, R 21 E
Federal 25-2	43-019-30587	SW1/4SW1/4, Sec. 25, T 20 S, R 21 E
Federal 25-3	43-019-30575	SE1/4SE1/4, Sec. 25, T 20 S, R 21 E
Federal 25-4	43-019-30743	NE¼NW¼, Sec. 25, T 20 S, R 21 E
Federal 24-4	43-019-30900	NW ¹ / ₄ NE ¹ / ₄ , Sec. 24, T 20 S, R 21 E
Federal 24-2	43-019-30530	NW ¹ / ₄ NW ¹ / ₄ , Sec. 24, T 20 S, R 21 E
Federal 24-3	43-019-30432	SW1/4SE1/4, Sec. 24, T 20 S, R 21 E
Federal 23-1	43-019-30355	SW1/4NE1/4, Sec. 23, T 20 S, R 21 E
Federal 23-3	43-019-30588	NE ¹ / ₄ SW ¹ / ₄ , Sec. 23, T 20 S, R 21 E
Federal 23-4	43-019-30760	NW ¹ / ₄ SE ¹ / ₄ , Sec. 23, T 20 S, R 21 E
Federal 23-2	43-019-30586	NW¼NW¼, Sec. 23, T 20 S, R 21 E
Federal 22-1	43-019-30625	SE1/4NE1/4, Sec. 22, T 20 S, R 21 E
Federal 19-3	43-019-30302	SW ¹ / ₄ SW ¹ / ₄ , Sec. 19, T 20 S, R 22 E
Federal 19-1A	43-019-30896	SW ¹ / ₄ NW ¹ / ₄ , Sec. 19, T 20 S, R 22 E
Federal 18-1	43-019-30875	NE ¹ / ₄ SW ¹ / ₄ , Sec. 18, T 20 S, R 22 E


Well Name	API#	Location
Federal 15-2	43-019-30636	NW ¹ / ₄ NW ¹ / ₄ , Sec. 15, T 20 S, R 21 E
Federal 15-1	43-019-30585	NE ¹ / ₄ SE ¹ / ₄ , Sec. 15, T 20 S, R 21 E
rederal 13-1	43-019-30383	
Federal 15-3	43-019-30637	NE ¹ / ₄ NE ¹ / ₄ , Sec. 15, T 20 S, R 21 E
Federal 15-4	43-019-30887	SW ¹ / ₄ SW ¹ / ₄ , Sec. 15, T 20 S, R 21 E
Federal 14-3	43-019-30488	NE ¹ / ₄ SE ¹ / ₄ , Sec. 14, T 20 S, R 21 E
Federal 14-1A	43-019-30436	NW1/4NW1/4, Sec. 14, T 20 S, R 12 E
Federal 14-2	43-019-30487	NE ¹ / ₄ NE ¹ / ₄ , Sec. 14, T 20 S, R 21 E
Federal 14-1	43-019-30430	NW ¹ / ₄ NW ¹ / ₄ , Sec. 14, T 20 S, R 21 E
Federal 14-4	43-019-30878	SW ¹ / ₄ SW ¹ / ₄ , Sec. 14, T 20 S, R 21 E
Federal 13-2	43-019-30673	SE1/4NW1/4, Sec. 13, T 20 S, R 21 E
Federal 13-4	43-019-30885	NW ¹ / ₄ SE ¹ / ₄ , Sec. 13, T 20 S, R 21 E
Federal 13-1	43-019-30348	SW ¹ / ₄ SW ¹ / ₄ , Sec. 13, T 20 S, R 21 E
Federal 13-3	43-019-30883	NW ¹ / ₄ NE ¹ / ₄ , Sec. 13, T 20 S, R 21 E
Federal 12-1	43-019-30881	SW ¹ / ₄ SW ¹ / ₄ , Sec. 12, T 20 S, R 21 E
Calf Canyon 4	43-019-30392	NW1/4NW1/4, Sec. 11, T 20 S, R 21 E
Federal 11-3	43-019-30884	SW1/4SW1/4, Sec. 11, T 20 S, R 21 E
Calf Canyon 5	43-019-30393	SE1/4NE1/4, Sec. 11, T 20 S, R 21 E
Federal 11-1	43-019-30485	NW ¹ / ₄ SW ¹ / ₄ , Sec. 11, T 20 S, R 21 E
Federal 11-2	43-019-30882	SE1/4SE1/4, Sec. 11, T 20 S, R 21 E
Federal 675 5	43-019-31199	NW ¹ / ₄ NW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Federal 1-10	43-019-30484	NW ¹ / ₄ SW ¹ / ₄ , Sec. 10, T 20 S, R 21 E

Well Name	<u>API #</u>	Location
Federal 675 4	43-019-31187	NE ¹ / ₄ NW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Fed 3-675	43-019-31094	SW1/4NW1/4, Sec. 10, T 20 S, R 21 E
Federal 675-1	43-019-30376	NE ¹ / ₄ NW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Federal 10-2	43-019-31210	NE ¹ / ₄ SW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Federal 675-6	43-019-31208	NE ¹ / ₄ NE ¹ / ₄ , Sec. 9, T 20 S, R 21 E
Calf Canyon 1	43-019-30298	SW ¹ / ₄ SE ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Canyon 8	43-019-31197	SE ¹ / ₄ SW ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Canyon Fed 10	43-019-31203	SE ¹ / ₄ SE ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Cyn 7	43-019-31168	SE ¹ / ₄ SW ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Canyon 11	43-019-31209	SW ¹ / ₄ SW ¹ / ₄ , Sec. 2, T 20 S, R 21 E



United States Department of the Interior

BUREAU OF LAND MANAGEMENT





IN REPLY REFER TO 3180 (UT-922)

August 30, 2004

Elk Production, LLC c/o Pruitt Gushee Attn: Bill Ward 1800 Beneficial Life Tower 36 South State Street Salt Lake City, Utah 84111-1495

Re:

Calf Canyon Secondary Recovery Unit

Grand County, Utah

Gentlemen:

On August 27, 2004, we received an indenture dated July 22, 2004, whereby ABS Energy, LLC resigned as Unit Operator and Elk Production, LLC was designated as Successor Unit Operator for the Calf Canyon Secondary Recovery Unit, Grand County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 30, 2004. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Calf Canyon Secondary Recovery Unit Agreement.

Your Utah statewide oil and gas bond No. UTB000135 will be used to cover all operations within the Calf Canyon Secondary Recovery Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Teresa Thompson

for Terry Catlin
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Moab (w/enclosure)

SITLA

Division of Oil, Gas & Mining

Dockets

File - Calf Canyon Secondary Recovery Unit (w/enclosure)

Agr. Sec. Chron Fluid Chron

0 1 1 1

Central Files

UT922:TAThompson:tt:8/30/04

RECEIVED

AUG 3 1 2004

DIV. OF OIL, GAS & MINING

OPERATOR CHANGE WORKSHEET

ROUTING	
1. GLH	
2. CDW	
3. FILE	7

X Change of Operator (Well Sold)

6b. Inspections of LA PA state/fee well sites requested on:

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:				, , , , , , , , , , , , , , , , , , ,	7/22/2004	4			
FROM: (Old Operator):				TO: (New O	perator):				
N2475-ABS Energy, LLC				N2650-Elk Pro	N2650-Elk Production, LLC				
PO Box 307				770 S I	Post Oak Lai	ne, Suite 32	20		
Farmington, NM 87499	Farmington, NM 87499			Housto	n, TX 7705	6			
Phone: 1-(Phone: 1-(713)	751-9500				
C	CA No.			Unit:	Calf Cany	on Unit			
WELL(S)									
NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	
CALF CANYON 1	03	200S	210E	4301930298	11666		ow	P	
CALF CYN 7	03	200S	210E	4301931168	11666	Fed	WI	A	
CALF CANYON 8	03	200S	210E	4301931197	9820	Fed	GW	P	
CALF CANYON FED 10	03	200S	210E	4301931203	11666	Fed	OW	S	
CALF CANYON 11	03	200S	210E	4301931209	11666	Fed	WI	A	
FEDERAL 675-6	09	200S	210E	4301931208	11666	Fed	OW	P	
FEDERAL 675-1	10	200S	210E	4301930376	11666	Fed	OW	P	
FEDERAL 675 4	10	200S	210E	4301931187	11666	Fed	OW	P	
FEDERAL 675 5	10	200S	210E	4301931199	11666	Fed	OW	S	
CALF CANYON 4	11	200S	210E	4301930392	2515	Fed	OW	S	
OPERATOR CHANGES DOCUMENTER date after each listed item is composited item in the composite of the composite	leted tation was rec	eived i		_		8/17/200 8/17/200	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
3. The new company was checked on the	Department	of Co	mmerc	e, Division of C	corporations	s Database	e on:	7/27/200	
 Is the new operator registered in the St If NO, the operator was contacted cont 			YES	Business Num	ber: 5	693065-0	<u>161</u>	-	
6a. (R649-9-2)Waste Management Plan ha	s been receive	ed on:		to follow					

8/31/2004

7. Federal and Indian Lease Wells: The BLM and or the I or operator change for all wells listed on Federal or Indian leases of		ed the n	nerger, name change, applied for <u>BIA</u>
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for	r wells listed on:	*****	applied for
9. Federal and Indian Communization Agreements (" The BLM or BIA has approved the operator for all wells listed w	•		n/a
10. Underground Injection Control ("UIC") The Diagram, for the enhanced/secondary recovery unit/project for the way	• •		orm 5, Transfer of Authority to n: 8/30/2004
DATA ENTRY:			
1. Changes entered in the Oil and Gas Database on:	8/31/2004		
2. Changes have been entered on the Monthly Operator Change Sp	read Sheet on:	,	8/31/2004
3. Bond information entered in RBDMS on:	8/31/2004		
4. Fee/State wells attached to bond in RBDMS on:	8/31/2004		
5. Injection Projects to new operator in RBDMS on:	8/31/2004		
6. Receipt of Acceptance of Drilling Procedures for APD/New on:		n/a	
FEDERAL WELL(S) BOND VERIFICATION:			
1. Federal well(s) covered by Bond Number:	B000963		
INDIAN WELL(S) BOND VERIFICATION:			
1. Indian well(s) covered by Bond Number:	<u>n/a</u>		
FEE & STATE WELL(S) BOND VERIFICATION:			
1. (R649-3-1) The NEW operator of any fee well(s) listed covered by	Bond Number		B000969
2. The FORMER operator has requested a release of liability from the The Division sent response by letter on:	eir bond on:	TLA held	
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been cont of their responsibility to notify all interest owners of this change on		ed by a lett 9/1/2004	ter from the Division
COMMENTS:			

Form 3160-5 (August 2007)

1. Type of Well

3a. Address 1401 17th Street, Suite 700 Denver, CO 80202

2. Name of Operator Elk Production, LLC

NWNW Section 10-T20S-R21E

Oil Well

Gas Well

4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) 693' FNL, 1184' FWL

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

5. Lease Serial No.

UTU-5675

11. Country or Parish, State

Grand County, UT

Temporarily Abandon

SUNDRY NOTICES AND REPORTS ON WELLS

SUBMIT IN TRIPLICATE - Other instructions on page 2.

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

Other

Change Plans

6. If Indian, Allottee or Tribe Name 7. If Unit of CA/Agreement, Name and/or No. NA 8. Well Name and No. Federal 675-5 9. API Well No. 4301931199 10. Field and Pool or Exploratory Area Greater Cisco/Cedar Mountain

TYPE OF SUBMISSION TYPE OF ACTION Production (Start/Resume) Water Shut-Off Acidize Deepen ✓ Notice of Intent Well Integrity Alter Casing Fracture Treat Reclamation Casing Repair New Construction Recomplete Other Subsequent Report

Plug Back Water Disposal Final Abandonment Notice Convert to Injection 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Plug and Abandon

3b. Phone No. (include area code)

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

303-296-4505

Elk plans to resume production from the subject well which has been shut in since 1997. Rods and tubing will be pulled, replacing the pump and any bad tubing or rods found with visual inspection. A packer will be run to test casing competency. Dependent upon the quantity of wellbore fluid entry, reperforation of the existing perforated interval or "Gas-Gun" stimulation may be attempted to improve wellbore entry. Work is planned to start mid-February 2008 and is expected to require four days.

COPY SENT TO OPERATOR

14. I hereby certify that the foregoing is true and correct.

Name (Printed/Typed) Karin Kuhn

Title Sr. Engineering Technician

and Mining

Signature

Initials:

Date 01/11/2008

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Federal Approval Of This UtamuDivision of Action is Necessary

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person

any department or agency of the United States any false,

fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

JAN 1 4 2008

DIV. OF OIL. GAS & MINING

Form 3160-5 (August 2007)

UNITED STATES

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010	
No.		

	01.221.011001.01
	Expires: July 31, 2
5. Lease Serial No. UTU-5675	


-	_				
6.	If	Indian,	Allottee c	or Tribe	Name

SUNDRY Do not use this	6. If Indian, Allottee or Tribe Name						
abandoned well.	NA						
SUBM	7. If Unit of CA/Agre	7. If Unit of CA/Agreement, Name and/or No.					
1. Type of Well	1. Type of Well						
✓ Oil Well ☐ Gas V	Well Other			8. Well Name and No Federal 675-5).		
2. Name of Operator Elk Production, LLC				9. API Well No. 4301931199			
3a. Address 1401 17th Street, Suite 700 Denver, CO 80202	3b. Phone 3 303-296-4	No. <i>(include area code</i> 505)	10. Field and Pool or Greater Cisco/Ceda	•	•	
4. Location of Well (Footage, Sec., T., 693' FNL, 1184' FWL NWNW Section 10-T20S-R21E	R.,M., or Survey Description)			11. Country or Parish Grand County, UT	, State		
12. CHEC	CK THE APPROPRIATE BOX(ES) TO E	NDICATE NATURE (OF NOTIC	E, REPORT OR OTH	ER DA	ATA	
TYPE OF SUBMISSION		TYPE	OF ACTI	ON			
Notice of Intent	Alter Casing Fr	eepen racture Treat ew Construction		ction (Start/Resume) mation		Water Shut-Off Well Integrity Other	
✓ Subsequent Report		ug and Abandon	_	orarily Abandon			
Final Abandonment Notice	Convert to Injection Pl	ug Back	Water	Disposal			
testing has been completed. Final determined that the site is ready for Work began on March 31, 2008 to p	red operations. If the operation results in a Abandonment Notices must be filed only a r final inspection.) oull rods and tubing, and replaced the party the well is making 2.5 BOPD, 0 BW	after all requirements, i	including r	eclamation, have been was reran and the s	compl	leted and the operator has	
14. I hereby certify that the foregoing is tro Name (Printed/Typed) Karin Kuhn	ue and correct.	Title Sr. Enginee	ring Tech	nician		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Signature Aun	Date 04/16/2008	Date 04/16/2008					
/\ '	THIS SPACE FOR FED	ERAL OR STAT	E OFFI	CE USE		The second secon	
Approved by		Title		D	oto.		
	Approval of this notice does not warrant or the to those rights in the subject lease which warrenon.			יםן	ate		
	J.S.C. Section 1212, make it a crime for any pentations as to any matter within its jurisdiction		illfully to n	nake to any department	or agen	cy of the United States any false,	
(Instructions on page 2)				HEULIAL			

APR 2 1 2008

ELK PRODUCTION LLC WELLBORE DIAGRAM

4/16/08 OPERATOR: Elk Production LLC DATE: 3094' WELL NAME: Federal 675-5 TD: 5543' GL KB: 5553' FIELD / PROSPECT: Greater Cisco AREA: Cisco ELEV: SURFACE LOCATION: NWNW Section 10-T20S-R21E Vertical wellbore BHL: 9/4/1985 4301931199 API: SPUD DATE: PRODUCTIVE ZONE(S Cedar Mountain



Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET (for state use only)

	R	C)(JT	T	V	3
Γ			1.	D	J.	Ī	
-		-	_	_			-

								2. CDW	
X - Change of Operator (Well Sold)	Opera	ator Name	Change/Merg	ger					
The operator of the well(s) listed below has changed,	effect	ive:		8/1/2011					
FROM: (Old Operator):				TO: (New Operator):					
N2650-Elk Production, LLC				N3785-SEP - Cisco Dome LLC					
1401 17th Street, Suite 700				1245 B	rickyard Rd	, Suite 210			
Denver, CO 80202			Salt Lal	ke City, UT	84106				
Phone: 1 (303) 296-4505			Phone: 1 (435)	940-9001					
CA No.				Unit:	-	CALF CA	NYON		
WELL NAME	SEC	TWN	RNG	API NO	ENTITY	LEASE TYPE	WELL	WELL	
					NO		TYPE	STATUS	
SEE ATTACHED LIST - 10 WELLS									
	<u> </u>								
OPERATOR CHANGES DOCUMENTATI	ON								
Enter date after each listed item is completed	.011								
1. (R649-8-10) Sundry or legal documentation was rec	eived	from th	ne FOR	MER operator	on:	9/6/2011			
2. (R649-8-10) Sundry or legal documentation was rec				-		9/6/2011			
3. The new company was checked on the Department				•	rations Dat			7/18/2011	
4a. Is the new operator registered in the State of Utah:				Business Numbe		7934251-0160		7710720,11	
5a. (R649-9-2)Waste Management Plan has been receive	ed on:	•		Requested	9/21/2011	770 1201 0100			
5b. Inspections of LA PA state/fee well sites complete of				n/a	-				
5c. Reports current for Production/Disposition & Sundri				ok	-				
6. Federal and Indian Lease Wells: The BLM an			hac an		- 				
or operator change for all wells listed on Federal or				proved the merg	BLM	_	BIA	m/a	
7. Federal and Indian Units:	mulan	icases	OII.		DLM	not yet	DIA	n/a	
The BLM or BIA has approved the successor of un	nit one	erator f	or well	s listed on:		n /o			
8. Federal and Indian Communization Agreem	•			s fisted off.		n/a			
The BLM or BIA has approved the operator for all		•	•	a CA on:		n/a			
				a CA on. 1 5, Transfer o f	f Authority				
Inject, for the enhanced/secondary recovery unit/pro					•		n/a		
DATA ENTRY:	oject I	or the t	race a	isposai wein(s) i	isiou oii.	-	II/ a		
1. Changes entered in the Oil and Gas Database on:				9/20/2011					
2. Changes have been entered on the Monthly Operat	or Ch	ange S	bread		-	9/20/2011			
3. Bond information entered in RBDMS on:			•	9/6/2011					
4. Fee/State wells attached to bond in RBDMS on:				9/21/2011					
5. Injection Projects to new operator in RBDMS on:			n/a	-		·			
6. Receipt of Acceptance of Drilling Procedures for Al	PD/Ne	ew on:			n/a				
BOND VERIFICATION:				UTB000465					
	1. Federal well(s) covered by Bond Number:				-				
2. Indian well(s) covered by Bond Number:	11/2/ 11	- اسمئت		n/a	-				
3a. (R649-3-1) The NEW operator of any state/fee wel									
3b. The FORMER operator has requested a release of I LEASE INTEREST OWNER NOTIFICATI		-	tneir bo	ond on:	not yet				

4. (R649-2-10) The NEW operator of the fee wells has been contacted and informed by a letter from the Division

of their responsibility to notify all interest owners of this change on:

COMMENTS:

n/a

STATE OF UTAH

	FORM 9
	5. LEASE DESIGNATION AND SERIAL NUMBER:
	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
or to	7. UNIT or CA AGREEMENT NAME: Calf Canyon Unit
	8. WELL NAME and NUMBER: See attached list
	9. API NUMBER:
	10. FIELD AND POOL, OR WILDCAT:
1	10. FIELD AND POOL, OR WILDCAT.
	COUNTY: Grand County
	STATE: UTAH
EPO	RT, OR OTHER DATA
	REPERFORATE CURRENT FORMATION
	SIDETRACK TO REPAIR WELL
	TEMPORARILY ABANDON
	TUBING REPAIR
	VENT OR FLARE
	WATER DISPOSAL
	WATER SHUT-OFF
	OTHER: Change of Operator
ATION	
volume	es, etc.

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:					
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME: Calf Canyon Unit					
1. TYPE OF WELL OIL WELL GAS WELL OTHER	WELL NAME and NUMBER: See attached list					
2. NAME OF OPERATOR: SEP - CISCO DOME, LLC $\lambda 3785$	9. API NUMBER:					
3. ADDRESS OF OPERATOR: 1245 Brickyard Rd., Ste 210 CITY Salt Lake City STATE UT ZIP 84106 PHONE NUMBER: (435) 940-9001	10. FIELD AND POOL, OR WILDCAT:					
4. LOCATION OF WELL FOOTAGES AT SURFACE:	COUNTY: Grand County					
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE:					
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	UTAH DRT, OR OTHER DATA					
TYPE OF SUBMISSION TYPE OF ACTION						
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: Approximate date work will start: ACIDIZE DEEPEN FRACTURE TREAT NEW CONSTRUCTION	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON					
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE CHANGE TUBING PLUG AND ABANDON CHANGE TUBING PLUG BACK CHANGE WELL NAME PLUG BACK CHANGE WELL STATUS PRODUCTION (START/RESUME) COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	 TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF ✓ OTHER: Change of Operator 					
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume	nes etc					
Previous Operator: Elk Production, LLC 1401 17th Street, Suite 700 Denver, Colorado 80202 Salt Lake City, UT 303-296-4505 Utah DOGM Bond # BLM Bond # UT 3000 105 Effective 8/1/2011						
SEP - CISCO DOME, LLC representative:						
Name (Please Print): David Lillywhite Title: President						
Signature Date 7/38/11	***					
NAME (PLEASE PRINT) John Whisler TITLE Chief Executive	Officer					
SIGNATURE for While DATE 7/28.	/).					

(This space for State use only)

RECEIVED SEP 0.6 2011

APPROVED 913013011

Carlene Russell

Division of Oil, Gas and Mining

Farlene Russell

Farlene Russell

Farlene Russell

Farlene Russell

Farlene Russell Earlene Russell, Engineering Technician

ELK PRODUCTION, LLC (N2650) to SEP-Cisco Dome, LLC (N3785) effective 8/1/2011

well_name	sec	twp	rng	api	entity	well	stat
CALF CANYON 1	03	200S	210E	4301930298	11666	OW	S
FEDERAL 675-1	10	200S	210E	4301930376	11666	OW	S
CALF CANYON 4	11	200S	210E	4301930392	2515	OW	S
CALF CYN 7	03	200S	210E	4301931168	11666	GW	S
FEDERAL 675 4	10	200S	210E	4301931187	11666	OW	P
CALF CANYON 8	03	200S	210E	4301931197	16780	GW	S
FEDERAL 675 5	10	200S	210E	4301931199	11666	ow	S
CALF CANYON FED 10	03	200S	210E	4301931203	11666	ow	S
FEDERAL 675-6	09	200S	210E	4301931208	11666	OW	S
CALF CANYON 11	03	200S	210E	4301931209	15278	GW	S,

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
1. DJJ
2 CDW

X - Change of Operator (Well Sold)	Operator Name Change/Merger							
The operator of the well(s) listed below has changed,	9/1/2011							
			TO: (New Operator): N3805-SEP - Cisco Dome II LLC 1245 Brickyard Rd, Suite 210 Salt Lake City, UT 84106					
Phone: 1 (435) 940-9001				Phone: 1 (435)	940-9001			
CA No.			_	Unit:	740-9001	CALF CA	NVON	
WELL NAME	SEC	TWN	RNG		ENTITY	LEASE TYPE	WELL	WELL
				111 110	NO	LEASE IIIE	TYPE	STATUS
SEE ATTACHED LIST - 10 WELLS								
OPERATOR CHANGES DOCUMENTATI Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was rece 2. (R649-8-10) Sundry or legal documentation was received.	eived eived	from th	ne NEV	V operator on:		9/15/2011 9/15/2011		
3. The new company was checked on the Department	of Co	mmer	ce, Div	ision of Corpo	rations Dat	abase on:		9/15/2011
4a. Is the new operator registered in the State of Utah:			Е	Business Numbe	r:	7934251-0160		
5a. (R649-9-2)Waste Management Plan has been receive			•	Requested	9/21/2011			
5b. Inspections of LA PA state/fee well sites complete o				n/a				
5c. Reports current for Production/Disposition & Sundri			•	ok				
6. Federal and Indian Lease Wells: The BLM and	d or th	ne BIA	has app	proved the merg	er, name ch	ange,		
or operator change for all wells listed on Federal or I	ndian	leases	on:		BLM	9/20/2011	BIA	n/a
7. Federal and Indian Units:		_						
The BLM or BIA has approved the successor of un 8. Federal and Indian Communication Agreem				listed on:		n/a		
				~.				
The BLM or BIA has approved the operator for all 9. Underground Injection Control ("UIC")						n/a		
Inject, for the enhanced/secondary recovery unit/pro				5, Transfer of		το		
DATA ENTRY:	ject i	or the v	vater di	sposai weii(s) li	isted on:	-	n/a	
1. Changes entered in the Oil and Gas Database on:				9/20/2011				
2. Changes have been entered on the Monthly Operator	or Ch	ange S	pread :			9/20/2011		
3. Bond information entered in RBDMS on:			.	n/a	-	3/20/2011		
4. Fee/State wells attached to bond in RBDMS on:				n/a				
5. Injection Projects to new operator in RBDMS on:			_	n/a				
6. Receipt of Acceptance of Drilling Procedures for AP	D/Ne	w on:			<u>n/a</u>			
BOND VERIFICATION:								
1. Federal well(s) covered by Bond Number:			_	UTB000466				
2. Indian well(s) covered by Bond Number:3a. (R649-3-1) The NEW operator of any state/fee well	(a) 1:a		-	n/a				
3b. The FORMER operator has requested a release of li- LEASE INTEREST OWNER NOTIFICATION.	ability ON:	y trom	ineir bo	nd on:	n/a			
4. (R649-2-10) The NEW operator of the fee wells has b of their responsibility to notify all interest owners of the second secon	een c	ontacte ange or	d and in	nformed by a lea	tter from the	Division		
COMMENTS			·	•				

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES							F	ORM 9	
	!	5. LEA	SE DESIGNATION AND SERIAL NUMBER	BER:					
DIVISION OF OIL, GAS AND MINING									
SUNDRY NOTICES AND REPORTS ON WELLS							6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
						NA 7 LIME	T or CA AGREEMENT NAME:		
Do	not use this form for proposals to drill no drill horizontal la	ew wells, significantly deep iterals. Use APPLICATION	en existing wells below cut FOR PERMIT TO DRILL!	rrent bottom-hole dep førm for such proposi	oth, reenter plugged wells, or to als.		f Canyon Unit		
1. T	YPE OF WELL OIL WELL						LL NAME and NUMBER:		
			- E. OWEK_				attached list		
	ame of operator: EP - CISCO DOME II, LL	_c N_3	805			I	NUMBER: ched		
	DDRESS OF OPERATOR:	7/19/			PHONE NUMBER:	10. FIE	ELD AND POOL, OR WILDCAT:		
	15 Brickyard Rd, Ste 210 CITY	_y Salt Lake City	STATE UT ZIP	,84106	(435) 940-9001	Gre	eater Cisco		
	OCATION OF WELL	to also al					- Crand Carreti		
F	OOTAGES AT SURFACE: SEE at	acned				COUNT	ry: Grand County		
Q	TR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN:				STATE	:		
							UTAH		
11.	CHECK APPR	ROPRIATE BOX	ES TO INDICAT	TE NATURE	OF NOTICE, REPO	RT, O	R OTHER DATA		
	TYPE OF SUBMISSION			T	YPE OF ACTION				
Ø	NOTICE OF INTENT	ACIDIZE		DEEPEN			REPERFORATE CURRENT FORMA	TION	
(Y)	(Submit in Duplicate)	ALTER CASING		FRACTURE	TREAT		SIDETRACK TO REPAIR WELL		
	Approximate date work will start:	CASING REPAIR		NEW CONS	STRUCTION		TEMPORARILY ABANDON		
	9/15/2011	CHANGE TO PRE	VIOUS PLANS	OPERATOR	R CHANGE		TUBING REPAIR		
		CHANGE TUBING	;	PLUG AND	ABANDON		VENT OR FLARE		
	SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL N	AME	PLUG BACI	K		WATER DISPOSAL		
	Date of work completion:	CHANGE WELL S	TATUS	PRODUCT	ON (START/RESUME)		WATER SHUT-OFF		
	and or work dorrighteen.	COMMINGLE PRO	ODUCING FORMATIONS	RECLAMAT	TION OF WELL SITE		OTHER:		
	CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION								
12.	12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.								
Pr	evious Operator: 🛚 📈 🕹	3785	New Operator:						
	EP - CISCO DOME, LLO		SEP - CISCO	OOME II, LLC	N3805				
	45 BRICKYARD RD, S		1245 BRICKYA	•					
	ALT LAKE CITY, UT 841	1 06	SALT LAKE CIT	TY, UT 8410	6				
43	5-940-9001		435-940-9001						
			BLM Bond #: \	UTB-000466					
_	_ 1/	\sim		α / β					
	$\sim 11/2$		$\langle \rangle$						
\ _x	1) / Lank			Lack					
	vid Knudson		David Knudson		<u> </u>				
	nd Manager l		Land Manager	V					
15	Sept. 2011		15 Sept. 2011						
		_							
	ρ .	ffective	9/1/2011						
			7172011						
~	Joromy S	chwendimen			Landman				
NAM	IE (PLEASE PRINT) Jeremy Sc	chwendiman		TITU	_E Landman				
SIGN	NATURE Z	1) DAT	8/10/2011				
									

(This space for State use only APPROVED 9/30/30//

Carley Russell

Division of Oil, Gas and Mining

Earlene Russell, Engineering Technician

(5/2000)

RECEIVED

SEP 15 2011

DIV. OF OIL, GAS & MINING

SEP-Cisco Dome, LLC (N3785) to SEP-Cisco Dome II, LLC (N3805) effective 9/1/2011

well_name	sec	twp	rng	api	entity	well	stat
CALF CANYON 1	03	200S		4301930298	11666	OW	S
FEDERAL 675-1	10	200S	210E	4301930376	11666	OW	S
CALF CANYON 4	11	200S	210E	4301930392	2515	OW	S
CALF CYN 7	03	200S	210E	4301931168	11666	GW	S
FEDERAL 675 4	10	200S	210E	4301931187	11666	ow	P
CALF CANYON 8	03	200S	210E	4301931197	16780	GW	S
FEDERAL 675 5	10	200S	210E	4301931199	11666	ow	S
CALF CANYON FED 10	03	200S	210E	4301931203	11666	OW	S
FEDERAL 675-6	09	200S	210E	4301931208	11666	OW	S
CALF CANYON 11	03	200S	210E	4301931209	15278	GW	S



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Utah State Office

P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov/ut/st/en.html



IN REPLY REFER TO: 3180 (UTU70813A) UT-922

SEP 1 9 2011

David Knudson SEP-Cisco Dome II, LLC 1245 Brickyard Rd., Suite 210 Salt Lake City, UT 84106

Re:

Successor Operator

Calf Canyon Unit

Agreement No. UTU70813A

Grand County, Utah

Dear Mr. Knudson:

On September 1, 2011, we received an indenture dated August 29, 2011, whereby Elk Production, LLC resigned as Unit Operator and SEP-Cisco Dome II, LLC was designated as Successor Unit Operator for the Calf Canyon Unit, Grand County, Utah. The indenture was executed by both parties and the signatory parties (working interest owners) have complied with Sections 5 and 6 of the unit agreement.

The instrument is hereby approved effective September 15, 2011. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Calf Canyon Unit Agreement.

Your statewide oil and gas bond, No. ZSB802726 (BLM Bond No. UTB000466) will be used to cover unit operations.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate Federal offices, with one copy returned herewith.

Sincerely,

Roger L. Bankert

Chief, Branch of Minerals

Enclosure

CC:

UDOGM

SITLA

ONRR - Leona Reilly

BLM FOM - Moab w/enclosure

RECEIVED

SEP 2 0 2011

Form 3160-5 (April 2004)

1. Type of Well

determined that the site is ready for final inspection.)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OM B No. 1004-0137 Expires: March 31, 2007

7. If Unit or CA/Agreement, Name and/or No.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160 - 3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

6. If Indian, Allottee or Tribe Name

5. Lease Serial No.

UTU-5675

1. Type of Well Oil Well	CALF CANYON UNIT				
2. Name of Operator SEP CISCO	8. Well Name and No. FEDERAL 675 5 9. API Well No.				
3a Address 1245 Brickyard Road, Suite 2	43-019-31199				
4. Location of Well (Footage, Sec.,	10. Field and Pool, or Exploratory Area GREATER CISCO FIELD				
Surface : 693 FNL 1184 FWL NENW Section 10, 7		11. County or Parish, State GRAND COUNTY, UTAH			
12. CHECK A	PPROPRIATE BOX(ES) TO	INDICATE NATUR	E OF NOTICE, RE	PORT, OF	R OTHER DATA
TYPE OF SUBMISSION			PE OF ACTION		
Notice of Intent ✓ Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production (Star Reclamation Recomplete Temporarily Aba Water Disposal	,	Water Shut-Off Well Integrity ✓ Other RE-PERFORATE
13. Describe Proposed or Complete If the proposal is to deepen dire	ed Operation (clearly state all pertine	ent details, including estin	nated starting date of any	proposed wo	rk and approximate duration thereof.

The Federal 675 5 was re-perforated in a portion of the currently productive zone the Cedar Mountain. The interval that was reperforated was (2924' - 2963' 4 holes/ft), only 33 feet of which has not been previously perforated. This well has been returned to service and is in production as

If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has

> Accepted by the Utah Division of Oil, Gas and Mining For Record Only

RECEIVED OCT 0 3 2011

DIV. OF OIL. GAS & MINIE

		A WINING
14. I hereby certify that the foregoing is true and correct Name (Printed Typed) Steven Viiflet	Title Project Mang	er
Signature Stein High	Date	09/23/2011
THIS SPACE FOR FEDERAL	OR STATE OF	FICE USE
Approved by Conditions of approval, if any, are attached. Approval of this notice does not warrant	Title	Date
which would entitle the applicant to conduct operations thereon.	e Office	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any p States any false, fictitious or fraudulent statements or representations as to any matter.	erson knowingly and	willfully to make to any department or agency of the United